

Product and price list

Heavy-duty- Dewateringsystems

2024



Service

Quality!

We don't sell anything we would not buy ourselves

For us, this means not only ensuring high-quality workmanship but also offering a selection of first-class materials.

Our range of high-end materials spans from ever-popular stainless steel to trend material COR-TEN steel, right over to a more competitively priced steel that features a protective Magnelis coating.



RRP price list

The listed prices are re-commended retail prices (sales prices for your customers) and do not include statutory VAT

Looking for custom-made products? Look no further!

The products listed in the catalogue show our standard range. But custom-made products can also be delivered quickly, and they're more affordable than you might think.

Our entire production process is oriented towards responding flexibly to individual measurements. **Contact us now to discuss your needs!**

Standards! Steel-Quality

The quality of our stainless steel is V2A – according to the European-Standards it is 1.4301 steel.

It goes without saying that we can provide higher qualities for custom-made products. **Contact us now to discuss your needs!**



Online shop!

24 hours a day, 7 days a week: shop whenever and wherever you like

Visit our online shop at www.richard-brink.de. You'll find our entire product range here – from drainage and dewatering systems, planting systems and roof and wall systems to our bath and kitchen systems.

Tradesmen and installation firms can put together an individual shopping basket (or even multiple shopping baskets) here and either save these to their customer account, generate tender specifications for the chosen products or place a direct order. Private individuals cannot purchase products from us directly, but can use our supplier database to find a distributor in their local area, which can then handle their order.


Take advantage of this system and establish new customer contacts.



Table of contents



Zippa & Prisma Cast gratings
Heavy-duty gratings
Slotted attachments



..... from page 4

Cast gratings
Heavy-duty gratings


Fortis Heavy-duty dewatering
channels
Concrete



..... from page 14

Fortis
Concrete channels

Poly-Fortis Heavy-duty dewatering channels
Poly-Mono Heavy-duty dewatering channels
Polymer concrete



..... from Page 34

Poly-Fortis
Polymer- Concrete
channels


Gemini Heavy-duty double-slit channel
Lamina Magna Fountain field channel



..... from Page 36

Gemini Heavy-duty
double-slit channel

Ferro Magna Heavy-duty dewatering channels
FerroMax Heavy-duty water storage channel
Metal



..... from Page 40

Ferro Magna / Max
Heavy-duty dewatering
channels


RigoMax Heavy-duty filter channel



..... from Page 43

RigoMax
Heavy-duty filter
channel

Cargo Heavy-duty supply channel
Parco Parking deck channel



..... from Page 44

Cargo + Parco


Punkto Point drainage
units & gully gratings
Metal, concrete



..... from Page 48

Punkto Point
drainage units

Solid manhole cover
Triangle Parking lot stop



..... from page 52


Solid manhole
cover

Your contacts
Our sales team

..... page 55

Your contacts

Zippa | Cast gratings





Zippa | Cast gratings

Standard grating length: 500 mm

	Item designation	Nominal size	Load class	Length	Total width	Installation height	Colour	RRP excl. VAT
DN100	Load class E 600							
	SLR GZ 150-20 GG Zippa E600	DN 100	E 600	500 mm	144 mm	20 mm	Mica gray	49,14 €
DN150	Load class E 600							
	SLR GZ 200-20 GG Zippa E600	DN 150	E 600	500 mm	194 mm	20 mm	Mica gray	68,80 €
DN200	Load class E 600							
	SLR GZ 300-20 GG Zippa E600	DN 200	E 600	500 mm	245 mm	20 mm	Mica gray	103,85 €

NEW: With integrated lock mechanism

In order to fix the gratings in place, we have developed a system that holds the grating in the frame using a stay bolt. This ensures that the grating cannot move out of place even when under heavy loads.





red*dot* award 2019
winner urban design
Cast gratings *Prisma*

integrated
lock meca-
nism

B 125

D 400


Cast gratings
Heavy-duty gratings

Prisma | Cast gratings
Standard grating length: 500 mm

Item designation		Nominal size	Load class	Length	Total width	Installation height	Colour	RRP excl. VAT
DN100	Load class B 125							
	SLR GP 150-20 GG Prisma B125	DN 100	B 125	500 mm	144 mm	20 mm	Mica gray	35,25 €
	Load class D 400							
DN150	SLR GP 150-20 GG Prisma D400	DN 100	D 400	500 mm	144 mm	20 mm	Mica gray	45,83 €
	Load class B 125							
	SLR GP 200-20 GG Prisma B125	DN 150	B 125	500 mm	194 mm	20 mm	Mica gray	56,68 €
DN150	Load class D 400							
	SLR GP 200-20 GG Prisma D400	DN 150	D 400	500 mm	194 mm	20 mm	Mica gray	64,42 €




Heavy-duty mesh gratings | *hot-dip galvanise*



Heavy-duty mesh gratings | made of hot-dip galvanised steel

	Item designation	for nominal dimensions	Load class	Width	Installation height	Mesh width	Grating length	RRP excl. VAT
DN100	Load class B 125							
	SLR M 150-20-1000 30x10 B125 ST	DN 100	B 125	145 mm	20 mm	30 x 10 mm	1.000 mm	60,05 €
	SLR M 150-20-500 30x10 B125 ST	DN 100	B 125	145 mm	20 mm	30 x 10 mm	500 mm	42,04 €
	Load class C 250							
	SLR M 150-20-1000 30x10 C250 ST	DN 100	C 250	145 mm	20 mm	30 x 10 mm	1.000 mm	74,48 €
	SLR M 150-20-500 30x10 C250 ST	DN 100	C 250	145 mm	20 mm	30 x 10 mm	500 mm	54,78 €
DN150	Load class D 400							
	SLR M 150-20-1000 10x30 D400 ST	DN 100	D 400	145 mm	20 mm	10 x 30 mm	1.000 mm	96,24 €
	SLR M 150-20-500 10x30 D400 ST	DN 100	D 400	145 mm	20 mm	10 x 30 mm	500 mm	69,97 €
	Load class B 125							
	SLR M 200-20-1000 30x10 C250 ST	DN 150	B 125	195 mm	20 mm	30 x 10 mm	1.000 mm	90,00 €
	SLR M 200-20-500 30x10 C250 ST	DN 150	B 125	195 mm	20 mm	30 x 10 mm	500 mm	65,44 €
DN200	Load class C 250							
	SLR M 200-20-1000 30x10 C250 ST	DN 150	C 250	195 mm	20 mm	30 x 10 mm	1.000 mm	110,68 €
	SLR M 200-20-500 30x10 C250 ST	DN 150	C 250	195 mm	20 mm	30 x 10 mm	500 mm	79,88 €
	Load class D 400							
	SLR M 200-20-1000 10x30 D400 ST	DN 150	D 400	195 mm	20 mm	10 x 30 mm	1.000 mm	132,00 €
	SLR M 200-20-500 10x30 D400 ST	DN 150	D 400	195 mm	20 mm	10 x 30 mm	500 mm	94,62 €
DN300	Load class C 250							
	SLR M 250-20-1000 30x10 C250 ST	DN 200	C 250	245 mm	20 mm	30 x 10 mm	1.000 mm	133,74 €
	SLR M 250-20-500 30x10 C250 ST	DN 200	C 250	245 mm	20 mm	30 x 10 mm	500 mm	96,06 €
	Load class D 400							
	SLR M 250-20-1000 20x10 D400 ST	DN 200	D 400	245 mm	20 mm	20 x 10 mm	1.000 mm	158,53 €
	SLR M 250-20-500 20x10 D400 ST	DN 200	D 400	245 mm	20 mm	20 x 10 mm	500 mm	113,28 €
DN500	Load class 5t							
	SLR M 388-40-1000 30x10 5t ST	DN 300	5t	375 mm	40 mm	30 x 10 mm	1.000 mm	185,90 €
DN1000	Load class 5t							
	SLR M 588-50-1000 30x10 5t ST	DN 500	5t	575 mm	50 mm	30 x 10 mm	1.000 mm	298,93 €
DN1000	Load class 5t							
	SLR M 1088-50-500 30x10 5t ST	DN 1.000	5t	1.088 mm	50 auf 80 mm	30 x 10 mm	500 mm	718,67 €

Heavy-duty mesh gratings | stainless steel




Cost-gratings
Heavy-duty gratings

Heavy-duty mesh gratings | made of stainless steel (V2A)

	Item designation	for nominal dimensions	Load class	Width	Installation height	Mesh width	Grating length	RRP excl. VAT
DN100	Load class C 250							
	SLR M 150-20-1000 30x10 C250 VA	DN 100	C 250	145 mm	20 mm	30 x 10 mm	1.000 mm	206,25 €
	SLR M 150-20-500 30x10 C250 VA	DN 100	C 250	145 mm	20 mm	30 x 10 mm	500 mm	134,06 €
	Load class D 400							
	SLR M 150-20-1000 10x30 D400 VA	DN 100	D 400	145 mm	20 mm	10 x 30 mm	1.000 mm	318,21 €
	SLR M 150-20-500 10x30 D400 VA	DN 100	D 400	145 mm	20 mm	10 x 30 mm	500 mm	190,94 €
DN150	Load class C 250							
	SLR M 200-20-1000 30x10 C250 VA	DN 150	C 250	195 mm	20 mm	30 x 10 mm	1.000 mm	251,42 €
	SLR M 200-20-500 30x10 C250 VA	DN 150	C 250	195 mm	20 mm	30 x 10 mm	500 mm	175,99 €
	Load class D 400							
	SLR M 200-20-1000 10x30 D400 VA	DN 150	D 400	195 mm	20 mm	10 x 30 mm	1.000 mm	369,28 €
	SLR M 200-20-500 10x30 D400 VA	DN 150	D 400	195 mm	20 mm	10 x 30 mm	500 mm	258,50 €
DN300	Load class 5t							
	SLR M 388-50-1000 30x10 5t ST	DN 500	5t	375 mm	50 mm	30 x 10 mm	1.000 mm	447,36 €
DN500	Load class 5t							
	SLR M 588-50-1000 30x10 5t VA	DN 500	5t	575 mm	50 mm	30 x 10 mm	1.000 mm	471,25 €
DN1000	Load class 5t							
	SLR M 1088-50-500 30x10 5t VA	DN 1.000	5t	1088 mm	50 auf 80 mm	30 x 10 mm	500 mm	1.245,00 €

Heavy-duty designer gratings




Heavy-duty longitudinal bar grating 20 x 3mm | made of hot-dip galvanised steel

	Item designation	for nominal dimensions	Load class	Width	Installation height	Bar thickness	Length	RRP excl. VAT
DN100	Load class C 250							
	SLR L 150-20 20x3 C250 ST (1000)	DN 100	C 250	145 mm	20 mm	20 x 3 mm	1,000 mm	229,13 €
	SLR L 150-20 20x3 C250 ST (500)	DN 100	C 250	145 mm	20 mm	20 x 3 mm	500 mm	160,39 €
	Load class D 400							
	SLR L 150-20 20x3 D400 ST (1000)	DN 100	D 400	145 mm	20 mm	20 x 3 mm	1,000 mm	273,50 €
	SLR L 150-20 20x3 D400 ST (500)	DN 100	D 400	145 mm	20 mm	20 x 3 mm	500 mm	191,44 €
DN150	Load class C 250							
	SLR L 200-20 20x3 C250 ST (1000)	DN 150	C 250	195 mm	20 mm	20 x 3 mm	1,000 mm	285,93 €
	SLR L 200-20 20x3 C250 ST (500)	DN 150	C 250	195 mm	20 mm	20 x 3 mm	500 mm	200,15 €
	Load class D 400							
	SLR L 200-20 20x3 D400 ST (1000)	DN 150	D 400	195 mm	20 mm	20 x 3 mm	1,000 mm	352,98 €
	SLR L 200-20 20x3 D400 ST (500)	DN 150	D 400	195 mm	20 mm	20 x 3 mm	500 mm	247,09 €

Heavy-duty longitudinal bar grating 20 x 3mm | made of stainless steel (V2A)

	Item designation	for nominal dimensions	Load class	Width	Installation height	Bar thickness	Length	RRP excl. VAT
DN100	Load class C 250							
	SLR L 150-20 20x3 C250 VA (1000)	DN 100	C 250	145 mm	20 mm	20 x 3 mm	1,000 mm	308,26 €
	SLR L 150-20 20x3 C250 VA (500)	DN 100	C 250	145 mm	20 mm	20 x 3 mm	500 mm	215,78 €
	Load class D 400							
	SLR L 150-20 20x3 D400 VA (1000)	DN 100	D 400	145 mm	20 mm	20 x 3 mm	1,000 mm	373,46 €
	SLR L 150-20 20x3 D400 VA (500)	DN 100	D 400	145 mm	20 mm	20 x 3 mm	500 mm	261,43 €
DN150	Load class C 250							
	SLR L 200-20 20x3 C250 VA (1000)	DN 150	C 250	195 mm	20 mm	20 x 3 mm	1,000 mm	369,68 €
	SLR L 200-20 20x3 C250 VA (500)	DN 150	C 250	195 mm	20 mm	20 x 3 mm	500 mm	258,78 €
	Load class D 400							
	SLR L 200-20 20x3 D400 VA (1000)	DN 150	D 400	195 mm	20 mm	20 x 3 mm	1,000 mm	487,64 €
	SLR L 200-20 20x3 D400 VA (500)	DN 150	D 400	195 mm	20 mm	20 x 3 mm	500 mm	341,36 €

Hydra Linearis | Heavy-duty designer gratings



Cast gratings
Heavy-duty gratings

Hydra Linearis heavy-duty longitudinal bar grating | made of stainless steel (V2A)

Item designation		for nominal dimensions	Load class	Width	Installation height	Bar thickness	Length	RRP excl. VAT
DN 100	Load class C 250							
	SLR LH 150-20 7x7 C250 VA (1000)	DN 100	C 250	145 mm	20 mm	7 x 7 mm	1,000 mm	309,02 €
	SLR LH 150-20 7x7 C250 VA (500)	DN 100	C 250	145 mm	20 mm	7 x 7 mm	500 mm	216,32 €
	Load class D 400							
	SLR LH 150-20 7x7 D400 VA (1000)	DN 100	D 400	145 mm	20 mm	7 x 7 mm	1,000 mm	377,80 €
	SLR LH 150-20 7x7 D400 VA (500)	DN 100	D 400	145 mm	20 mm	7 x 7 mm	500 mm	264,47 €
DN 150	Load class C 250							
	SLR LH 200-20 7x7 C250 VA (1000)	DN 150	C 250	195 mm	20 mm	7 x 7 mm	1,000 mm	370,02 €
	SLR LH 200-20 7x7 C250 VA (500)	DN 150	C 250	195 mm	20 mm	7 x 7 mm	500 mm	259,02 €
	Load class D 400							
	SLR LH 200-20 7x7 D400 VA (1000)	DN 150	D 400	195 mm	20 mm	7 x 7 mm	1,000 mm	494,58 €
	SLR LH 200-20 7x7 D400 VA (500)	DN 150	D 400	195 mm	20 mm	7 x 7 mm	500 mm	346,20 €



Slotted attachments | hot-dip galvanised



Slotted attachment | made of hot-dip galvanised steel (C 250 = 1.5mm / D 400 = 3.0mm)

Item designation	Nominal dimensions	Load class	Slot width	Width	Collar height	Height	Length	RRP excl. VAT
Load class C 250								
DN100 SRA 10-150-160-182 ST (1000)	DN 100	C 250 *	10 mm	145 mm	182 mm	160 mm	1.000 mm	85,29 €
SRA 10-150-160-182 ST (500)	DN 100	C 250 *	10 mm	145 mm	182 mm	160 mm	500 mm	59,73 €
Load class D 400								
SRA M 10-150-160-185 ST (1000)	DN 100	D 400 *	10 mm	145 mm	185 mm	160 mm	1.000 mm	158,79 €
SRA M 10-150-160-185 ST (500)	DN 100	D 400 *	10 mm	145 mm	185 mm	160 mm	500 mm	111,15 €
Load class C 250								
DN150 SRA 10-200-160-182 ST (1000)	DN 150	C 250 *	10 mm	195 mm	182 mm	160 mm	1.000 mm	97,09 €
SRA 10-200-160-182 ST (500)	DN 150	C 250 *	10 mm	195 mm	182 mm	160 mm	500 mm	67,96 €
Load class D 400								
SRA M 10-200-160-185 ST (1000)	DN 150	D 400 *	10 mm	195 mm	185 mm	160 mm	1.000 mm	170,43 €
SRA M 10-200-160-185 ST (500)	DN 150	D 400 *	10 mm	195 mm	185 mm	160 mm	500 mm	119,30 €
Load class C 250								
DN200 SRA 10-250-160-182 ST (1000)	DN 150	C 250 *	10 mm	195 mm	182 mm	160 mm	1.000 mm	117,84 €
SRA 10-250-160-182 ST (500)	DN 150	C 250 *	10 mm	195 mm	182 mm	160 mm	500 mm	87,18 €
Load class D 400								
SRA M 10-250-160-185 ST (1000)	DN 150	D 400 *	10 mm	195 mm	185 mm	160 mm	1.000 mm	262,06 €
SRA M 10-250-160-185 ST (500)	DN 150	D 400 *	10 mm	195 mm	185 mm	160 mm	500 mm	172,69 €

End pieces | made of hot-dip galvanised steel

Item designation	RRP excl. VAT
Load class C 250 / D400	
DN100 SRA E 150-160 left/right ST	9,83 €
Load class C 250 / D 400	
DN150 SRA E 200-160 left/right ST	11,66 €
Load class C 250 / D 400	
DN200 SRA E 250-160 left/right ST	13,60 €



Inspection- and Flush box attachment | *hot-dip galvanised*



Cast gratings
Heavy-duty gratings

Inspection- and Flush box attachment | made of hdg (V2A) (C 250 = 1.5mm / D 400 = 3.0mm)

	Item designation	Nominal dimensions	Load class	Slot width	Width	Height	Length	Collar height	RRP excl. VAT
DN100	Load class C 250								
	SRA RKL 10-150-182 ST	DN 100	C 250*	10 mm	145 mm	182 mm	160 mm	500 mm	175,67 €
	Load class D 400								
	SRA RKL M 10-150-185 ST	DN 100	D 400*	10 mm	145 mm	185 mm	160 mm	500 mm	292,96 €
DN150	Load class C 250								
	SRA RKL 10-200-182 ST	DN 150	C 250*	10 mm	195 mm	182 mm	160 mm	500 mm	224,69 €
	Load class D 400								
	SRA RKL M 10-200-185 ST	DN 150	D 400*	10 mm	195 mm	185 mm	160 mm	500 mm	320,44 €
DN150	Load class C 250								
	SRA RKL 10-250-182 ST	DN 150	C 250*	10 mm	250 mm	182 mm	160 mm	500 mm	249,69 €
	Load class D 400								
	SRA RKL M 10-250-185 ST	DN 150	D 400*	10 mm	250 mm	185 mm	160 mm	500 mm	354,93 €

removal hook
(optional)

removal hook
(optional)



* based on the respective load class

Slotted attachments | stainless steel

Custom
measure-
ments
Upon
request



Slotted attachment | made of stainless steel (C 250 = 1.5mm / D 400 = 3.0mm)

Item designation	Nominal dimensions	Load class	Slot width	Width	Height	Collar height	Length	RRP excl. VAT
Load class C 250								
DN100 SRA 10-150-160-182 VA (1000)	DN 100	C 250 *	10 mm	145 mm	182 mm	160 mm	1.000 mm	152,53 €
SRA 10-150-160-182 VA (500)	DN 100	C 250 *	10 mm	145 mm	182 mm	160 mm	500 mm	99,16 €
Load class D 400								
SRA M 10-150-160-185 VA (1000)	DN 100	D 400 *	10 mm	145 mm	185 mm	160 mm	1.000 mm	246,04 €
SRA M 10-150-160-185 VA (500)	DN 100	D 400 *	10 mm	145 mm	185 mm	160 mm	500 mm	148,12 €
Load class C 250								
DN150 SRA 10-200-160-182 VA (1000)	DN 150	C 250 *	10 mm	195 mm	182 mm	160 mm	1.000 mm	174,71 €
SRA 10-200-160-182 VA (500)	DN 150	C 250 *	10 mm	195 mm	182 mm	160 mm	500 mm	112,24 €
Load class D 400								
SRA M 10-200-160-185 VA (1000)	DN 150	D 400 *	10 mm	195 mm	185 mm	160 mm	1.000 mm	310,22 €
SRA M 10-200-160-185 VA (500)	DN 150	D 400 *	10 mm	195 mm	185 mm	160 mm	500 mm	201,65 €
Load class C 250								
DN200 SRA 10-250-160-182 VA (1000)	DN 150	C 250 *	10 mm	250 mm	182 mm	160 mm	1.000 mm	231,73 €
SRA 10-200-160-182 VA (500)	DN 150	C 250 *	10 mm	250 mm	182 mm	160 mm	500 mm	145,12 €
Load class D 400								
SRA M 10-200-160-185 VA (1000)	DN 150	D 400 *	10 mm	250 mm	185 mm	160 mm	1.000 mm	389,39 €
SRA M 10-200-160-185 VA (500)	DN 150	D 400 *	10 mm	250 mm	185 mm	160 mm	500 mm	234,02 €

End pieces | made of stainless steel

Item designation	RRP excl. VAT
DN100 Load class C 250 / D 400	
SRA E 150-160 left/right VA	13,91 €
DN150 Load class C 250 / D 400	
SRA E 200-160 left/right VA	14,89 €
DN200 Load class C 250 / D 400	
SRA E 250-160 left/right VA	16,30 €



Inspection- and Flush box attachment | stainless steel



Example of use with the Fortis concrete channel



C 250* D 400*

Cast gratings
Heavy-duty gratings

Inspection- and Flush box attachment | made of VA (C 250 = 1.5mm / D 400 = 3.0mm)

	Item designation	Nominal dimensions	Load class	Slot width	Width	Height	Length	Collar height	RRP excl. VAT
DN100	Load class C 250								
	SRA RKL 10-150-182 VA	DN 100	C 250*	10 mm	145 mm	182 mm	160 mm	500 mm	279,15 €
	Load class D 400								
	SRA RKL M 10-150-185 VA	DN 100	D 400*	10 mm	145 mm	185 mm	160 mm	500 mm	400,57 €
DN150	Load class C 250								
	SRA RKL 10-200-182 VA	DN 150	C 250*	10 mm	195 mm	182 mm	160 mm	500 mm	330,27 €
	Load class D 400								
	SRA RKL M 10-200-185 VA	DN 150	D 400*	10 mm	195 mm	185 mm	160 mm	500 mm	423,45 €
DN200	Load class C 250								
	SRA RKL 10-250-182 VA	DN 150	C 250*	10 mm	250 mm	182 mm	160 mm	500 mm	382,77 €
	Load class D 400								
	SRA RKL M 10-250-185 VA	DN 150	D 400*	10 mm	250 mm	185 mm	160 mm	500 mm	455,12 €



removal hook (optional)

* based on the respective load class

The Fortis-System | Heavy-duty concrete channels

Robust, stable and aesthetically pleasing: The Fortis system in a nutshell. Choose from either concrete or polymer concrete channels, both of which can be combined with cast iron, hot-dip galvanized or stainless steel frames.

We expanded our range of heavy-duty metal gratings in 2019 to include two new cast iron models: the **Prisma** grating (*seen in the example*), which was honoured with the **reddot** award, and the **Zippa** model (p.4).

For load classes
**A 15 to
D 400**

Water-tight

Rubber seals

A nut and groove system with integrated rubber seals allows for quick installation with no additional sealing required.

Vertical drainage nozzle

You get the half meters as well as our meter pieces with vertical drainage connection. With the meter channels you can choose between right or left.

Run-off pipes

The Fortis drainage units are fitted with plastic run-off pipes for nominal widths of **DN 100** or **DN 150** as standard. Half-metre concrete channels are also available with run-off pipes.

Cartridge-like sides

The cartridge-like slots allow for a secure connection to the concrete foundations as the initially liquid concrete can flow into the side pockets of the channel wall. Once the concrete has set, the channel is fixed inside the foundation.



Dirt traps made of V2A

Stainless steel dirt traps are durable and enable quick, convenient cleaning of the drainage units.



reddot award 2019
winner urban design
Cast grating *Prisma*




Cast grating with high-quality design

The Prisma and Zippa cast gratings bring a whole new aesthetic to dewatering systems. They can be locked into place using clip connectors and are finished with a high-quality CDP coating (**cathode dip painting**).



Very easy flow

The leak-tight surface texture of the concrete channels ensures optimal flow with no resistance.



Cast frames

Just like the gratings, our channel frames are also finished with a high-quality CDP coating (**cathode dip painting**). The channels are easy to lock in place thanks to the clip system.



Fortis | Concrete channels with hot-dip galvanised frame



Fortis | Concrete channels with hot-dip galvanised frame


Item designation	Nominal dimensions	Load class	Width	Height	Length	RRP excl. VAT
Height 150						
ERFO 155-150-1000 ST	DN 100	D 400	155 mm	150 mm	1,000 mm	60,77 €
ERFO 155-150-500 ST	DN 100	D 400	155 mm	150 mm	500 mm	45,58 €
Height 175						
ERFO 155-175-1000 ST	DN 100	D 400	155 mm	175 mm	1,000 mm	60,77 €
ERFO 155-175-500 ST	DN 100	D 400	155 mm	175 mm	500 mm	45,58 €
Height 200						
ERFO 155-200-1000 ST	DN 100	D 400	155 mm	200 mm	1,000 mm	60,77 €
ERFO 155-200-500 ST	DN 100	D 400	155 mm	200 mm	500 mm	45,58 €
Height 200						
ERFO 206-200-1000 ST	DN 150	D 400	206 mm	200 mm	1,000 mm	81,00 €
ERFO 206-200-500 ST	DN 150	D 400	206 mm	200 mm	500 mm	56,70 €

Fortis | End pieces made of hot-dip galvanised steel

Item designation	RRP excl. VAT
Height 150	
ERF E 155-150 ST	7,19 €
Height 175	
ERF E 155-175 ST	7,58 €
Height 200	
ERF E 155-200 ST	8,19 €
Height 200	
ERF E 206-200 ST	8,32 €



Fortis | Concrete drainage units with hot-dip galvanised frame



Cast gratings
Heavy-duty gratings

Fortis
Concrete channels

Fortis | Drainage units with hot-dip galvanised frame


Item designation	Nominal dimensions	Load class	for channel width	for channel height	Length	Connection height	RRP excl. VAT
Height 150							
DN100 ERFO SK 155-150 ST	DN 100	D 400*	155 mm	150 mm	500 mm	380 mm	172,73 €
Height 175							
ERFO SK 155-175 ST	DN 100	D 400*	155 mm	175 mm	500 mm	405 mm	172,73 €
Height 200							
ERFO SK 155-200 ST	DN 100	D 400*	155 mm	200 mm	500 mm	430 mm	172,73 €
Height 200							
DN150 ERFO SK 206-200 ST	DN 150	D 400*	206 mm	200 mm	500 mm	410 mm	253,68 €

Fortis | Concrete channels with hot-dip galvanised frame | with nozzle

Item designation	Nominal dimensions	Load class	Width	Height	Length	Nozzle position	RRP excl. VAT
Height 150							
DN100 ERFO SN 155-150-1000 ST	DN 100	D 400	155 mm	150 mm	1,000 mm	Groovepage	96,24 €
ERFO SF 155-150-1000 ST	DN 100	D 400	155 mm	150 mm	1,000 mm	Featherpage	96,24 €
ERFO SM 155-150-500 ST	DN 100	D 400	155 mm	150 mm	500 mm	Center	81,06 €
Height 175							
DN100 ERFO SN 155-175-1000 ST	DN 100	D 400	155 mm	175 mm	1,000 mm	Groovepage	96,24 €
ERFO SF 155-175-1000 ST	DN 100	D 400	155 mm	175 mm	1,000 mm	Featherpage	96,24 €
ERFO SM 155-175-500 ST	DN 100	D 400	155 mm	175 mm	500 mm	Center	81,06 €
Height 200							
DN100 ERFO SN 155-200-1000 ST	DN 100	D 400	155 mm	200 mm	1,000 mm	Groovepage	96,24 €
ERFO SF 155-200-1000 ST	DN 100	D 400	155 mm	200 mm	1,000 mm	Featherpage	96,24 €
ERFO SM 155-200-500 ST	DN 100	D 400	155 mm	200 mm	500 mm	Center	81,06 €
Height 200							
DN150 ERFO SN 206-200-1000 ST	DN 150	D 400	206 mm	200 mm	1,000 mm	Groovepage	116,48 €
ERFO SF 206-200-1000 ST	DN 150	D 400	206 mm	200 mm	1,000 mm	Featherpage	116,48 €
ERFO SM 206-200-500 ST	DN 150	D 400	206 mm	200 mm	500 mm	Center	92,17 €

* Based on the respective load class

Fortis | Concrete channels with hot-dip galvanised frame



Fortis | Concrete channels with hot-dip galvanised frame for cast gratings

Item designation	Nominal dimensions	Load class	Width	Height	Length	RRP excl. VAT
Height 80						
ERFO 155-80-1000 ST G	DN 100	D 400	155 mm	80 mm	1,000 mm	60,77 €
ERFO 155-80-500 ST G	DN 100	D 400	155 mm	80 mm	500 mm	45,58 €
Height 150						
ERFO 155-150-1000 ST G	DN 100	D 400	155 mm	150 mm	1,000 mm	60,77 €
ERFO 155-150-500 ST G	DN 100	D 400	155 mm	150 mm	500 mm	45,58 €
Height 175						
ERFO 155-175-1000 ST G	DN 100	D 400	155 mm	175 mm	1,000 mm	60,77 €
ERFO 155-175-500 ST G	DN 100	D 400	155 mm	175 mm	500 mm	45,58 €
Height 200						
ERFO 155-200-1000 ST G	DN 100	D 400	155 mm	200 mm	1,000 mm	60,77 €
ERFO 155-200-500 ST G	DN 100	D 400	155 mm	200 mm	500 mm	45,58 €
Height 200						
ERFO 206-200-1000 ST G	DN 150	D 400	206 mm	200 mm	1,000 mm	81,00 €
ERFO 206-200-500 ST G	DN 150	D 400	206 mm	200 mm	500 mm	56,70 €

Fortis | End pieces made of hot-dip galvanised steel

Item designation	RRP excl. VAT
Height 80	
ERF E 155-80 ST	7,19 €
Height 150	
ERF E 155-150 ST	7,19 €
Height 175	
ERF E 155-175 ST	7,58 €
Height 200	
ERF E 155-200 ST	8,19 €
Height 200	
ERF E 206-200 ST	8,32 €



Fortis | Concrete drainage units with hot-dip galvanised frame



Fortis | Drainage units with hot-dip galvanised frame for cast gratings

	Item designation	Nominal dimensions	Load class	for channel width	for channel height	Length	Connection height	RRP excl. VAT
DN100	Height 80							
	ERFO SK 155-80 ST G	DN 100	D 400*	155 mm	80 mm	500 mm	310 mm	172,73 €
	Height 150							
	ERFO SK 155-150 ST G	DN 100	D 400*	155 mm	150 mm	500 mm	380 mm	172,73 €
	Height 175							
DN150	ERFO SK 155-175 ST G	DN 100	D 400*	155 mm	175 mm	500 mm	405 mm	172,73 €
	Height 200							
	ERFO SK 155-200 ST G	DN 100	D 400*	155 mm	200 mm	500 mm	430 mm	172,73 €
	Height 200							
	ERFO SK 206-200 ST G	DN 150	D 400*	206 mm	200 mm	500 mm	410 mm	253,68 €

Fortis | Concrete channels with hot-dip galvanised frame for cast gratings | with nozzle

	Item designation	Nominal dimensions	Load class	Width	Height	Length	Nozzle position	RRP excl. VAT
DN100	Height 80							
	ERFO SN/SF 155-80-1000 ST G	DN 100	D 400	155 mm	80 mm	1,000 mm	Groove-/Featherpage	96,24 €
	ERFO SM 155-80-500 ST G	DN 100	D 400	155 mm	80 mm	500 mm	Center	81,06 €
	Height 150							
	ERFO SN/SF 155-150-1000 ST G	DN 100	D 400	155 mm	150 mm	1,000 mm	Groove-/Featherpage	96,24 €
	ERFO SM 155-150-500 ST G	DN 100	D 400	155 mm	150 mm	500 mm	Center	81,06 €
	Height 175							
	ERFO SN/SF 155-175-1000 ST G	DN 100	D 400	155 mm	175 mm	1,000 mm	Groove-/Featherpage	96,24 €
	ERFO SM 155-175-500 ST G	DN 100	D 400	155 mm	175 mm	500 mm	Center	81,06 €
	Height 200							
DN150	ERFO SN/SF 155-200-1000 ST G	DN 100	D 400	155 mm	200 mm	1,000 mm	Groove-/Featherpage	96,24 €
	ERFO SM 155-200-500 ST G	DN 100	D 400	155 mm	200 mm	500 mm	Center	81,06 €
	Height 200							
DN150	ERFO SN/SF 206-200-1000 ST G	DN 150	D 400	206 mm	200 mm	1,000 mm	Groove-/Featherpage	116,48 €
	ERFO SM 206-200-500 ST G	DN 150	D 400	206 mm	200 mm	500 mm	Center	92,17 €

* Based on the respective load class

Fortis | Concrete channels with cast frame



Fortis | Concrete channels with cast frame for cast gratings

Item designation	Nominal dimensions	Load class	Width	Height	Length	RRP excl. VAT
Height 150						
ERFO 155-150-1000 GG	DN 100	D 400	155 mm	150 mm	1,000 mm	87,66 €
ERFO 155-150-500 GG	DN 100	D 400	155 mm	150 mm	500 mm	61,36 €
Height 175						
ERFO 155-175-1000 GG	DN 100	D 400	155 mm	175 mm	1,000 mm	87,66 €
ERFO 155-175-500 GG	DN 100	D 400	155 mm	175 mm	500 mm	61,36 €
Height 200						
ERFO 155-200-1000 GG	DN 100	D 400	155 mm	200 mm	1,000 mm	87,66 €
ERFO 155-200-500 GG	DN 100	D 400	155 mm	200 mm	500 mm	61,36 €
Height 200						
ERFO 206-200-1000 GG	DN 150	D 400	206 mm	200 mm	1,000 mm	105,05 €
ERFO 206-200-500 GG	DN 150	D 400	206 mm	200 mm	500 mm	68,29 €

Fortis | End pieces made of hot-dip galvanised steel

Item designation	RRP excl. VAT
Height 150	
ERF E 155-150 ST	7,19 €
Height 175	
ERF E 155-175 ST	7,58 €
Height 200	
ERF E 155-200 ST	8,19 €
Height 200	
ERF E 206-200 ST	8,32 €





Fortis | Drainage units with cast frame *for cast gratings*

Item designation	Nominal dimensions	Load class	for channel width	for channel height	Length	Connection height	RRP excl. VAT
For channel height 150							
DN100 ERFO SK 155-150 GG	DN 100	D 400*	155 mm	150 mm	500 mm	380 mm	181,11 €
For channel height 175							
DN100 ERFO SK 155-175 GG	DN 100	D 400*	155 mm	175 mm	500 mm	405 mm	181,11 €
For channel height 200							
DN100 ERFO SK 155-200 GG	DN 100	D 400*	155 mm	200 mm	500 mm	430 mm	181,11 €
For channel height 200							
DN150 ERFO SK 206-200 GG	DN 150	D 400*	206 mm	200 mm	500 mm	410 mm	266,26 €

Fortis | Concrete channels with cast frame *for cast gratings* | *with nozzle*

Item designation	Nominal dimensions	Load class	Width	Height	Length	Nozzle position	RRP excl. VAT
Height 150							
DN100 ERFO SN 155-150-1000 GG	DN 100	D 400	155 mm	150 mm	1,000 mm	Groovepage	123,13 €
DN100 ERFO SF 155-150-1000 GG	DN 100	D 400	155 mm	150 mm	1,000 mm	Featherpage	123,13 €
DN100 ERFO SM 155-150-500 GG	DN 100	D 400	155 mm	150 mm	500 mm	Center	96,84 €
Height 175							
DN100 ERFO SN 155-175-1000 GG	DN 100	D 400	155 mm	175 mm	1,000 mm	Groovepage	123,13 €
DN100 ERFO SF 155-175-1000 GG	DN 100	D 400	155 mm	175 mm	1,000 mm	Featherpage	123,13 €
DN100 ERFO SM 155-175-500 GG	DN 100	D 400	155 mm	175 mm	500 mm	Center	96,84 €
Height 200							
DN100 ERFO SN 155-200-1000 GG	DN 100	D 400	155 mm	200 mm	1,000 mm	Groovepage	123,13 €
DN100 ERFO SF 155-200-1000 GG	DN 100	D 400	155 mm	200 mm	1,000 mm	Featherpage	123,13 €
DN100 ERFO SM 155-200-500 GG	DN 100	D 400	155 mm	200 mm	500 mm	Center	96,84 €
Height 200							
DN150 ERFO SN 206-200-1000 GG	DN 150	D 400	206 mm	200 mm	1,000 mm	Groovepage	140,52 €
DN150 ERFO SF 206-200-1000 GG	DN 150	D 400	206 mm	200 mm	1,000 mm	Featherpage	140,52 €
DN150 ERFO SM 206-200-500 GG	DN 150	D 400	206 mm	200 mm	500 mm	Center	103,77 €

Fortis | Concrete channels with stainless steel frames




Fortis | Concrete channels with stainless steel frames

Item designation	Nominal dimensions	Load class	Width	Height	Length	RRP excl. VAT
Height 150						
ERFO 155-150-1000 VA	DN 100	D 400	155 mm	150 mm	1,000 mm	109,24 €
ERFO 155-150-500 VA	DN 100	D 400	155 mm	150 mm	500 mm	76,45 €
Height 175						
ERFO 155-175-1000 VA	DN 100	D 400	155 mm	175 mm	1,000 mm	109,24 €
ERFO 155-175-500 VA	DN 100	D 400	155 mm	175 mm	500 mm	76,45 €
Height 200						
ERFO 155-200-1000 VA	DN 100	D 400	155 mm	200 mm	1,000 mm	109,24 €
ERFO 155-200-500 VA	DN 100	D 400	155 mm	200 mm	500 mm	76,45 €
Height 200						
ERFO 206-200-1000 VA	DN 150	D 400	206 mm	200 mm	1,000 mm	139,10 €
ERFO 206-200-500 VA	DN 150	D 400	206 mm	200 mm	500 mm	97,37 €

Fortis | End pieces made of stainless steel

Item designation	RRP excl. VAT
Height 150	
ERF E 155-150 VA	10,04 €
Height 175	
ERF E 155-175 VA	11,79 €
Height 200	
ERF E 155-200 VA	14,24 €
Height 200	
ERF E 206-200 VA	15,49 €





Fortis | Concrete drainage units with stainless steel frames

	Item designation	Nominal dimensions	Load class	for channel width	for channel height	Length	Connection height	RRP excl. VAT
DN100	Height 150							
	ERFO SK 155-150 VA	DN 100	D 400*	155 mm	150 mm	500 mm	380 mm	229,59 €
	Height 175							
	ERFO SK 155-175 VA	DN 100	D 400*	155 mm	175 mm	500 mm	405 mm	229,59 €
DN150	Height 200							
	ERFO SK 155-200 VA	DN 100	D 400*	155 mm	200 mm	500 mm	430 mm	229,59 €
	ERFO SK 206-200 VA	DN 150	D 400*	206 mm	200 mm	500 mm	410 mm	373,83 €

Fortis | Concrete channels with stainless steel frames | with nozzle

	Item designation	Nominal dimensions	Load class	Width	Height	Length	Nozzle position	RRP excl. VAT
DN100	Height 150							
	ERFO SN 155-150-1000 VA	DN 100	D 400	155 mm	150 mm	1,000 mm	Groovepage	144,72 €
	ERFO SF 155-150-1000 VA	DN 100	D 400	155 mm	150 mm	1,000 mm	Featherpage	144,72 €
	ERFO SM 155-150-500 VA	DN 100	D 400	155 mm	150 mm	500 mm	Center	111,93 €
	Height 175							
	ERFO SN 155-175-1000 VA	DN 100	D 400	155 mm	175 mm	1,000 mm	Groovepage	144,72 €
	ERFO SF 155-175-1000 VA	DN 100	D 400	155 mm	175 mm	1,000 mm	Featherpage	144,72 €
	ERFO SM 155-175-500 VA	DN 100	D 400	155 mm	175 mm	500 mm	Center	111,93 €
	Height 200							
	ERFO SN 155-200-1000 VA	DN 100	D 400	155 mm	200 mm	1,000 mm	Groovepage	144,72 €
	ERFO SF 155-200-1000 VA	DN 100	D 400	155 mm	200 mm	1,000 mm	Featherpage	144,72 €
	ERFO SM 155-200-500 VA	DN 100	D 400	155 mm	200 mm	500 mm	Center	111,93 €
DN150	Height 200							
	ERFO SN 206-200-1000 VA	DN 150	D 400	206 mm	200 mm	1,000 mm	Groovepage	174,58 €
	ERFO SF 206-200-1000 VA	DN 150	D 400	206 mm	200 mm	1,000 mm	Featherpage	174,58 €
	ERFO SM 206-200-500 VA	DN 150	D 400	206 mm	200 mm	500 mm	Center	132,85 €

Poly-Fortis | Polymer-Concrete channels with hot-dip galvanised steel frame



Poly-Fortis | Polymer-Concrete channels with hot-dip galvanised frame

	Item designation	Nominal dimensions	Load class	Width	Height	Length	RRP excl. VAT	Steel end pieces
DN100	Height 150							
	ERPF 155-150-1000 ST	DN 100	D 400	155 mm	150 mm	1,000 mm	62,60 €	7,19 €
	ERPF 155-150-500 ST	DN 100	D 400	155 mm	150 mm	500 mm	46,94 €	7,19 €
	Height 175							
	ERPF 155-175-1000 ST	DN 100	E 600	155 mm	175 mm	1,000 mm	62,60 €	7,58 €
	ERPF 155-175-500 ST	DN 100	E 600	155 mm	175 mm	500 mm	46,94 €	7,58 €
	Height 200							
	ERPF 155-200-1000 ST	DN 100	E 600	155 mm	200 mm	1,000 mm	62,60 €	8,19 €
	ERPF 155-200-500 ST	DN 100	E 600	155 mm	200 mm	500 mm	46,94 €	8,19 €
DN150	Height 200							
	ERPF 206-200-1000 ST	DN 150	D 400	206 mm	200 mm	1,000 mm	82,70 €	8,32 €
	ERPF 206-200-500 ST	DN 150	D 400	206 mm	200 mm	500 mm	57,89 €	8,32 €
	Height 250							
	ERPF 206-250-1000 ST	DN 150	E 600	206 mm	250 mm	1,000 mm	82,70 €	8,10 €
	ERPF 206-250-500 ST	DN 150	E 600	206 mm	250 mm	500 mm	61,07 €	8,10 €

The Poly-Fortis-System | Heavy-duty polymer concrete channels

Robust, stable and aesthetically pleasing: The Fortis system in a nutshell. Choose from either concrete or polymer concrete channels, both of which can be combined with cast iron, hot-dip galvanised or stainless steel frames.

We expanded our range of heavy-duty metal gratings in 2019 to include two new cast iron models: the **Prisma** grating (*seen in the example*), which was honoured with the **reddot** award, and the **Zippa** model (p.4).

For load
classes
**A 15 to
E 600**






Dirt traps made of V2A

Stainless steel dirt traps are durable and enable quick, convenient cleaning of the drainage units.




Cast grating with high-quality design

The Prisma and Zipa cast gratings bring a whole new aesthetic to dewatering systems. They can be locked into place using clip connectors and are finished with a high-quality CDP coating (*cathode dip painting*).



Very easy flow

The leak-tight surface texture of the concrete channels ensures optimal flow with no resistance.



Cast frames


Just like the gratings, our channel frames are also finished with a high-quality CDP coating (*cathode dip painting*). The channels are easy to lock in place thanks to the clip system.

Cast gratings
Heavy-duty gratings

Fortis
Concrete channels

Poly-Fortis
Polymer- Concrete channels

Poly-Fortis | Polymer-Concrete drainage units with h-d-g steel frame



Cast gratings
Heavy-duty gratings

Fortis
Concrete channels

Poly-Fortis
Polymer-Concrete channels

Poly-Fortis | Polymer-Concrete drainage units with hot-dip galvanised frame


	Item designation	Nominal dimensions	Load class	for channel width	for channel height	Length	Connection height	RRP excl. VAT
DN100	Height 150							
	ERPF SK 155-150 ST	DN 100	D 400*	155 mm	150 mm	500 mm	380 mm	172,73 €
	Height 175							
	ERPF SK 155-175 ST	DN 100	E 600*	155 mm	175 mm	500 mm	405 mm	172,73 €
DN150	Height 200							
	ERPF SK 155-200 ST	DN 100	E 600*	155 mm	200 mm	500 mm	430 mm	172,73 €
	Height 200							
	ERPF SK 206-200 ST	DN 150	D 400*	206 mm	200 mm	500 mm	410 mm	253,68 €
DN150	Height 250							
	ERPF SK 206-250 ST	DN 150	E 600*	206 mm	250 mm	500 mm	410 mm	253,68 €

Poly-Fortis | Polymer-Concrete channels with hot-dip galvanised frame | with nozzle

	Item designation	Nominal dimensions	Load class	Width	Height	Length	Position of the nozzle	RRP excl. VAT
DN100	Height 150							
	ERPF SN/SF 155-150-1000 ST	DN 100	D 400	155 mm	150 mm	1,000 mm	Groove or Tongue	98,07 €
	ERPF SM 155-150-500 ST	DN 100	D 400	155 mm	150 mm	500 mm	Center	82,42 €
	Height 175							
	ERPF SN/SF 155-175-1000 ST	DN 100	E 600	155 mm	175 mm	1,000 mm	Groove or Tongue	98,07 €
	ERPF SM 155-175-500 ST	DN 100	E 600	155 mm	175 mm	500 mm	Center	82,42 €
DN150	Height 200							
	ERPF SN/SF 155-200-1000 ST	DN 100	E 600	155 mm	200 mm	1,000 mm	Groove or Tongue	98,07 €
	ERPF SM 155-200-500 ST	DN 100	E 600	155 mm	200 mm	500 mm	Center	82,42 €
	Height 200							
	ERPF SN/SF 206-200-1000 ST	DN 150	D 400	206 mm	200 mm	1,000 mm	Groove or Tongue	118,17 €
	ERPF SM 206-200-500 ST	DN 150	D 400	206 mm	200 mm	500 mm	Center	93,36 €
DN150	Height 250							
	ERPF SN/SF 206-250-1000 ST	DN 150	E 600	206 mm	250 mm	1,000 mm	Groove or Tongue	118,17 €
	ERPF SM 206-250-500 ST	DN 150	E 600	206 mm	250 mm	500 mm	Center	93,36 €

* Based on the respective load class


Poly-Fortis | Polymer-Concrete channels with hot-dip galvanised steel frame



Poly-Fortis | Polymer-Concrete channels with hot-dip galvanised steel frame for cast gratings

	Item designation	Nominal dimensions	Load class	Width	Height	Length	RRP excl. VAT	Steel end pieces
DN100	Height 150							
	ERPF 155-150-1000 ST G	DN 100	D 400	155 mm	150 mm	1.000 mm	62,60 €	7,19 €
	ERPF 155-150-500 ST G	DN 100	D 400	155 mm	150 mm	500 mm	46,94 €	7,19 €
	Height 175							
	ERPF 155-175-1000 ST G	DN 100	E 600	155 mm	175 mm	1.000 mm	62,60 €	7,58 €
	ERPF 155-175-500 ST G	DN 100	E 600	155 mm	175 mm	500 mm	46,94 €	7,58 €
	Height 200							
DN150	ERPF 155-200-1000 ST G	DN 100	E 600	155 mm	200 mm	1.000 mm	62,60 €	8,19 €
	ERPF 155-200-500 ST G	DN 100	E 600	155 mm	200 mm	500 mm	46,94 €	8,19 €
	Height 200							
	ERPF 206-200-1000 ST G	DN 150	D 400	206 mm	200 mm	1.000 mm	82,70 €	8,32 €
	ERPF 206-200-500 ST G	DN 150	D 400	206 mm	200 mm	500 mm	57,89 €	8,32 €
	Height 250							
	ERPF 206-250-1000 ST G	DN 150	E 600	206 mm	250 mm	1.000 mm	82,70 €	8,95 €
DN200	ERPF 206-250-500 ST G	DN 150	E 600	206 mm	250 mm	500 mm	61,07 €	8,95 €
	Height 300							
	ERPF 257-300-1000 ST G	DN 200	D 400	257 mm	300 mm	1.000 mm	150,58 €	11,54 €
	ERPF 257-300-500 ST G	DN 200	D 400	257 mm	300 mm	500 mm	92,63 €	11,54 €

Poly-Fortis | Polymer-Concrete drainage units with h-d-g frame



Cast gratings
Heavy-duty gratings

Fortis
Concrete channels

Poly-Fortis
Polymer-Concrete channels

Poly-Fortis | Polymer-Concrete drainage units with hot-dip galvanised steel frame for cast gratings

	Item designation	Nominal dimensions	Load class	for channel width	for channel height	Length	Connection height	RRP excl. VAT
DN100	Height 150							
	ERPF SK 155-150 ST G	DN 100	D 400*	155 mm	150 mm	500 mm	380 mm	172,73 €
	Height 175							
	ERPF SK 155-175 ST G	DN 100	E 600*	155 mm	175 mm	500 mm	405 mm	172,73 €
DN150	Height 200							
	ERPF SK 155-200 ST G	DN 100	E 600*	155 mm	200 mm	500 mm	430 mm	172,73 €
	Height 200							
	ERPF SK 206-200 ST G	DN 150	D 400*	206 mm	200 mm	500 mm	410 mm	253,68 €
DN200	Height 250							
	ERPF SK 206-250 ST G	DN 150	E 600*	206 mm	250 mm	500 mm	410 mm	253,68 €
	Height 300							
	ERPF SK 257-300 ST G	DN 200	D 400*	206 mm	300 mm	500 mm	480 mm	341,99 €

Poly-Fortis | Polymer-Concrete channels with hot-dip galvanised steel frame for cast gratings | with nozzle

	Item designation	Nominal dimensions	Load class	Width	Height	Length	Position of the nozzle	RRP excl. VAT
DN100	Height 150							
	ERPF SN/SF 155-150-1000 ST G	DN 100	D 400	155 mm	150 mm	1.000 mm	Groove or Tongue	98,07 €
	ERPF SM 155-150-500 ST G	DN 100	D 400	155 mm	150 mm	500 mm	Center	82,42 €
	Height 175							
	ERPF SN/SF 155-175-1000 ST G	DN 100	E 600	155 mm	175 mm	1.000 mm	Groove or Tongue	98,07 €
	ERPF SM 155-175-500 ST G	DN 100	E 600	155 mm	175 mm	500 mm	Center	82,42 €
DN150	Height 200							
	ERPF SN/SF 155-200-1000 ST G	DN 100	E 600	155 mm	200 mm	1.000 mm	Groove or Tongue	98,07 €
	ERPF SM 155-200-500 ST G	DN 100	E 600	155 mm	200 mm	500 mm	Center	82,42 €
	Height 200							
	ERPF SN/SF 206-200-1000 ST G	DN 150	D 400	206 mm	200 mm	1.000 mm	Groove or Tongue	118,17 €
	ERPF SM 206-200-500 ST G	DN 150	D 400	206 mm	200 mm	500 mm	Center	93,36 €
DN200	Height 250							
	ERPF SN/SF 206-250-1000 ST G	DN 150	E 600	206 mm	250 mm	1.000 mm	Groove or Tongue	118,17 €
	ERPF SM 206-250-500 ST G	DN 150	E 600	206 mm	250 mm	500 mm	Center	93,36 €
	Height 300							
DN200	ERPF SN/SF 257-300-1000 ST G	DN 200	D 400	257 mm	300 mm	1.000 mm	Groove or Tongue	181,13 €
	ERPF SM 257-300-500 ST G	DN 200	D 400	257 mm	300 mm	500 mm	Center	125,23 €

* Based on the respective load class


Poly-**Fortis** | Polymer-Concrete Channel with cast frames



Poly-**Fortis** | Polymer-Concrete channels with cast frames for cast gratings

	Item designation	Nominal dimensions	Load class	Width	Height	Length	RRP excl. VAT	Steel end pieces
DN100	Height 150							
	ERPF 155-150-1000 GG	DN 100	D 400	155 mm	150 mm	1.000 mm	90,28 €	7,19 €
	ERPF 155-150-500 GG	DN 100	D 400	155 mm	150 mm	500 mm	63,20 €	7,19 €
	Height 175							
	ERPF 155-175-1000 GG	DN 100	E 600	155 mm	175 mm	1.000 mm	90,28 €	7,58 €
	ERPF 155-175-500 GG	DN 100	E 600	155 mm	175 mm	500 mm	63,20 €	7,58 €
	Height 200							
	ERPF 155-200-1000 GG	DN 100	E 600	155 mm	200 mm	1.000 mm	90,28 €	8,19 €
DN150	ERPF 155-200-500 GG	DN 100	E 600	155 mm	200 mm	500 mm	63,20 €	8,19 €
	Height 200							
	ERPF 206-200-1000 GG	DN 150	D 400	206 mm	200 mm	1.000 mm	108,20 €	8,32 €
	ERPF 206-200-500 GG	DN 150	D 400	206 mm	200 mm	500 mm	75,74 €	8,32 €
	Height 250							
	ERPF 206-250-1000 GG	DN 150	E 600	206 mm	250 mm	1.000 mm	108,20 €	8,95 €
DN200	ERPF 206-250-500 GG	DN 150	E 600	206 mm	250 mm	500 mm	79,89 €	8,95 €
	Height 300							
	ERPF 257-300-1000 GG	DN 200	D 400	257 mm	300 mm	1.000 mm	163,00 €	11,54 €
	ERPF 257-300-500 GG	DN 200	D 400	257 mm	300 mm	500 mm	89,50 €	11,54 €

Poly-Fortis | Polymer-Concrete drainage units with cast frames



Cast gratings
Heavy-duty gratings

Fortis
Concrete channels

Poly-Fortis
Polymer-Concrete channels

Poly-Fortis | Polymer-Concrete drainage units with cast frames for cast gratings

	Item designation	Nominal dimensions	Load class	for channel width	for channel height	Length	Connection height	RRP excl. VAT
DN100	Height 150							
	ERPF SK 155-150 GG	DN 100	D 400*	155 mm	150 mm	500 mm	380 mm	181,11 €
	Height 175							
	ERPF SK 155-175 GG	DN 100	E 600*	155 mm	175 mm	500 mm	405 mm	181,11 €
DN150	Height 200							
	ERPF SK 155-200 GG	DN 100	E 600*	155 mm	200 mm	500 mm	430 mm	181,11 €
	Height 200							
	ERPF SK 206-200 GG	DN 150	D 400*	206 mm	200 mm	500 mm	410 mm	253,68 €
DN200	Height 250							
	ERPF SK 206-250 GG	DN 150	E 600*	206 mm	250 mm	500 mm	410 mm	253,68 €
	Height 300							
	ERPF SK 257-300 GG	DN 200	D 400*	206 mm	300 mm	500 mm	480 mm	341,99 €

Poly-Fortis | Polymer-Concrete channels with cast frames for cast gratings | with nozzle

	Item designation	Nominal dimensions	Load class	Width	Height	Length	Position of the nozzle	RRP excl. VAT
DN100	Height 150							
	ERPF SN/SF 155-150-1000 GG	DN 100	D 400	155 mm	150 mm	1.000 mm	Groove or Tongue	125,76 €
	ERPF SM 155-150-500 GG	DN 100	D 400	155 mm	150 mm	500 mm	Center	98,67 €
	Height 175							
	ERPF SN/SF 155-175-1000 GG	DN 100	E 600	155 mm	175 mm	1.000 mm	Groove or Tongue	125,76 €
	ERPF SM 155-175-500 GG	DN 100	E 600	155 mm	175 mm	500 mm	Center	98,67 €
	Height 200							
	ERPF SN/SF 155-200-1000 GG	DN 100	E 600	155 mm	200 mm	1.000 mm	Groove or Tongue	125,76 €
DN150	ERPF SM 155-200-500 GG	DN 100	E 600	155 mm	200 mm	500 mm	Center	98,67 €
	Height 200							
	ERPF SN/SF 206-200-1000 GG	DN 150	D 400	206 mm	200 mm	1.000 mm	Groove or Tongue	143,67 €
	ERPF SM 206-200-500 GG	DN 150	D 400	206 mm	200 mm	500 mm	Center	111,21 €
	Height 250							
	ERPF SN/SF 206-250-1000 GG	DN 150	E 600	206 mm	250 mm	1.000 mm	Groove or Tongue	143,67 €
	ERPF SM 206-250-500 GG	DN 150	E 600	206 mm	250 mm	500 mm	Center	111,21 €
DN200	Height 300							
	ERPF SN/SF 257-300-1000 GG	DN 200	D 400	257 mm	300 mm	1.000 mm	Groove or Tongue	207,13 €
	ERPF SM 257-300-500 GG	DN 200	D 400	257 mm	300 mm	500 mm	Center	125,23 €

* Based on the respective load class


Poly-**Fortis** | Polymer-Concrete Channel with stainless steel frames



Poly-**Fortis** | Polymer-Concrete channels with stainless steel frames

Item designation	Nominal dimensions	Load class	Width	Height	Length	RRP excl. VAT	Stainless steel end pieces
Height 150							
ERPF 155-150-1000 VA	DN 100	D 400	155 mm	150 mm	1.000 mm	112,51 €	10,04 €
ERPF 155-150-500 VA	DN 100	D 400	155 mm	150 mm	500 mm	78,75 €	10,04 €
Height 175							
ERPF 155-175-1000 VA	DN 100	E 600	155 mm	175 mm	1.000 mm	112,51 €	11,79 €
ERPF 155-175-500 VA	DN 100	E 600	155 mm	175 mm	500 mm	78,75 €	11,79 €
Height 200							
ERPF 155-200-1000 VA	DN 100	E 600	155 mm	200 mm	1.000 mm	112,51 €	14,24 €
ERPF 155-200-500 VA	DN 100	E 600	155 mm	200 mm	500 mm	78,75 €	14,24 €
Height 200							
ERPF 206-200-1000 VA	DN 150	D 400	206 mm	200 mm	1.000 mm	143,28 €	15,49 €
ERPF 206-200-500 VA	DN 150	D 400	206 mm	200 mm	500 mm	100,29 €	15,49 €
Height 250							
ERPF 206-250-1000 VA	DN 150	E 600	206 mm	250 mm	1.000 mm	143,28 €	16,50 €
ERPF 206-250-500 VA	DN 150	E 600	206 mm	250 mm	500 mm	100,29 €	16,50 €
Height 300							
ERPF 257-300-1000 VA	DN 200	D 400	257 mm	300 mm	1.000 mm	212,00 €	19,31 €
ERPF 257-300-500 VA	DN 200	D 400	257 mm	300 mm	500 mm	122,00 €	19,31 €

Poly-Fortis | Polymer-Concrete drainage units with steel frames



Cast-gratings
Heavy-duty gratings

Fortis
Concrete channels

Poly-Fortis
Polymer-Concrete channels

Poly-Fortis | Polymer-Concrete drainage units with steel frames


	Item designation	Nominal dimensions	Load class	for channel width	for channel height	Length	Connection height	RRP excl. VAT
DN100	Height 150							
	ERPF SK 155-150 VA	DN 100	D 400*	155 mm	150 mm	500 mm	380 mm	229,59 €
	Height 175							
	ERPF SK 155-175 VA	DN 100	E 600*	155 mm	175 mm	500 mm	405 mm	229,59 €
DN150	Height 200							
	ERPF SK 155-200 VA	DN 100	E 600*	155 mm	200 mm	500 mm	430 mm	229,59 €
	Height 200							
	ERPF SK 206-200 VA	DN 150	D 400*	206 mm	200 mm	500 mm	410 mm	373,83 €
DN200	Height 250							
	ERPF SK 206-250 VA	DN 150	E 600*	206 mm	250 mm	500 mm	410 mm	373,83 €
	Height 300							
	ERPF SK 257-300 GG	DN 200	D 400*	257 mm	300 mm	500 mm	480 mm	450,60 €

Poly-Fortis | Polymer-Concrete channels with stainless steel frames | with nozzle

	Item designation	Nominal dimensions	Load class	Width	Height	Length	Position of the nozzle	RRP excl. VAT
DN100	Height 150							
	ERPF SN/SF 155-150-1000 VA	DN 100	D 400	155 mm	150 mm	1.000 mm	Groove or Tongue	147,98 €
	ERPF SM 155-150-500 VA	DN 100	D 400	155 mm	150 mm	500 mm	Center	114,23 €
	Height 175							
	ERPF SN/SF 155-175-1000 VA	DN 100	E 600	155 mm	175 mm	1.000 mm	Groove or Tongue	147,98 €
	ERPF SM 155-175-500 VA	DN 100	E 600	155 mm	175 mm	500 mm	Center	114,23 €
	Height 200							
	ERPF SN/SF 155-200-1000 VA	DN 100	E 600	155 mm	200 mm	1.000 mm	Groove or Tongue	147,98 €
DN150	ERPF SM 155-200-500 VA	DN 100	E 600	155 mm	200 mm	500 mm	Center	114,23 €
	Height 200							
	ERPF SN/SF 206-200-1000 VA	DN 150	D 400	206 mm	200 mm	1.000 mm	Groove or Tongue	178,76 €
	ERPF SM 206-200-500 VA	DN 150	D 400	206 mm	200 mm	500 mm	Center	135,76 €
	Height 250							
	ERPF SN/SF 206-250-1000 VA	DN 150	E 600	206 mm	250 mm	1.000 mm	Groove or Tongue	178,76 €
	ERPF SM 206-250-500 VA	DN 150	E 600	206 mm	250 mm	500 mm	Center	135,76 €
DN200	Height 300							
	ERPF SN/SF 257-300-1000 GG	DN 200	D 400	257 mm	300 mm	1.000 mm	Groove or Tongue	249,60 €
	ERPF SM 257-300-500 GG	DN 200	D 400	257 mm	300 mm	500 mm	Center	162,13 €

* Based on the respective load class

Mono-Fortis | Polymer concrete channels



Mono-Fortis | Polymer concrete channels

	Item designation	Nominal dimensions	Load class	Width	Height	Length	Recommended retail price excl. VAT
DN150	Height 250						
	MFO 206-250-1000	DN 150	E 600	206 mm	250 mm	1.000 mm	107,13 €

Mono-Fortis | End piece

	Item designation	Material	Recommended retail price excl. VAT
DN150	Height 250		
	ERF E 206-250 ST	h. d. galvanized	8,95 €
	ERF E 206-250 VA	cast iron	16,50 €

Poly-Fortis | Drainage units (length 500 mm)

	Item designation	Nominal dimensions	Load class	For channel width	For channel height	Connection height	Frame material	Recommended retail price excl. VAT
DN150	Height 250							
	ERPF SK 206-250 ST G	DN 150	E 600*	206 mm	250 mm	460 mm	Galvanised steel for cast iron grilles	267,63 €
	ERPF SK 206-250 GG	DN 150	E 600*	206 mm	250 mm	460 mm	Casting for cast iron grates	280,91 €

Poly-Fortis | Polymer concrete channels (for revision)

	Item designation	Nominal dimensions	Load class	For channel width	For channel height	Connection height	Frame material	Recommended retail price excl. VAT
DN150	Height 250							
	ERPF 206-250-500 ST G	DN 150	E 600	206 mm	250 mm	500 mm	Galvanised steel for cast iron grilles	61,07 €
	ERPF 206-250-500 GG	DN 150	E 600	206 mm	250 mm	500 mm	Casting for cast iron grates	79,89 €




Cast gratings
Heavy-duty gratings

Fortis
Concrete channels

Poly-Fortis
Polymer- Concrete
channels

Gemini Magna | Heavy-duty double slot channel

Custom
measure-
ments
Upon
request



D 400

Inclusive
Removal
hooks

Heavy-duty double slot channel Gemini Magna | made of h-d-g steel 3.0 mm

Standard length: 1,000 mm


Item designation	Nominal dimensions	Load class	Length	Width	Height	Slits	Stone width	RRP excl. VAT
DN100 Height 205								
ER GS M 2x13-153-105-205 ST	DN 100	D 400*	2 x 13 mm	153 mm	205 mm	1.000 mm	113 mm	357,62 €
DN150 Height 255								
ER GS M 2x13-203-105-255 ST	DN 150	D 400*	2 x 13 mm	203 mm	255 mm	1.000 mm	163 mm	430,04 €

Heavy-duty double slot channel Gemini Magna | made of stainless steel (V2A) 3.0 mm


Standard length: 1,000 mm

Item designation	Nominal dimensions	Load class	Length	Width	Height	Slits	Stone width	RRP excl. VAT
DN100 Height 205								
ER GS M 2x13-153-105-205 VA	DN 100	D 400*	2 x 13 mm	153 mm	205 mm	1.000 mm	113 mm	480,81 €
DN150 Height 255								
ER GS M 2x13-203-105-255 VA	DN 150	D 400*	2 x 13 mm	203 mm	255 mm	1.000 mm	163 mm	568,51 €

DN100



DN150





Cast gratings
Heavy-duty gratings


Fortis
Concrete channels

Poly-Fortis
Polymer- Concrete
channels

Gemini
Heavy-duty
double-slit channel




Fountain Lamina | *Wide heavy-duty slotted channels for fountains*




Lamina | **slotted channels for fountains (1 chamber)** made of **stainless steel (V2A) 3.0 mm**
Standard length: 1,000 mm

Item designation	Nominal dimensions	Load class
BRL 1K S VA	DN 100 - DN 200	C 250 - D 400*



Lamina | **slotted channels for fountains (2 chamber)** made of **stainless steel (V2A) 3.0 mm**
Standard length: 1,000 mm

Item designation	Nominal dimensions	Load class
BRL 2K S VA	DN 100 - DN 200	C 250 - D 400*





Cast gratings
Heavy-duty gratings

Fortis
Concrete channels

Poly-Fortis
Polymer- Concrete
channels

Gemini Heavy-duty
double-silt channel

Ferro Magna | Heavy-duty channel made of hot-dip galvanised steel



Heavy-duty channel Ferro Magna | made of h-d-g steel 1.0 mm

Standard length: 1,000 mm, Load class **C 250**, incl. connectors

	Item designation	Nominal dimensions	Total width	Inflow width	Height	RRP excl. VAT
DN100	DN100 C 250					
	ERFE 151-80 ST	DN 100	151 mm	150 mm	80 mm	85,41 €
	ERFE 151-120 ST	DN 100	151 mm	150 mm	120 mm	88,23 €
	ERFE 151-170 ST	DN 100	151 mm	150 mm	170 mm	90,24 €
DN150	DN150 C 250					
	ERFE 201-80 ST	DN 150	201 mm	200 mm	80 mm	89,54 €
	ERFE 201-120 ST	DN 150	201 mm	200 mm	120 mm	92,79 €
	ERFE 201-170 ST	DN 150	201 mm	200 mm	170 mm	96,67 €

Endpieces | h-d-g steel 1.0 mm

Item designation	RRP excl. VAT
DN100 C 250	
ERFE E 151-80 ST	9,71 €
ERFE E 151-120 ST	9,71 €
ERFE E 151-170 ST	9,71 €
DN150 C 250	
ERFE E 201-80 ST	10,85 €
ERFE E 201-120 ST	10,85 €
ERFE E 201-170 ST	10,85 €

Heavy-duty channel Ferro Magna | made of h-d-g steel 2.0 mm

Standard length: 1,000 mm, Load class **D 400**, incl. connectors

	Item designation	Nominal dimensions	Total width	Inflow width	Height	RRP excl. VAT
DN100	DN100 D 400					
	ERFE 156-80 ST	DN 100	156 mm	150 mm	80 mm	99,62 €
	ERFE 156-120 ST	DN 100	156 mm	150 mm	120 mm	104,31 €
	ERFE 156-170 ST	DN 100	156 mm	150 mm	170 mm	110,21 €
DN150	DN150 D 400					
	ERFE 206-80 ST	DN 150	206 mm	200 mm	80 mm	105,05 €
	ERFE 206-120 ST	DN 150	206 mm	200 mm	120 mm	110,07 €
	ERFE 206-170 ST	DN 150	206 mm	200 mm	170 mm	116,34 €

Endpieces | h-d-g steel 1.0 mm

Item designation	RRP excl. VAT
DN100 D 400	
ERFE E 156-80 ST	9,71 €
ERFE E 156-120 ST	9,71 €
ERFE E 156-170 ST	9,71 €
DN150 D 400	
ERFE E 206-80 ST	10,85 €
ERFE E 206-120 ST	10,85 €
ERFE E 206-170 ST	10,85 €

Drainage units Ferro Magna | made of h-d-g steel 2.0 mm

Item designation	Nominal dimensions	Length	Inflow width	Height	RRP excl. VAT
DN100 D 400					
SKFE 500-156-400 ST	DN 100	500 mm	150 mm	400 mm	449,16 €
DN150 D 400					
SKFE 500-206-400 ST	DN 100	500 mm	200 mm	400 mm	465,78 €



Ferro Magna | Heavy-duty troughs made of stainless steel



Heavy-duty channel Ferro Magna | stainless steel 1.0 mm

Standard length: 1,000 mm, Load class **C 250**, incl. connectors

	Item designation	Nominal dimensions	Total width	Inflow width	Height	RRP excl. VAT
DN100	DN100 C 250					
	ERFE 151-80 VA	DN 100	151 mm	150 mm	80 mm	118,21 €
	ERFE 151-120 VA	DN 100	151 mm	150 mm	120 mm	123,78 €
	ERFE 151-170 VA	DN 100	151 mm	150 mm	170 mm	135,42 €
DN150	DN150 C 250					
	ERFE 201-80 VA	DN 150	201 mm	200 mm	80 mm	125,53 €
	ERFE 201-120 VA	DN 150	201 mm	200 mm	120 mm	133,48 €
	ERFE 201-170 VA	DN 150	201 mm	200 mm	170 mm	143,38 €

Endpieces | stainless steel 1.0 mm

Item designation	RRP excl. VAT
DN100 C 250	
ERFE E 151-80 VA	13,07 €
ERFE E 151-120 VA	13,07 €
ERFE E 151-170 VA	13,07 €
DN150 C 250	
ERFE E 201-80 VA	14,11 €
ERFE E 201-120 VA	14,11 €
ERFE E 201-170 VA	14,11 €

Heavy-duty channel Ferro Magna | stainless steel 2.0 mm

Standard length: 1,000 mm, Load class **D 400**, incl. connectors

	Item designation	Nominal dimensions	Total width	Inflow width	Height	RRP excl. VAT
DN100	DN100 D 400					
	ERFE 156-80 VA	DN 100	156 mm	150 mm	80 mm	162,14 €
	ERFE 156-120 VA	DN 100	156 mm	150 mm	120 mm	176,52 €
	ERFE 156-170 VA	DN 100	156 mm	150 mm	170 mm	194,47 €
DN150	DN150 D 400					
	ERFE 206-80 VA	DN 150	206 mm	200 mm	80 mm	173,64 €
	ERFE 206-120 VA	DN 150	206 mm	200 mm	120 mm	188,30 €
	ERFE 206-170 VA	DN 150	206 mm	200 mm	170 mm	206,63 €

Endpieces | stainless steel 2.0 mm

Item designation	RRP excl. VAT
DN100 D 400	
ERFE E 156-80 VA	13,07 €
ERFE E 156-120 VA	13,07 €
ERFE E 156-170 VA	13,07 €
DN150 D 400	
ERFE E 206-80 VA	14,11 €
ERFE E 206-120 VA	14,11 €
ERFE E 206-170 VA	14,11 €

Drainage units Ferro Magna | made of stainless steel 2.0 mm

Item designation	Nominal dimensions	Length	Inflow width	Height	RRP excl. VAT
DN100 D 400					
SKFE 500-156-400 VA	DN 100	500 mm	150 mm	400 mm	638,90 €
DN150 D 400					
SKFE 500-206-400 VA	DN 150	500 mm	200 mm	400 mm	656,17 €



Cast gratings
Heavy-duty gratings

Fortis
Concrete channels

Poly-Fortis
Polymer- Concrete channels

Gemini Heavy-duty
double-slit channel

Ferro Magna / Max
Heavy-duty dewatering channels

FerroMax | Heavy-duty water storage channel



Price
without
grating

Mesh
gratings
page 6

FerroMax | Water storage channel made of hot-dip galvanised steel

Standard length: 1,000 mm

Item designation	Nominal dimensions	Wheel load	Width	Height	Storage volume	Price per litre	RRP excl. VAT
ERFE 388-380 ST	DN 300	10 t	388 mm	380 mm	102 l	7,28 €/l	570,82 €
ERFE 588-600 ST	DN 500	10 t	588 mm	600 mm	266 l	3,55 €/l	747,08 €
ERFE 1088-1130 ST	DN 1.000	10 t	1.088 mm	1.130 mm	900 l	1,30 €/l	1.017,30 €

FerroMax | Water storage channel made of stainless steel

Standard length: 1,000 mm

Item designation	Nominal dimensions	Wheel load	Width	Height	Storage volume	Price per litre	RRP excl. VAT
ERFE 388-380 VA	DN 300	10 t	388 mm	380 mm	102 l	7,28 €/l	755,35 €
ERFE 588-600 VA	DN 500	10 t	588 mm	600 mm	266 l	3,55 €/l	1.167,65 €
ERFE 1088-1130 VA	DN 1.000	10 t	1.088 mm	1.130 mm	900 l	1,30 €/l	1.660,17 €

End piece made of hot-dip galvanised steel

Item designation	Nominal dimensions	RRP excl. VAT
ERFE E 388-380 ST	DN 300	40,22 €
ERFE E 588-600 ST	DN 500	78,51 €
ERFE E 1088-1130 ST	DN 1.000	139,80 €

End pieces with nozzle hot-dip galvanised steel

Item designation	Nominal dimensions	RRP excl. VAT
ERFE ES 388-380 ST	DN 300	106,86 €
ERFE ES 588-600 ST	DN 500	145,15 €
ERFE ES 1088-1130 ST	DN 1.000	206,44 €


End piece made of stainless steel

Item designation	Nominal dimensions	RRP excl. VAT
ERFE E 388-380 VA	DN 300	51,71 €
ERFE E 588-600 VA	DN 500	102,46 €
ERFE E 1088-1130 VA	DN 1.000	211,61 €

End pieces with nozzle made of stainless steel

Item designation	Nominal dimensions	RRP excl. VAT
ERFE ES 388-380 VA	DN 300	118,35 €
ERFE ES 588-600 VA	DN 500	169,10 €
ERFE ES 1088-1130 VA	DN 1.000	278,25 €

RigoMax | Heavy-duty filter channel



Price without grating
Mesh gratings page 6

RigoMax | Infiltration channel made of hot-dip galvanised steel

Standard length: 1,000 mm

Item designation	Nominal dimensions	Wheel load	Width	Height	Storage volume	RRP excl. VAT
RRR 388-350 ST	DN 300	10 t	388 mm	350 mm	102 l	716,44 €
RRR 588-550 ST	DN 500	10 t	588 mm	550 mm	275 l	958,20 €
RRR 1088-1050 ST	DN 1.000	10 t	1.088 mm	1.050 mm	1.000 l	1.492,09 €

RigoMax | Infiltration channel made of stainless steel

Standard length: 1,000 mm

Item designation	Nominal dimensions	Wheel load	Width	Height	Storage volume	RRP excl. VAT
RRR 388-350 VA	DN 300	10 t	388 mm	350 mm	102 l	898,45 €
RRR 588-550 VA	DN 500	10 t	588 mm	550 mm	275 l	1.311,63 €
RRR 1088-1050 VA	DN 1.000	10 t	1.088 mm	1.050 mm	1.000 l	2.395,01 €

End piece made of hot-dip galvanised steel

Item designation	Nominal dimensions	RRP excl. VAT
RRR E 388-350 ST	DN 300	78,13 €
RRR E 588-550 ST	DN 500	138,65 €
RRR E 1088-1050 ST	DN 1.000	248,95 €

End piece made of stainless steel

Item designation	Nominal dimensions	RRP excl. VAT
RRR E 388-350 VA	DN 300	99,54 €
RRR E 588-550 VA	DN 500	201,03 €
RRR E 1088-1050 VA	DN 1.000	429,37 €

End pieces with nozzle hot-dip galvanised steel

Item designation	Nominal dimensions	RRP excl. VAT
RRR ES 388-350 ST	DN 300	135,72 €
RRR ES 588-550 ST	DN 500	193,80 €
RRR ES 1088-1050 ST	DN 1.000	315,60 €

End pieces with nozzle made of stainless steel

Item designation	Nominal dimensions	RRP excl. VAT
RRR ES 388-350 VA	DN 300	155,74 €
RRR ES 588-550 VA	DN 500	257,23 €
RRR ES 1088-1050 VA	DN 1.000	497,29 €

Cast gratings
Heavy-duty gratings

Fortis
Concrete channels

Poly-Fortis
Polymer-Concrete channels


Gemini
Heavy-duty double-slit channel

Ferro Magna / Max
Heavy-duty dewatering channels

RigoMax
Heavy-duty filter channel

Cargo + Parco


Cargo | Supply channels with integrated expansion joints



Integrated expansion joints:

The two-section construction of the channel bodies enables an expansion joint to be integrated inside the Cargo.

The channel segments that are still screwed in along the joint in the image above and the spacer elements that also act as mounting handles are removed after inserting the concrete base.



Please note:

Any other expansion joints in the concrete base running at an angle to the channel lengths must lie on top of the channel body joints!

Cargo heavy-duty supply channel | made of stainless steel (V2A) 3,0 mm

Standard length: 3,000 mm

Item designation	Load class	Visible width	Internal width	Total height	Internal height	For grating width	RRP excl. VAT
VRC 400-210 ST	10 t wheel load	460 mm	320 mm	210 mm	157 mm	400 mm	274,29 €/m
VRC S ST	Custom dimensions						Upon request

Cargo heavy-duty supply channel | made of hot-dip galvanised steel 3.0 mm

Standard length: 3,000 mm

Item designation	Load class	Visible width	Internal width	Total height	Internal height	For grating width	RRP excl. VAT
VRC 400-210 VA	10 t wheel load	460 mm	320 mm	210 mm	157 mm	400 mm	401,09 €/m
VRC S VA	Custom dimensions						Upon request

End piece

Item designation	Material	RRP excl. VAT
VRC E 400-210 ST	stainless steel	35,26 €
VRC E 400-210 VA	h-d g steel	49,73 €


Height adjustment

Item designation	Material	RRP excl. VAT
VRC HV 210-310 ST	stainless steel	18,49 €
VRC HV 210-310 VA	h-d g steel	21,75 €

Cargo heavy-duty gratings (with checker plate cover) | made of hot-dip galvanised steel

Standard length: 500 mm and 1,000 mm

Item designation	Load class	Total width	Total height	Length	RRP excl. VAT
SLR C 400-53 ST (500)	10 t wheel load	400 mm	53 mm	500 mm	205,11 €
SLR C 400-53 ST (1000)	10 t wheel load	400 mm	53 mm	1.000 mm	293,02 €
SLR C S	Custom dimensions				Upon request





Cast gratings
Heavy-duty gratings

Fortis
Concrete channels

Poly-Fortis
Polymer- Concrete
channels


Gemini Heavy-duty
double-slit channel

Ferro Magna / Max
Heavy-duty dowa-
tering channels

Rigo Max
Heavy-duty filter
channel

Cargo + Parco

The combinati-
on of screw connec-
tions and threaded pins
allows for quick, easy and
millimetre-precise height
adjustment of
the channels via
the feet.



Optional



Parco | Parking deck channels with connecting flange

Custom
measure-
ments
Upon
request



Parking deck channels Parco | made of stainless steel (V2A) 2.0 mm

PKW-passable

Item designation	Inlet width	Height	Height adjustment	Total width (incl. Flange)	Length	RRP excl. VAT
PDR AF 103-50-1000 VA	103 mm	50 mm	60-90 mm	203 mm	1.000 mm	175,95 €
PDR AF 103-50-2000 VA	103 mm	50 mm	60-90 mm	203 mm	2.000 mm	302,74 €
PDR AF 103-50-3000 VA	103 mm	50 mm	60-90 mm	203 mm	3.000 mm	429,53 €
PDR AF 163-50-1000 VA	163 mm	50 mm	60-90 mm	263 mm	1.000 mm	190,19 €
PDR AF 163-50-2000 VA	163 mm	50 mm	60-90 mm	263 mm	2.000 mm	327,65 €
PDR AF 163-50-3000 VA	163 mm	50 mm	60-90 mm	263 mm	3.000 mm	465,12 €
PDR AF 203-50-1000 VA	203 mm	50 mm	60-90 mm	303 mm	1.000 mm	201,59 €
PDR AF 203-50-2000 VA	203 mm	50 mm	60-90 mm	303 mm	2.000 mm	346,16 €
PDR AF 203-50-3000 VA	203 mm	50 mm	60-90 mm	303 mm	3.000 mm	478,77 €

Flange end-pieces incl. EPDM-Seal

Item designation	RRP excl. VAT
PDR AF E 103-50 VA	62,53 €
PDR AF E 163-50 VA	64,93 €
PDR AF E 203-50 VA	67,63 €



Ceilinggrabs
Hochleistungsgrabs

Fortis
Concrete channels

Poly-Fortis
Polymer- Concrete
channels


Gemini Heavy-duty
double-slit channel

Ferro Magna / Max
Heavy-duty de-
watering channels

Rigo Max
Heavy-duty filter
channel

Cargo + Parco

Gully gratings | for point drainage



Gully grating with square perforation | made of stainless steel (V2A)

Item designation	Inlet dimensions	Height	Square	Load class	RRP excl. VAT
DRGR PE 250-20 8x8 VA	255 x 255 mm	20 mm	8 x 8 mm	walkable	70,11 €

Gully mesh grating | made of stainless steel (V2A)

Item designation	Inlet dimensions	Height	Mesh openings	Load class	RRP excl. VAT
DRGR M 250-20 30x10 ST	255 x 255 mm	20 mm	30 x 10 mm	Car-Passable	43,71 €

Gully mesh grating | made of hot-dip galvanised steel

Item designation	Inlet dimensions	Height	Mesh openings	Load class	RRP excl. VAT
DRGR M 250-20 30x10 VA	255 x 255 mm	20 mm	30 x 10 mm	Car-Passable	130,39 €

Longitudinal bar gully grating *Hydra Linearis 7 x 7 mm* | made of stainless steel (V2A)

Item designation	Inlet dimensions	Height	Maschenweite	Load class	RRP excl. VAT
DRGR LH 250-20 7x7 VA	255 x 255 mm	20 mm	7 x 7 mm	walkable	150,61 €



Point drainage Punkto | made of **stainless steel (V2A) 3.0 mm**
Inclusive dirt trap

Item designation	Material thickness	Dimensions	Height	Processing method	Load class	RRP excl. VAT
PE 255-255-300 ST	3,0 mm	255 x 255 mm	300 mm	tightly welded	Car-Passable	257,61 €

Point drainage Punkto | made of **hot-dip galvanised steel 3.0 mm**
Inclusive dirt trap

Item designation	Material thickness	Dimensions	Height	Processing method	Load class	RRP excl. VAT
PE 255-255-300 VA	3,0 mm	255 x 255 mm	300 mm	tightly welded	Car-Passable	332,64 €

Cast gratings
Heavy-duty gratings

Fortis
Concrete channels

Poly-Fortis
Polymer- Concrete channels

Gemini
Heavy-duty double-slit channel


Ferro Magna / Max
Heavy-duty dewatering channels

Rigo Max
Heavy-duty filter channel

Cargo + Parco

Punkto
Point drainage units

Fortis | Heavy-duty gully gratings



Heavyduty gully mesh grating | made of hot-dip galvanised steel

Item designation	Inlet dimensions	Height	Mesh openings	Load class	RRP excl. VAT
SLGR M 250-40 30x10 C250 ST	247 x 247 mm	40 mm	30 x 10 mm	C 250*	75,33 €

Heavyduty gully mesh grating | made of stainless steel (V2A)

Item designation	Inlet dimensions	Height	Mesh openings	Load class	RRP excl. VAT
SLGR M 250-40 30x10 C250 VA	247 x 247 mm	40 mm	30 x 10 mm	C 250*	127,46 €

Heavyduty-Longitudinal bar gully grating *Hydra Linearis 7 x 7 mm* | stainless steel (V2A)

Item designation	Inlet dimensions	Height	Mesh openings	Load class	RRP excl. VAT
SLGR LH 250-40 7x7 C250 VA	247 x 247 mm	40 mm	7 x 7 mm	C 250*	192,84 €



Fortis | Point drainage made of concrete
Inclusive dirt trap

Item designation	Length	Width	Height	Frame material	Load class	RRP excl. VAT
PEFO 257-257-460-40 ST	257 mm	257 mm	460 mm	stainless Steel	C 250*	171,20 €
PEFO 257-257-460-40 VA	257 mm	257 mm	460 mm	Hot-dip-galvanised Steel	C 250*	212,48 €

Cast gratings
Heavy-duty gratings

Fortis
Concrete channels

Poly-Fortis
Polymer- Concrete
channels

Gemini
Heavy-duty
double-slit channel

Ferro Magna / Max
Heavy-duty dewa-
tering channels

Rigo Max
Heavy-duty filter
channel

Cargo + Parco

Punkto
Point
drainage units

Fortis
Point
drainage units



Solid | Manhole cover



Manhole cover Solid | made of hot-dip galvanised steel 3,0 mm

Including EPDM seal

Item designation	Clear width	Outer dimension	Interior height	Height Support surface	Height incl. beams	Load class	RRP excl. VAT
SAS AP 600-600-80 ST	600 x 600 mm	700 x 700 mm	80 mm	90 mm	150 mm	Car	600,03 €
SAS AP 800-800-80 ST	800 x 800 mm	900 x 900 mm	80 mm	90 mm	150 mm	Car	751,41 €
SAS AP 1000-1000-80 ST	1.000 x 1.000 mm	1.100 x 1.100 mm	80 mm	90 mm	180 mm	Car	895,44 €

Manhole cover Solid | made of stainless steel (V2A) 3,0 mm

Including EPDM seal

Item designation	Clear width	Outer dimension	Interior height	Height Support surface	Height incl. beams	Load class	RRP excl. VAT
SAS AP 600-600-80 VA	600 x 600 mm	700 x 700 mm	80 mm	90 mm	150 mm	Car	1.006,26 €
SAS AP 800-800-80 VA	800 x 800 mm	900 x 900 mm	80 mm	90 mm	150 mm	Car	1.282,25 €
SAS AP 1000-1000-80 VA	1.000 x 1.000 mm	1.100 x 1.100 mm	80 mm	90 mm	180 mm	Car	1.645,77 €

Manhole cover Solid | made of hot-dip galvanised steel 6,0 mm

Including EPDM seal

Item designation	Clear width	Outer dimension	Interior height	Height Support surface	Height incl. beams	Load class	RRP excl. VAT
SAS AL 600-600-80 ST	600 x 600 mm	800 x 800 mm	80 mm	96 mm	150 mm	Truck	1.025,70 €
SAS AL 800-800-80 ST	800 x 800 mm	1.000 x 1.000 mm	80 mm	96 mm	180 mm	Truck	1.302,84 €
SAS AL 1000-1000-80 ST	1.000 x 1.000 mm	1.200 x 1.200 mm	80 mm	96 mm	180 mm	Truck	1.689,85 €

Manhole cover Solid | made of stainless steel (V2A) 6,0 mm

Including EPDM seal

Item designation	Clear width	Outer dimension	Interior height	Height Support surface	Height incl. beams	Load class	RRP excl. VAT
SAS AL 600-600-80 VA	600 x 600 mm	800 x 800 mm	80 mm	96 mm	150 mm	Truck	1.569,36 €
SAS AL 800-800-80 VA	800 x 800 mm	1.000 x 1.000 mm	80 mm	96 mm	180 mm	Truck	2.096,42 €
SAS AL 1000-1000-80 VA	1.000 x 1.000 mm	1.200 x 1.200 mm	80 mm	96 mm	180 mm	Truck	2.745,32 €

Parking bay stop



Parking bay stop Triangle | made of stainless steel (V2A) 3,0 mm

Item designation	Width	Height	Length	RRP excl. VAT
PPS 120-90-700 VA	120 mm	90 mm	700 mm	119,92 €
PPS 120-90-1800 VA	120 mm	90 mm	1.800 mm	216,59 €

Lettering | Laser costs

Item designation	RRP excl. VAT
PPS Laserkosten Typ 1	24,30 €
PPS Laserkosten Typ 2	24,30 €
PPS Laserkosten Typ 3	24,30 €

Lettering | Programming costs

Item designation	RRP excl. VAT
PPS Programierkosten (einmalig)	202,01 €

- Cast gratings
Heavy-duty gratings
- Fortis
Concrete channels
- Poly-Fortis
Polymer- Concrete channels
- Gemini Heavy-duty
double-silt channel
- Ferro Magna / Max
Heavy-duty dewatering channels
- Rigo Max
Heavy-duty filter channel
- Cargo + Parco
- Punkto Point
drainage units
- Fortis Point
drainage units
- Solid manhole
cover



Stabile Magna
Drain- and Dewateringchannel



Lamina Magna
Heavy-Duty slotted channel



Lamina Magna
Inspection- and Flush boxes

Due to the special conditions in entrance areas and individual customer requests, we do not offer any standard products in this area. Please contact our customer advisor directly to discuss your project – ***we will find a solution for you!***

Your contacts



Alexander Bruelheide
+49 (0)5207 95 04-221
alexander.bruehlheide@richard-brink.de



Lukas Otto
+49 (0)5207 95 04-216
lukas.otto@richard-brink.de



Sinan Dullovi *Apprentice*
+49 (0)5207 95 04-228
sinan.dullovi@richard-brink.de

Richard Brink GmbH & Co. KG

Metalware Production and Sales

Germany

Görlitzer Straße 1
33758 Schloß Holte-Stukenbrock
T +49 (0)5207 95 04-0
F +49 (0)5207 95 04-20

anfragen@richard-brink.de
bestellungen@richard-brink.de

Great Britan

Causeway House
13 The Causeway
Teddington, TW11 0JR
T +44 (0) 20 3096 7261

request@richard-brink.de

www.richard-brink.com

