

Image captions

Image

File name

Caption



RichardBrink_MonoFortis_01

The Mono-Fortis dewatering channel from the company Richard Brink is the ideal solution for heavy-duty use up to load class E 600.

Photo: Richard Brink GmbH & Co. KG



RichardBrink_MonoFortis_02

The new polymer concrete product from the metal products manufacturer combines the channel body and grating in one monolithic component. A nut-and-groove system with integrated rubber seals ensures a watertight transition at the channel joints.

Photo: Richard Brink GmbH & Co. KG

Image captions



RichardBrink_MonoFortis_03

Half-metre lengths of the Poly-Fortis channels topped with the Zippa grating can be used as a flush box.

Photo: Richard Brink GmbH & Co. KG



RichardBrink_MonoFortis_04

The Mono-Fortis can also be combined with drainage units made from polymer concrete that feature dirt traps and can be connected to the sewer system.

Photo: Richard Brink GmbH & Co. KG



RichardBrink_MonoFortis_05

For both the flush box and drainage unit used with the Mono-Fortis, customers can choose between frames made from cast iron or hot-dip galvanised steel.

Photo: Richard Brink GmbH & Co. KG

Image captions



RichardBrink_MonoFortis_06

The flexible combination of the MonoFortis with flush boxes and drainage units allows for all kinds of options when putting together functional and extremely robust linear drainage.

Photo: Richard Brink GmbH & Co. KG