




## Technical data sheet

### Bed borders



### Manufacturer

Richard Brink GmbH & Co KG  
Metal goods manufacture and distribution  
Görlitzer Str. 1  
33758 Schloß Holte-Stukenbrock  
Phone: 0049 (0)5207 9504-0  
Fax: 0049 (0)5207 9504-20

Status: 02/22



## Product description

The article BE bed edging is a folded sheet metal part to neatly separate beds from other areas, e.g. lawns.

The bed edgings are available in straight and flexible form (*for freely formable curve radii*).

Connectors allow edgings to be extended as required and fixed in the ground using ground pins.

## Dimensions

Height:	100/150 mm
Support leg:	50 mm
Flanging:	10 mm

At the customer's request, all dimensions can be modified and supplied as custom-made products.

## Material specifications

Material: aluminium (*AlMg3*), stainless steel V2A (*1.4301*), Corten steel

Other materials possible on request

Material thicknesses (*mm*): 1.5 mm each

## Accessories

- connector
- earth pins



## Processing and care instructions

The bed edgings can be cut to size, but it is important to ensure that the cutting medium (e.g. *saw blade, cutting disc, etc.*) is absolutely clean or does not contain any components of other metals, as otherwise corrosion may occur. For example, only new cutting discs should be used for stainless steel bevel edgings.

Dust particles of other metals or general cutting of components with flying sparks on the product are generally to be avoided. If dust particles or soiling of other metals are present, these must be removed immediately with appropriate cleaning agents.

Do not clean the bed borders with strong acids or bases.

The application of de-icing salts (*road salts*) or other salts is to be avoided if possible. Elements that come into contact with de-icing salts or salts of any kind must be cleaned regularly.

Further installation & usage instructions as well as information on the material can be found under:

<https://www.richard-brink.de/downloads/gesamtuebersicht.html>