




# Image captions

Image	File name	Caption
	RichardBrink_BurgKlopp_01.jpg	<p>Klopp Castle in Bingen am Rhein is regarded as the town's landmark and is home, among other things, to the mayor's office and part of the municipal government.</p> <p>Photo: Richard Brink GmbH &amp; Co. KG</p>
	RichardBrink_BurgKlopp_02.jpg	<p>The castle complex sits on a hill and offers an idyllic panorama a stone's throw from the Rhine River.</p> <p>Photo: Richard Brink GmbH &amp; Co. KG</p>
	RichardBrink_BurgKlopp_03.jpg	<p>An approximately 222-square-metre roof terrace has been entirely refurbished in the south-east section of the castle.</p> <p>Photo: Richard Brink GmbH &amp; Co. KG</p>

# Image captions



RichardBrink\_BurgKlopp\_04.jpg

Large concrete paving slabs complete the newly constructed terrace area. A 16-metre-long dewatering line made up of Stabile drainage channels from the company Richard Brink systematically collects rainwater and directs it away.

Photo: Richard Brink GmbH & Co. KG



RichardBrink\_BurgKlopp\_05.jpg

The drainage channels made of hot-dip galvanised steel are installed above drainage points and run in parallel with the entire length of the balustrade.

Photo: Richard Brink GmbH & Co. KG



RichardBrink\_BurgKlopp\_06.jpg

The channels and gratings produced by the metal products manufacturer fit perfectly with the look of the outdoor area.

Photo: Richard Brink GmbH & Co. KG

# Image captions



RichardBrink\_BurgKlopp\_07.jpg

Longitudinal bar gratings measuring 20 x 3mm, also made of hot-dip galvanised steel, were used to cover the channel sections below.

Photo: Richard Brink GmbH & Co. KG



RichardBrink\_BurgKlopp\_08.jpg

Hydra drainage gullies with inlet dimensions of 400 x 400mm were also installed at two points on the terrace.

Photo: Richard Brink GmbH & Co. KG