

Product and price list

Drainage and dewatering systems

2024



Service

Looking for custom-made products?

Look no further!

The products listed in the catalogue show our standard range. But custom-made products can also be delivered quickly, and they're more affordable than you might think.

Our entire production process is oriented towards responding flexibly to individual measurements. **Contact us now to discuss your needs!**



Quality!

We don't sell anything we would not buy ourselves

For us, this means not only ensuring high-quality workmanship but also offering a selection of first-class materials.

Our range of high-end materials spans from ever-popular stainless steel to trend material COR-TEN steel, right over to a more competitively priced steel that features a **protective Magnelis coating**.



Standards!

Steel-Quality

The quality of our stainless steel is V2A – according to the European-Standards it is 1.4301 steel.

It goes without saying that we can provide higher qualities for custom-made products. **Contact us now to discuss your needs!**



Online shop!

24 hours a day, 7 days a week: shop whenever and wherever you like

Visit our online shop at www.richard-brink.de. You'll find our entire product range here – from drainage and dewatering systems, planting systems and roof and wall systems to our bath and kitchen systems.

Tradesmen and installation firms can put together an individual shopping basket (or even multiple shopping baskets) here and either save these to their customer account, generate tender specifications for the chosen products or place a direct order. Private individuals cannot purchase products from us directly, but can use our supplier database to find a distributor in their local area, which can then handle their order.

Take advantage of this system and establish new customer contacts.




Table of contents



Gratings

Perforated, mesh and designer gratings



.. from page 4

Gratings

Drainage channels

Slotted and façade channels



.. from page 14

Drainage channels

Dewatering channels

Including inspection boxes, drainage units, nozzles and sockets



.. from page 30

Dewatering channels

Drainage gully gratings

Drainage gullies

Inspection channels




.. from page 38

Gully gratings
Gullies & Channels

Branch channel system

Gravel stops


Drain mats



.. from page 48

Branch channel system
Gravel stops

Point drainage units,
Treegratings, Dirt catch basins,
Entrance mats



... from page 56

Dirt catch basins
Point drainage units

Your contacts

Our sales team

.. from page 59

Your contacts

System

Load class



Drainage



Pedestrian



Dewatering



Perforated gratings | for our dewatering systems



Drainage grating with round perforation | made of stainless steel (V2A) 1.5 mm

Standard grating length: 1,000 to 3,000 mm feasible using just one part

Item designation	for inflow width	Height	Round hole diameter	RRP excl. VAT
DRR PR 100-10 8,5 VA	100 mm	10 mm *	8,5 mm	67,46 €/m
DRR PR 100-20 8,5 VA	100 mm	20 mm	8,5 mm	67,46 €/m
DRR PR 140-10 8,5 VA	140 mm	10 mm *	8,5 mm	80,79 €/m
DRR PR 140-20 8,5 VA	140 mm	20 mm	8,5 mm	80,79 €/m
DRR PR 160-20 8,5 VA	160 mm	20 mm	8,5 mm	107,21 €/m
DRR PR 200-20 8,5 VA	200 mm	20 mm	8,5 mm	153,73 €/m
DRR PR 250-20 8,5 VA	250 mm	20 mm	8,5 mm	176,09 €/m

* 10 mm high gratings for height adjustment from 40 to 55 mm (see pages 18 and 20)



Drainage grating with round | made of hot-dip galvanised steel 1.5 mm

Standard grating length: 1,000 to 3,000 mm feasible using just one part

Item designation	for inflow width	Height	Round hole diameter	RRP excl. VAT
DRR PR 100-20 8,5 ST	100 mm	20 mm	8,5 mm	40,48 €/m
DRR PR 140-20 8,5 ST	140 mm	20 mm	8,5 mm	48,05 €/m
DRR PR 160-20 8,5 ST	160 mm	20 mm	8,5 mm	69,16 €/m
DRR PR 200-20 8,5 ST	200 mm	20 mm	8,5 mm	90,76 €/m
DRR PR 250-20 8,5 ST	250 mm	20 mm	8,5 mm	106,06 €/m

Corner surcharge for gratings
Leg length: 500 mm
Made from running metres.
Surcharge: 95,64 €/leg

Drainage grating with square perforation | made of stainless steel (V2A) 1.5 mm

Standard grating length: 1,000 to 3,000 mm feasible using just one part

Item designation	for inflow width	Height	Square	RRP excl. VAT
DRR PE 100-10 8x8 VA	100 mm	10 mm *	8 × 8 mm	67,46 €/m
DRR PE 100-20 8x8 VA	100 mm	20 mm	8 × 8 mm	67,46 €/m
DRR PE 140-10 8x8 VA	140 mm	10 mm *	8 × 8 mm	80,79 €/m
DRR PE 140-20 8x8 VA	140 mm	20 mm	8 × 8 mm	80,79 €/m
DRR PE 160-20 8x8 VA	160 mm	20 mm	8 × 8 mm	107,21 €/m
DRR PE 200-20 8x8 VA	200 mm	20 mm	8 × 8 mm	153,73 €/m
DRR PE 250-20 8x8 VA	250 mm	20 mm	8 × 8 mm	176,09 €/m

* 10 mm high gratings for height adjustment from 40 to 55 mm (see pages 18 and 20)



Drainage grating with square perforation | made of hot-dip galvanised steel 1.5 mm

Standard grating length: 1,000 to 3,000 mm feasible using just one part

Item designation	for inflow width	Height	Square	RRP excl. VAT
DRR PE 100-20 8x8 ST	100 mm	20 mm	8 × 8 mm	40,48 €/m
DRR PE 140-20 8x8 ST	140 mm	20 mm	8 × 8 mm	48,05 €/m
DRR PE 160-20 8x8 ST	160 mm	20 mm	8 × 8 mm	69,16 €/m
DRR PE 200-20 8x8 ST	200 mm	20 mm	8 × 8 mm	90,76 €/m
DRR PE 250-20 8x8 ST	250 mm	20 mm	8 × 8 mm	106,06 €/m

Grating locks
see page 6

Perforated gratings | for our dewatering systems




Gratings

Drainage grating with rectangular perforation | made of stainless steel (V2A) 1.5 mm

Standard grating length: 1,000 to 3,000 mm feasible using just one part

Item designation	for inflow width	Height	Rectangle	RRP excl. VAT
DRR PE 100-10 30x5 VA	100 mm	10 mm*	30 × 5 mm	67,46 €/m
DRR PE 100-20 30x5 VA	100 mm	20 mm	30 × 5 mm	67,46 €/m
DRR PE 140-10 30x5 VA	140 mm	10 mm*	30 × 5 mm	80,79 €/m
DRR PE 140-20 30x5 VA	140 mm	20 mm	30 × 5 mm	80,79 €/m
DRR PE 160-20 30x5 VA	160 mm	20 mm	30 × 5 mm	107,21 €/m
DRR PE 200-20 30x5 VA	200 mm	20 mm	30 × 5 mm	153,73 €/m
DRR PE 250-20 30x5 VA	250 mm	20 mm	30 × 5 mm	176,09 €/m

* 10 mm high gratings for height adjustment from 40 to 55 mm (see pages 18 and 20)



Drainage grating with rectangular perforation | hot-dip galvanised steel

Standard grating length: 1,000 to 3,000 mm feasible using just one part

Item designation	for inflow width	Height	Rectangle	RRP excl. VAT
DRR PE 100-20 30x5 ST	100 mm	20 mm	30 × 5 mm	40,48 €/m
DRR PE 140-20 30x5 ST	140 mm	20 mm	30 × 5 mm	48,05 €/m
DRR PE 160-20 30x5 ST	160 mm	20 mm	30 × 5 mm	69,16 €/m
DRR PE 200-20 30x5 ST	200 mm	20 mm	30 × 5 mm	90,76 €/m
DRR PE 250-20 30x5 ST	250 mm	20 mm	30 × 5 mm	106,06 €/m

Corner surcharge for gratings

Leg length: 500 mm

Made from running metres.

Surcharge: 95,64 €/leg

Drainage grating with narrow slotted perforation | made of stainless steel (V2A) 1.5 mm

Standard grating length: 1,000 to 3,000 mm feasible using just one part

Item designation	for inflow width	Height	Slot	RRP excl. VAT
DRR PR 100-10 30x5 VA	100 mm	10 mm*	30 × 5 mm	67,46 €/m
DRR PR 100-20 30x5 VA	100 mm	20 mm	30 × 5 mm	67,46 €/m
DRR PR 140-10 30x5 VA	140 mm	10 mm*	30 × 5 mm	80,79 €/m
DRR PR 140-20 30x5 VA	140 mm	20 mm	30 × 5 mm	80,79 €/m
DRR PR 160-20 30x5 VA	160 mm	20 mm	30 × 5 mm	107,21 €/m
DRR PR 200-20 30x5 VA	200 mm	20 mm	30 × 5 mm	153,73 €/m
DRR PR 250-20 30x5 VA	250 mm	20 mm	30 × 5 mm	176,09 €/m

* 10 mm high gratings for height adjustment from 40 to 55 mm (see pages 18 and 20)



Drainage grating with narrow slotted perforation | hot-dip galvanised steel 1.5 mm

Standard grating length: 1,000 to 3,000 mm feasible using just one part

Item designation	for inflow width	Height	Slot	RRP excl. VAT
DRR PR 100-20 30x5 ST	100 mm	20 mm	30 × 5 mm	40,48 €/m
DRR PR 140-20 30x5 ST	140 mm	20 mm	30 × 5 mm	48,05 €/m
DRR PR 160-20 30x5 ST	160 mm	20 mm	30 × 5 mm	69,16 €/m
DRR PR 200-20 30x5 ST	200 mm	20 mm	30 × 5 mm	90,76 €/m
DRR PR 250-20 30x5 ST	250 mm	20 mm	30 × 5 mm	106,06 €/m

Grating locks

see page 6

Perforated gratings | for our dewatering systems



Drainage grating with wide slotted perforation | made of stainless steel (V2A) 1.5 mm

Standard grating length: 1,000 to 3,000 mm feasible using just one part

Item designation	for inflow width	Height	Slot	RRP excl. VAT
DRR PR 100-10 30x10 VA	100 mm	10 mm*	30 × 10 mm	67,46 €/m
DRR PR 100-20 30x10 VA	100 mm	20 mm	30 × 10 mm	67,46 €/m
DRR PR 140-10 30x10 VA	140 mm	10 mm*	30 × 10 mm	80,79 €/m
DRR PR 140-20 30x10 VA	140 mm	20 mm	30 × 10 mm	80,79 €/m
DRR PR 160-20 30x10 VA	160 mm	20 mm	30 × 10 mm	107,21 €/m
DRR PR 200-20 30x10 VA	200 mm	20 mm	30 × 10 mm	153,73 €/m
DRR PR 250-20 30x10 VA	250 mm	20 mm	30 × 10 mm	176,09 €/m

* 10 mm high gratings for height adjustment from 40 to 55 mm (see pages 18 and 20)



Drainage grating with wide slotted perforation | hot-dip galvanised steel 1.5 mm

Standard grating length: 1,000 to 3,000 mm feasible using just one part

Item designation	for inflow width	Height	Slot	RRP excl. VAT
DRR PR 100-20 30x10 ST	100 mm	20 mm	30 × 10 mm	40,48 €/m
DRR PR 140-20 30x10 ST	140 mm	20 mm	30 × 10 mm	48,05 €/m
DRR PR 160-20 30x10 ST	160 mm	20 mm	30 × 10 mm	69,16 €/m
DRR PR 200-20 30x10 ST	200 mm	20 mm	30 × 10 mm	90,76 €/m
DRR PR 250-20 30x10 ST	250 mm	20 mm	30 × 10 mm	106,06 €/m



Corner surcharge for gratings

Leg length: 500 mm

Made from running metres.

Surcharge: 95,64 €/leg

Grating locks for all perforated gratings | made of stainless steel (V2A) 1.5 mm

Item designation	for inflow width	RRP excl. VAT
DRR P RV 100 VA	100 mm	15,02 €/piece
DRR P RV 140 VA	140 mm	15,36 €/piece
DRR P RV 160 VA	160 mm	15,52 €/piece
DRR P RV 200 VA	200 mm	15,70 €/piece
DRR P RV 250 VA	250 mm	15,99 €/piece



Grating locks for all perforated gratings | made of hot-dip galvanised steel 1.5 mm

Item designation	for inflow width	RRP excl. VAT
DRR P RV 100 ST	100 mm	12,44 €/piece
DRR P RV 140 ST	140 mm	12,61 €/piece
DRR P RV 160 ST	160 mm	12,72 €/piece
DRR P RV 200 ST	200 mm	12,80 €/piece
DRR P RV 250 ST	250 mm	13,09 €/piece

Mesh gratings | for our dewatering systems



Gratings


Drainage mesh grating | made of stainless steel (V2A)

Standard grating length: 1,000 to 1,500 mm feasible using just one part





Heavy-Duty Version see price list
Heavy-Duty-Dewatering systems

Item designation	for inflow width	Height	Mesh openings	RRP excl. VAT
DRR M 100-20 30x10 VA	100 mm	20 mm	30 × 10 mm	135,02 €/m
DRR M 140-20 30x10 VA	140 mm	20 mm	30 × 10 mm	157,89 €/m
DRR M 160-20 30x10 VA	160 mm	20 mm	30 × 10 mm	169,14 €/m
DRR M 200-20 30x10 VA	200 mm	20 mm	30 × 10 mm	206,29 €/m
DRR M 250-20 30x10 VA	250 mm	20 mm	30 × 10 mm	222,35 €/m



Grating locks | made of stainless steel (V2A)

Item designation	for inflow width	RRP excl. VAT
DRR M RV 100 VA	100 mm	15,02 €/piece
DRR M RV 140 VA	140 mm	15,36 €/piece
DRR M RV 160 VA	160 mm	15,53 €/piece
DRR M RV 200 VA	200 mm	15,71 €/piece
DRR M RV 250 VA	250 mm	15,99 €/piece



Drainage mesh grating | made of hot-dip galvanised steel

Standard grating length: 1,000 to 1,390 mm feasible using just one part




Heavy-Duty Version see price list
Heavy-Duty-Dewatering systems

Item designation	for inflow width	Height	Mesh openings	RRP excl. VAT
DRR M 100-20 30x10 ST	100 mm	20 mm	30 × 10 mm	40,48 €/m
DRR M 140-20 30x10 ST	140 mm	20 mm	30 × 10 mm	48,05 €/m
DRR M 160-20 30x10 ST	160 mm	20 mm	30 × 10 mm	54,43 €/m
DRR M 200-20 30x10 ST	200 mm	20 mm	30 × 10 mm	67,88 €/m
DRR M 250-20 30x10 ST	250 mm	20 mm	30 × 10 mm	75,16 €/m



Grating locks | made of hot-dip galvanised steel

Item designation	for inflow width	RRP excl. VAT
DRR M RV 100 ST	100 mm	12,44 €/piece
DRR M RV 140 ST	140 mm	12,61 €/piece
DRR M RV 160 ST	160 mm	12,72 €/piece
DRR M RV 200 ST	200 mm	12,80 €/piece
DRR M RV 250 ST	250 mm	13,10 €/piece



Corner surcharge for gratings

Leg length: 500 mm

Made from running metres.

Surcharge: 95,64 €/leg

Perforated Design-Gratings | *for our dewatering systems*

Drainage grating Perla | made of stainless steel (V2A) 1.5 mm

Standard grating length: 1,000 to 3,000 mm feasible using just one part

Item designation	for inflow width	Height	Rectangle	RRP excl. VAT
DRR PP 100-20 VA Perla	100 mm	20 mm	5 - 10,5 mm	72,08 €/m
DRR PP 140-20 VA Perla	140 mm	20 mm	6,5 - 12,5 mm	86,44 €/m
DRR PP 160-20 VA Perla	160 mm	20 mm	6,5 - 12,5 mm	113,37 €/m
DRR PP 200-20 VA Perla	200 mm	20 mm	8,5 - 14 mm	160,92 €/m
DRR PP 250-20 VA Perla	250 mm	20 mm	8,5 - 14 mm	184,56 €/m



Drainage grating with Rivo | made of stainless steel (V2A) 3.0 mm

Standard grating length: 1,000, due to the design, no special dimensions are possible

Item designation	for inflow width	Height	Slot	RRP excl. VAT
DRR QR 100-20 VA Rivo	100 mm	20 mm	30 x 5 mm	146,84 €/m
DRR QR 140-20 VA Rivo	140 mm	20 mm	30 x 5 mm	166,87 €/m
DRR QR 160-20 VA Rivo	160 mm	20 mm	30 x 5 mm	182,23 €/m



Corner surcharge for gratings
Leg length: 500 mm
Made from running metres.
Surcharge: 95,64 €/leg



Gratings



Designer gratings | for our dewatering systems




Longitudinal bar drainage grating 7 × 7 mm | made of stainless steel (V2A)

Standard grating length: 1,000 to 1,500 mm feasible using just one part




Heavy-Duty
upon request

Item designation	for inflow width	Height	Bar thickness	RRP excl. VAT
DRR L 100-20 7x7 VA	100 mm	20 mm	7 × 7 mm	160,37 €/m
DRR L 140-20 7x7 VA	140 mm	20 mm	7 × 7 mm	194,18 €/m
DRR L 160-20 7x7 VA	160 mm	20 mm	7 × 7 mm	232,15 €/m
DRR L 200-20 7x7 VA	200 mm	20 mm	7 × 7 mm	278,90 €/m
DRR L 250-20 7x7 VA	250 mm	20 mm	7 × 7 mm	323,96 €/m



Grating locks | made of stainless steel (V2A)

Item designation	for inflow width	RRP excl. VAT
DRR L RV 100 VA	100 mm	15,03 €/piece
DRR L RV 140 VA	140 mm	15,37 €/piece
DRR L RV 160 VA	160 mm	15,53 €/piece
DRR L RV 200 VA	200 mm	15,71 €/piece
DRR L RV 250 VA	250 mm	16,30 €/piece




Longitudinal bar drainage grating Hydra Linearis | stainless steel (V2A)

Standard grating length: 1,000 to 1,500 mm feasible using just one part




See price list Heavy-Duty
Dewatering systems

Item designation	for inflow width	Height	Bar thickness	RRP excl. VAT
DRR LH 100-20 7x7 VA	100 mm	20 mm	7 × 7 mm	180,36 €/m
DRR LH 140-20 7x7 VA	140 mm	20 mm	7 × 7 mm	218,23 €/m
DRR LH 160-20 7x7 VA	160 mm	20 mm	7 × 7 mm	254,44 €/m
DRR LH 200-20 7x7 VA	200 mm	20 mm	7 × 7 mm	313,12 €/m
DRR LH 250-20 7x7 VA	250 mm	20 mm	7 × 7 mm	363,59 €/m



Grating locks | made of stainless steel (V2A)

Item designation	for inflow width	RRP excl. VAT
DRR L RV 100 VA	100 mm	15,03 €/piece
DRR L RV 140 VA	140 mm	15,37 €/piece
DRR L RV 160 VA	160 mm	15,53 €/piece
DRR L RV 200 VA	200 mm	15,71 €/piece
DRR L RV 250 VA	250 mm	16,30 €/piece



reddot design award
honourable mention 2010

Corner surcharge for gratings

Leg length: 500 mm
Made from running metres.

Surcharge: 95,64 €/leg

Designer gratings | for our dewatering systems




Longitudinal bar drainage grating 20 × 3 mm | made of stainless steel

Standard grating length: 1,000 to 1,500 mm feasible using just one part

See price list **Heavy-Duty-Dewatering systems**





Item designation	for inflow width	Height	Bar thickness	RRP excl. VAT
DRR L 100-20 20x3 VA	100 mm	20 mm	20 × 3 mm	180,31 €/m
DRR L 140-20 20x3 VA	140 mm	20 mm	20 × 3 mm	222,71 €/m
DRR L 160-20 20x3 VA	160 mm	20 mm	20 × 3 mm	258,27 €/m
DRR L 200-20 20x3 VA	200 mm	20 mm	20 × 3 mm	297,62 €/m
DRR L 250-20 20x3 VA	250 mm	20 mm	20 × 3 mm	364,80 €/m



Gratings

Grating locks | made of stainless steel (V2A)

Item designation	for inflow width	RRP excl. VAT
DRR L RV 100 VA	100 mm	15,03 €/piece
DRR L RV 140 VA	140 mm	15,37 €/piece
DRR L RV 160 VA	160 mm	15,53 €/piece
DRR L RV 200 VA	200 mm	15,71 €/piece
DRR L RV 250 VA	250 mm	16,30 €/piece




Longitudinal bar drainage grating 20 × 3 mm | hot-dip galvanised steel

Standard grating length: 1,000 to 1,500 mm feasible using just one part

See price list **Heavy-Duty-Dewatering systems**





Item designation	for inflow width	Height	Bar thickness	RRP excl. VAT
DRR L 100-20 20x3 ST	100 mm	20 mm	20 × 3 mm	130,13 €/m
DRR L 140-20 20x3 ST	140 mm	20 mm	20 × 3 mm	159,53 €/m
DRR L 160-20 20x3 ST	160 mm	20 mm	20 × 3 mm	181,60 €/m
DRR L 200-20 20x3 ST	200 mm	20 mm	20 × 3 mm	207,25 €/m
DRR L 250-20 20x3 ST	250 mm	20 mm	20 × 3 mm	250,69 €/m



Grating locks | made of hot-dip galvanised steel

Item designation	for inflow width	RRP excl. VAT
DRR L RV 100 ST	100 mm	12,43 €/piece
DRR L RV 140 ST	140 mm	12,61 €/piece
DRR L RV 160 ST	160 mm	12,72 €/piece
DRR L RV 200 ST	200 mm	12,80 €/piece
DRR L RV 250 ST	250 mm	13,09 €/piece



Corner surcharge for gratings

Leg length: 500 mm
Made from running metres.


Surcharge: 95,64 €/leg

Designer gratings | for our dewatering systems



Legato longitudinal bar drainage grating | made of stainless steel (V2A)

Standard grating length: 1,000 to 1,500 mm feasible using just one part






Heavy-Duty
upon request

Item designation	for inflow width	Height	Bar thickness	RRP excl. VAT
DRR L 100-20 Legato VA	100 mm	20 mm	20 × 3 mm	230,34 €/m
DRR L 140-20 Legato VA	140 mm	20 mm	20 × 3 mm	283,09 €/m
DRR L 160-20 Legato VA	160 mm	20 mm	20 × 3 mm	305,18 €/m
DRR L 200-20 Legato VA	200 mm	20 mm	20 × 3 mm	388,55 €/m




Grating locks | made of stainless steel (V2A)

Item designation	for inflow width	RRP excl. VAT
DRR L RV 100 VA	100 mm	15,03 €/piece
DRR L RV 140 VA	140 mm	15,37 €/piece
DRR L RV 160 VA	160 mm	15,53 €/piece
DRR L RV 200 VA	200 mm	15,71 €/piece



Staccato longitudinal bar drainage grating | made of stainless steel (V2A)

Standard grating length: 1,000 to 1,500 mm feasible using just one part






Heavy-Duty
upon request

Item designation	for inflow width	Height	Bar thickness	RRP excl. VAT
DRR L 100-20 Staccato VA	100 mm	20 mm	20 × 3 mm	215,58 €/m
DRR L 140-20 Staccato VA	140 mm	20 mm	20 × 3 mm	252,35 €/m
DRR L 160-20 Staccato VA	160 mm	20 mm	20 × 3 mm	272,04 €/m
DRR L 200-20 Staccato VA	200 mm	20 mm	20 × 3 mm	324,70 €/m



Grating locks | made of stainless steel (V2A)

Item designation	for inflow width	RRP excl. VAT
DRR L RV 100 VA	100 mm	15,03 €/piece
DRR L RV 140 VA	140 mm	15,37 €/piece
DRR L RV 160 VA	160 mm	15,53 €/piece
DRR L RV 200 VA	200 mm	15,71 €/piece



Corner surcharge for gratings

Leg length: 500 mm

Made from running metres.


Surcharge: 95,64 €/leg

Ritmo longitudinal bar drainage grating | made of stainless steel (V2A)

Standard grating length: 1,000 to 1,500 mm feasible using just one part






Item designation	for inflow width	Height	Bar thickness	RRP excl. VAT
DRR L 100-20 Ritmo VA	100 mm	20 mm	20 × 3 mm	230,34 €/m
DRR L 140-20 Ritmo VA	140 mm	20 mm	20 × 3 mm	283,09 €/m
DRR L 160-20 Ritmo VA	160 mm	20 mm	20 × 3 mm	305,18 €/m
DRR L 200-20 Ritmo VA	200 mm	20 mm	20 × 3 mm	388,55 €/m



Gratings

Grating locks | made of stainless steel (V2A)

Item designation	for inflow width	RRP excl. VAT
DRR L RV 100 VA	100 mm	15,03 €/piece
DRR L RV 140 VA	140 mm	15,37 €/piece
DRR L RV 160 VA	160 mm	15,53 €/piece
DRR L RV 200 VA	200 mm	15,71 €/piece



Silva design drainage grating | made of stainless steel (V2A)

Standard grating length: 1,000 feasible using just one part, due to the design, no special dimensions are available

Artikelbezeichnung	for inflow width	Height	RRP excl. VAT
DRR SI 100-20 VA/CU Silva	100 mm	20 mm	275,06 €/m
DRR SI 140-20 VA/CU Silva	140 mm	20 mm	308,30 €/m
DRR SI 160-20 VA/CU Silva	160 mm	20 mm	336,23 €/m



Corner surcharge for gratings

Leg length: 500 mm
Made from running metres.

Surcharge: 95,64 €/leg

Double-slot gratings Gemini | made of stainless steel (V2A) 3,0 mm

Standard grating length: 1,000 to 1,500 mm feasible using just one part





Heavy-Duty Version see price list
Heavy-Duty-Dewatering systems

Item designation	for inflow width	Height	Slot widths	RRP excl. VAT
DRR GG 100-20	100 mm	20 mm	2 x 9 mm	197,81 €/m
DRR GG 140-20	140 mm	20 mm	2 x 9 mm	219,56 €/m
DRR GG 160-20	160 mm	20 mm	2 x 9 mm	234,00 €/m
DRR GG 200-20	200 mm	20 mm	2 x 9 mm	248,38 €/m

Two removal hooks are provided upon request.

Inflow width 200 mm



Double-slot gratings Gemini | made of stainless steel (V2A) 2,0 mm

Standard grating length: 1,000 mm, with inlet for 20 mm thick stone inlay




Heavy-Duty Version see price list
Heavy-Duty-Dewatering systems

Item designation	for inflow width	Height from Supporting base	Slot widths	Stone width	Stone height	RRP excl. VAT
DRR GS 100-33	100 mm	33 mm*	2 x 9 mm	69 mm	20 mm	173,92 €/m
DRR GS 140-33	140 mm	33 mm*	2 x 9 mm	109 mm	20 mm	191,14 €/m
DRR GS 160-33	160 mm	33 mm*	2 x 9 mm	129 mm	20 mm	202,27 €/m
DRR GS 200-33	200 mm	33 mm*	2 x 9 mm	171 mm	20 mm	215,93 €/m
DRR GS 250-33	250 mm	33 mm*	2 x 9 mm	219 mm	20 mm	253,26 €/m

Two removal hooks are provided upon request.

Inflow width 100 mm



The supporting base our channels is 20mm tall.
The total installation height with these gratings increases by 13mm.

* with 40mm total height



reddot award 2015
best of the best




Double-slot gratings Gemini | made of stainless steel (V2A) 2,0 mm

Standard grating length: 1,000 mm, with inlet for 30 mm thick stone inlay

Item designation	for inflow width	Height from Supporting base	Slot widths	Stone width	Stone height	RRP excl. VAT
DRR GS 100-43	100 mm	43 mm*	2 x 9 mm	69 mm	30 mm	179,49 €/m
DRR GS 140-43	140 mm	43 mm*	2 x 9 mm	109 mm	30 mm	196,70 €/m
DRR GS 160-43	160 mm	43 mm*	2 x 9 mm	129 mm	30 mm	207,85 €/m
DRR GS 200-43	200 mm	43 mm*	2 x 9 mm	171 mm	30 mm	221,50 €/m
DRR GS 250-43	250 mm	43 mm*	2 x 9 mm	219 mm	30 mm	263,99 €/m

Two removal hooks are provided upon request.

Inflow width 100 mm



The supporting base our channels is 20mm tall.
The total installation height with these gratings increases by 23mm.

* with 50mm total height



reddot award 2015
best of the best



Cross bar drainage grating 7 × 7 mm | made of stainless steel (V2A)


Standard grating length: 1,000 to 1,500 mm feasible using just one part

Item designation	for inflow width	Height	Bar thickness	RRP excl. VAT
DRR Q 100-20 7x7 VA	100 mm	20 mm	7 × 7 mm	345,84 €/m
DRR Q 140-20 7x7 VA	140 mm	20 mm	7 × 7 mm	384,10 €/m
DRR Q 200-20 7x7 VA	200 mm	20 mm	7 × 7 mm	435,32 €/m



Grating locks | made of stainless steel (V2A)

Item designation	for inflow width	RRP excl. VAT
DRR Q RV 100 VA	100 mm	15,02 €/piece
DRR Q RV 140 VA	140 mm	15,36 €/piece
DRR Q RV 200 VA	200 mm	15,71 €/piece




Cross bar drainage grating 20 × 3 mm | made of stainless steel (V2A)

Standard grating length: 1,000 to 1,500 mm feasible using just one part



 Heavy-Duty upon request

Item designation	for inflow width	Height	Bar thickness	RRP excl. VAT
DRR Q 100-20 20x3 VA	100 mm	20 mm	20 × 3 mm	324,81 €/m
DRR Q 140-20 20x3 VA	140 mm	20 mm	20 × 3 mm	365,57 €/m
DRR Q 200-20 20x3 VA	200 mm	20 mm	20 × 3 mm	419,95 €/m



Grating locks | made of stainless steel (V2A)

Item designation	for inflow width	RRP excl. VAT
DRR Q RV 100 VA	100 mm	15,02 €/piece
DRR Q RV 140 VA	140 mm	15,36 €/piece
DRR Q RV 200 VA	200 mm	15,71 €/piece



Corner surcharge for gratings

Leg length: 500 mm
Made from running metres.

Surcharge: 95,64€/leg

Hydra | Height-adjustable drainage channels

Flexible

Our classic Hydra drainage channel, which is manufactured either from hot-dip galvanised steel or stainless steel, is extremely adaptable.

The standard channel length is one metre, but we can also pre-assemble half and whole-metre segments to create sections measuring up to 2.50 m long for you if desired.

The continuous drainage slots along both the channel body **A** and the side parts **B** make it very easy to adjust the height of this system via the screw connection, and to extend the system as desired by offsetting the side parts from the channel.


Pre-assembled

The figure below illustrates the user-friendly setup of the Hydra channel system, which allows you to adapt it to the individual on-site circumstances of any construction project.


There are 21 different grating designs available for selection as a cover. The spectrum ranges from perforated gratings and mesh gratings to longitudinal bar and cross bar gratings, all of which are available in hot-dip galvanised steel or stainless steel depending on the design.



Screw connection



Flexible height adjustment and option to extend to any desired length without additional connectors






Gratings

Drainage troughs



Hydra | Drainage channels made of stainless steel

Custom
measure-
ments
Upon request



Hydra drainage channel | stainless steel (V2A) 1.5 mm

Standard channel length: 1,000 mm

Item designation	Inflow width	Adjustable height	RRP excl. VAT
DRH 100-40-55 VA *	100 mm	40 to 55 mm	104,68 €/m
DRH 100-54-69 VA	100 mm	54 to 69 mm	104,68 €/m
DRH 100-70-100 VA	100 mm	70 to 100 mm	118,36 €/m
DRH 100-100-160 VA	100 mm	100 to 160 mm	188,88 €/m
DRH 140-40-55 VA *	140 mm	40 to 55 mm	111,59 €/m
DRH 140-54-69 VA	140 mm	54 to 69 mm	111,59 €/m
DRH 140-70-100 VA	140 mm	70 to 100 mm	125,13 €/m
DRH 140-100-160 VA	140 mm	100 to 160 mm	200,38 €/m
DRH 160-54-69 VA	160 mm	54 to 69 mm	115,52 €/m
DRH 160-70-100 VA	160 mm	70 to 100 mm	129,04 €/m
DRH 160-100-160 VA	160 mm	100 to 160 mm	204,31 €/m
DRH 200-54-69 VA	200 mm	54 to 69 mm	131,00 €/m
DRH 200-70-100 VA	200 mm	70 to 100 mm	144,66 €/m
DRH 200-100-160 VA	200 mm	100 to 160 mm	205,13 €/m
DRH 250-54-69 VA	250 mm	54 to 69 mm	134,33 €/m
DRH 250-70-100 VA	250 mm	70 to 100 mm	147,65 €/m
DRH 250-100-160 VA	250 mm	100 to 160 mm	217,38 €/m

* Drainage channels and end fitting for 10 mm tall perforated gratings (for gratings see pages 4 to 6).

Hydra end fittings | st. steel 1.5 mm

Height-adjustable

Item designation	RRP excl. VAT
DRH E 100-40-55 VA*	13,11 €/piece
DRH E 100-54-69 VA	13,11 €/piece
DRH E 100-70-100 VA	13,77 €/piece
DRH E 100-100-160 VA	14,44 €/piece
DRH E 140-40-55 VA*	13,82 €/piece
DRH E 140-54-69 VA	13,82 €/piece
DRH E 140-70-100 VA	14,69 €/piece
DRH E 140-100-160 VA	15,56 €/piece
DRH E 160-54-69 VA	14,36 €/piece
DRH E 160-70-100 VA	15,24 €/piece
DRH E 160-100-160 VA	16,11 €/piece
DRH E 200-54-69 VA	14,57 €/piece
DRH E 200-70-100 VA	15,67 €/piece
DRH E 200-100-160 VA	16,76 €/piece
DRH E 250-54-69 VA	14,99 €/piece
DRH E 250-70-100 VA	16,21 €/piece
DRH E 250-100-160 VA	17,56 €/piece

Offset mounting of the height-adjustable side panels makes it possible to **connect** several metres of channels.

Drainage channel corner connectors | stainless steel (V2A) 1.5 mm

Item designation	RRP excl. VAT
DRV E VA	6,79 €/pair



Channel corner surcharge


Leg length: 500 mm

Made from running metres.


95,64 €/leg



Hydra | Drainage channel made of hot-dip galvanised steel



Sample illustration:
Hydra drainage channel with mesh grating made of hot-dip galvanised steel




Gratings

Drainage troughs

Price
without
grating

Height-
adjustable

Integrated
Gravel
stop



Hydra drainage channel | hot-dip galvanised steel 1.5 mm

Standard channel length: 1,000 mm

Item designation	Inflow width	Adjustable height	RRP excl. VAT
DRH 100-54-69 ST	100 mm	54 to 69 mm	63,34 €/m
DRH 100-70-100 ST	100 mm	70 to 100 mm	67,52 €/m
DRH 100-100-160 ST	100 mm	100 to 160 mm	108,63 €/m
DRH 140-54-69 ST	140 mm	54 to 69 mm	65,49 €/m
DRH 140-70-100 ST	140 mm	70 to 100 mm	69,53 €/m
DRH 140-100-160 ST	140 mm	100 to 160 mm	112,51 €/m
DRH 160-54-69 ST	160 mm	54 to 69 mm	67,01 €/m
DRH 160-70-100 ST	160 mm	70 to 100 mm	71,05 €/m
DRH 160-100-160 ST	160 mm	100 to 160 mm	116,39 €/m
DRH 200-54-69 ST	200 mm	54 to 69 mm	68,52 €/m
DRH 200-70-100 ST	200 mm	70 to 100 mm	72,69 €/m
DRH 200-100-160 ST	200 mm	100 to 160 mm	116,71 €/m
DRH 250-54-69 ST	250 mm	54 to 69 mm	70,67 €/m
DRH 250-70-100 ST	250 mm	70 to 100 mm	75,81 €/m
DRH 250-100-160 ST	250 mm	100 to 160 mm	123,28 €/m

Hydra end fittings | hdg steel 1.5 mm

Height-adjustable

Item designation	RRP excl. VAT
DRH E 100-54-69 ST	9,32 €/piece
DRH E 100-70-100 ST	9,51 €/piece
DRH E 100-100-160 ST	9,78 €/piece
DRH E 140-54-69 ST	9,49 €/piece
DRH E 140-70-100 ST	9,71 €/piece
DRH E 140-100-160 ST	10,18 €/piece
DRH E 160-54-69 ST	10,03 €/piece
DRH E 160-70-100 ST	10,25 €/piece
DRH E 160-100-160 ST	10,72 €/piece
DRH E 200-54-69 ST	10,26 €/piece
DRH E 200-70-100 ST	10,57 €/piece
DRH E 200-100-160 ST	11,18 €/piece
DRH E 250-54-69 ST	10,75 €/piece
DRH E 250-70-100 ST	11,17 €/piece
DRH E 250-100-160 ST	11,63 €/piece

Offset mounting of the height-adjustable side panels makes it possible to **connect** several metres of channels.

Drainage channel corner connectors | hot-dip galvanised steel 1.5 mm

Item designation	RRP excl. VAT
DRV E ST	5,51 €/pair



Channel corner surcharge


Leg length: 500 mm

Made from running metres.

95,64 €/leg



Hydra Express | Drainage channels made of stainless steel



Hydra Express | made of stainless steel (V2A) 1.5 mm Standard channel length: 1,000 mm

Item designation	Inflow width	Adjustable height	RRP excl. VAT
DRX 100-40-55 VA *	100 mm	40 to 55 mm	138,10 €/m
DRX 100-54-69 VA	100 mm	54 to 69 mm	138,10 €/m
DRX 100-70-100 VA	100 mm	70 to 100 mm	153,52 €/m
DRX 100-100-160 VA	100 mm	100 to 160 mm	190,30 €/m
DRX 140-40-55 VA *	140 mm	40 to 55 mm	147,99 €/m
DRX 140-54-69 VA	140 mm	54 to 69 mm	147,99 €/m
DRX 140-70-100 VA	140 mm	70 to 100 mm	164,06 €/m
DRX 140-100-160 VA	140 mm	100 to 160 mm	206,08 €/m
DRX 200-54-69 VA	200 mm	54 to 69 mm	171,45 €/m
DRX 200-70-100 VA	200 mm	70 to 100 mm	188,63 €/m
DRX 200-100-160 VA	200 mm	100 to 160 mm	212,66 €/m
DRX 250-54-69 VA	250 mm	54 to 69 mm	178,31 €/m
DRX 250-70-100 VA	250 mm	70 to 100 mm	196,06 €/m
DRX 250-100-160 VA	250 mm	100 to 160 mm	227,42 €/m

* Drainage channels and end fitting for 10 mm tall perforated gratings (for gratings see pages 4 to 6).

End fittings | stainless steel 1.5 mm Height-adjustable

Item designation	RRP excl. VAT
DRX E 100-40-55 VA*	13,11 €/piece
DRX E 100-54-69 VA	13,11 €/piece
DRX E 100-70-100 VA	13,77 €/piece
DRX E 100-100-160 VA	14,44 €/piece
DRX E 140-40-55 VA*	13,82 €/piece
DRX E 140-54-69 VA	13,82 €/piece
DRX E 140-70-100 VA	14,69 €/piece
DRX E 140-100-160 VA	15,56 €/piece
DRX E 200-54-69 VA	14,57 €/piece
DRX E 200-70-100 VA	15,67 €/piece
DRX E 200-100-160 VA	16,76 €/piece
DRX E 250-54-69 VA	14,99 €/piece
DRX E 250-70-100 VA	16,21 €/piece
DRX E 250-100-160 VA	17,56 €/piece

U-Connectors | stainless steel 1.5 mm

Item designation	RRP excl. VAT
DRV V VA	6,80 €/pair




Channel corner surcharge


Leg length: 500 mm

Made from running metres.


95,64 €/leg



Hydra Express | Drainage channel made of hot-dip galvanised steel



Sample illustration:
Hydra drainage channel with mesh grating made of hot-dip galvanised steel




Gratings

Drainage troughs

Price
without
grating

Height-
adjustable

Integrated
Gravel
stop



Hydra Express | made of hot-dip galvanised steel 1.5 mm
Standard channel length: 1,000 mm

Item designation	Inflow width	Adjustable height	RRP excl. VAT
DRX 100-54-69 ST	100 mm	54 to 69 mm	84,95 €/m
DRX 100-70-100 ST	100 mm	70 to 100 mm	91,37 €/m
DRX 100-100-160 ST	100 mm	100 to 160 mm	109,11 €/m
DRX 140-54-69 ST	140 mm	54 to 69 mm	90,70 €/m
DRX 140-70-100 ST	140 mm	70 to 100 mm	97,44 €/m
DRX 140-100-160 ST	140 mm	100 to 160 mm	116,10 €/m
DRX 200-54-69 ST	200 mm	54 to 69 mm	96,42 €/m
DRX 200-70-100 ST	200 mm	70 to 100 mm	104,50 €/m
DRX 200-100-160 ST	200 mm	100 to 160 mm	121,82 €/m
DRX 250-54-69 ST	250 mm	54 to 69 mm	100,56 €/m
DRX 250-70-100 ST	250 mm	70 to 100 mm	106,66 €/m
DRX 250-100-160 ST	250 mm	100 to 160 mm	126,10 €/m

End fittings | hot-dip g steel Height-adjustable

Item designation	RRP excl. VAT
DRX E 100-54-69 ST	9,32 €/piece
DRX E 100-70-100 ST	9,51 €/piece
DRX E 100-100-160 ST	9,78 €/piece
DRX E 140-54-69 ST	9,49 €/piece
DRX E 140-70-100 ST	9,71 €/piece
DRX E 140-100-160 ST	10,18 €/piece
DRX E 200-54-69 ST	10,26 €/piece
DRX E 200-70-100 ST	10,57 €/piece
DRX E 200-100-160 ST	11,18 €/piece
DRX E 250-54-69 ST	10,75 €/piece
DRX E 250-70-100 ST	11,17 €/piece
DRX E 250-100-160 ST	11,63 €/piece

U-Connectors | hot-dip galvanised steel 1.5 mm

Item designation	RRP excl. VAT
DRV E ST	5,52 €/pair



Channel corner surcharge
Leg length: 500 mm
Made from running metres.
95,64 €/leg



Fixed installation heights

Whether standard height or custom-made, no matter how individual your building situation is, we will make the drainage solution that is exactly right for your project – either in hot-dip galvanised steel or stainless steel.


The standard channel length is 1.0 m and can be extended to any desired length using connector pairs. We can also manufacture custom lengths up to 3.0 m if desired.

The continuous drainage slots along both the channel body **A** and the connectors **B** make it very easy to extend this system via the screw connection.

The figure illustrates the user-friendly setup of the Stabile channel system.

21 grating designs

There are 21 different grating designs to choose from as a grating cover. The spectrum ranges from perforated gratings and mesh gratings to bar and cross bar gratings, all of which are available in hot-dip galvanised steel or stainless steel depending on the design.




Material options



Also available as a dewatering channel




Connector





Stabile | Drainage channels made of stainless steel



Stabile drainage channel | stainless steel (V2A) 1.5 mm

Standard channel length: 1,000 to 3,000 mm feasible using just one part

Item designation	Inflow width	Height	RRP excl. VAT
DRS 100-21 VA	100 mm	21 mm	42,53 €/m
DRS 100-40 VA	100 mm	40 mm	53,28 €/m
DRS 100-50 VA	100 mm	50 mm	56,69 €/m
DRS 100-60 VA	100 mm	60 mm	60,05 €/m
DRS 100-80 VA	100 mm	80 mm	66,96 €/m
DRS 100-100 VA	100 mm	100 mm	73,71 €/m
DRS 140-21 VA	100 mm	21 mm	47,47 €/m
DRS 140-40 VA	140 mm	40 mm	60,05 €/m
DRS 140-50 VA	140 mm	50 mm	63,46 €/m
DRS 140-60 VA	140 mm	60 mm	66,97 €/m
DRS 140-80 VA	140 mm	80 mm	73,71 €/m
DRS 140-100 VA	140 mm	100 mm	80,65 €/m
DRS 160-40 VA	160 mm	40 mm	63,98 €/m
DRS 160-50 VA	160 mm	50 mm	67,38 €/m
DRS 160-60 VA	160 mm	60 mm	70,88 €/m
DRS 160-80 VA	160 mm	80 mm	77,64 €/m
DRS 160-100 VA	160 mm	100 mm	84,56 €/m
DRS 200-40 VA	200 mm	40 mm	70,31 €/m
DRS 200-50 VA	200 mm	50 mm	73,71 €/m
DRS 200-60 VA	200 mm	60 mm	77,10 €/m
DRS 200-80 VA	200 mm	80 mm	84,02 €/m
DRS 200-100 VA	200 mm	100 mm	90,75 €/m
DRS 250-40 VA	250 mm	40 mm	75,15 €/m
DRS 250-50 VA	250 mm	50 mm	78,45 €/m
DRS 250-60 VA	250 mm	60 mm	86,05 €/m
DRS 250-80 VA	250 mm	80 mm	90,86 €/m
DRS 250-100 VA	250 mm	100 mm	95,08 €/m

End fittings | stainless steel 1.5 mm

Fixed installation height for respective channel

Item designation	RRP excl. VAT
DRS E 100-21 VA	12,96 €/piece
DRS E 100-40 VA	12,64 €/piece
DRS E 100-50 VA	12,96 €/piece
DRS E 100-60 VA	13,29 €/piece
DRS E 100-80 VA	13,92 €/piece
DRS E 100-100 VA	14,16 €/piece
DRS E 140-21 VA	12,78 €/piece
DRS E 140-40 VA	13,02 €/piece
DRS E 140-50 VA	13,46 €/piece
DRS E 140-60 VA	13,88 €/piece
DRS E 140-80 VA	14,74 €/piece
DRS E 140-100 VA	15,59 €/piece
DRS E 160-40 VA	13,18 €/piece
DRS E 160-50 VA	13,64 €/piece
DRS E 160-60 VA	14,05 €/piece
DRS E 160-80 VA	14,94 €/piece
DRS E 160-100 VA	15,84 €/piece
DRS E 200-40 VA	13,24 €/piece
DRS E 200-50 VA	13,73 €/piece
DRS E 200-60 VA	14,19 €/piece
DRS E 200-80 VA	15,14 €/piece
DRS E 200-100 VA	16,09 €/piece
DRS E 250-40 VA	13,77 €/piece
DRS E 250-50 VA	14,38 €/piece
DRS E 250-60 VA	14,38 €/piece
DRS E 250-80 VA	14,38 €/piece
DRS E 250-100 VA	16,55 €/piece

Connectors | stainless steel 1.5 mm

Item designation	RRP excl. VAT
DRV V/E VA	6,10 €/pair



Channel corner surcharge


Leg length: 500 mm

Made from running metres.

95,64 €/leg



Stabile | Drainage channel made of hot-dip galvanised steel



Stabile drainage channel | h-d g steel 1.5 mm

Standard channel length: 1,000 to 3,000 mm feasible using just one part

Item designation	Inflow width	Height	RRP excl. VAT
DRS 100-21 ST	100 mm	21 mm	25,35 €/m
DRS 100-40 ST	100 mm	40 mm	33,24 €/m
DRS 100-50 ST	100 mm	50 mm	34,70 €/m
DRS 100-60 ST	100 mm	60 mm	36,49 €/m
DRS 100-80 ST	100 mm	80 mm	39,16 €/m
DRS 100-100 ST	100 mm	100 mm	40,68 €/m
DRS 140-21 ST	100 mm	21 mm	28,40 €/m
DRS 140-40 ST	140 mm	40 mm	36,49 €/m
DRS 140-50 ST	140 mm	50 mm	37,77 €/m
DRS 140-60 ST	140 mm	60 mm	39,16 €/m
DRS 140-80 ST	140 mm	80 mm	40,67 €/m
DRS 140-100 ST	140 mm	100 mm	43,08 €/m
DRS 160-40 ST	160 mm	40 mm	38,01 €/m
DRS 160-50 ST	160 mm	50 mm	39,29 €/m
DRS 160-60 ST	160 mm	60 mm	40,70 €/m
DRS 160-80 ST	160 mm	80 mm	42,21 €/m
DRS 160-100 ST	160 mm	100 mm	44,48 €/m
DRS 200-40 ST	200 mm	40 mm	39,16 €/m
DRS 200-50 ST	200 mm	50 mm	40,67 €/m
DRS 200-60 ST	200 mm	60 mm	42,94 €/m
DRS 200-80 ST	200 mm	80 mm	44,36 €/m
DRS 200-100 ST	200 mm	100 mm	46,86 €/m
DRS 250-40 ST	250 mm	40 mm	41,31 €/m
DRS 250-50 ST	250 mm	50 mm	42,78 €/m
DRS 250-60 ST	250 mm	60 mm	44,10 €/m
DRS 250-80 ST	250 mm	80 mm	45,57 €/m
DRS 250-100 ST	250 mm	100 mm	49,26 €/m

End fittings | h-d g steel 1.5 mm

Fixed installation height for respective channel

Item designation	RRP excl. VAT
DRS E 100-21 ST	8,07 €/piece
DRS E 100-40 ST	7,88 €/piece
DRS E 100-50 ST	7,98 €/piece
DRS E 100-60 ST	8,06 €/piece
DRS E 100-80 ST	8,25 €/piece
DRS E 100-100 ST	8,44 €/piece
DRS E 140-21 ST	8,59 €/piece
DRS E 140-40 ST	8,73 €/piece
DRS E 140-50 ST	8,86 €/piece
DRS E 140-60 ST	8,98 €/piece
DRS E 140-80 ST	9,23 €/piece
DRS E 140-100 ST	9,49 €/piece
DRS E 160-40 ST	9,28 €/piece
DRS E 160-50 ST	9,40 €/piece
DRS E 160-60 ST	9,52 €/piece
DRS E 160-80 ST	9,77 €/piece
DRS E 160-100 ST	10,03 €/piece
DRS E 200-40 ST	10,04 €/piece
DRS E 200-50 ST	10,20 €/piece
DRS E 200-60 ST	10,36 €/piece
DRS E 200-80 ST	10,66 €/piece
DRS E 200-100 ST	10,97 €/piece
DRS E 250-40 ST	10,64 €/piece
DRS E 250-50 ST	10,85 €/piece
DRS E 250-60 ST	10,85 €/piece
DRS E 250-80 ST	10,85 €/piece
DRS E 250-100 ST	11,41 €/piece

Connectors | hot-dip galvanised steel 1.5 mm

Item designation	RRP excl. VAT
DRV V/E ST	4,62 €/pair



Channel corner surcharge


Leg length: 500 mm

Made from running metres.

95,64 €/leg



Cubo | Drainage channels made of stainless steel



Cubo drainage channel | stainless steel (V2A) 1.5 mm

Standard channel length: 1,000 to 3,000 mm feasible using just one part

Item designation	Inflow width	Height	RRP excl. VAT
DRC 105-50 VA	105 mm	50 mm	61,63 €/m
DRC 105-80 VA	105 mm	80 mm	71,89 €/m
DRC 145-50 VA	145 mm	50 mm	67,15 €/m
DRC 145-80 VA	145 mm	80 mm	78,67 €/m
DSC 165-50 VA	165 mm	50 mm	71,08 €/m
DSC 165-80 VA	165 mm	80 mm	82,61 €/m
DRC 205-50 VA	205 mm	50 mm	78,67 €/m
DRC 205-80 VA	205 mm	80 mm	88,95 €/m

End fittings | stainless steel 1.5 mm

Fixed installation height for respective channel

Item designation	RRP excl. VAT
DRC E 105-50 VA	12,96 €/piece
DRC E 105-80 VA	13,91 €/piece
DRC E 145-50 VA	13,46 €/piece
DRC E 145-80 VA	14,74 €/piece
DRC E 165-50 VA	13,63 €/piece
DRC E 165-80 VA	14,92 €/piece
DRC E 205-50 VA	13,72 €/piece
DRC E 205-80 VA	15,14 €/piece

Connectors | Stainless steel 1.5 mm

Item designation	RRP excl. VAT
DRV V VA	6,10 €/pair



Corner connectors | Stainless steel 1.5 mm

Item designation	RRP excl. VAT
DRV E VA	6,79 €/pair



Channel corner surcharge


Leg length: 500 mm

Made from running metres.

95,64 €/leg



Cubo | Drainage channel made of hot-dip galvanised steel



Sample illustration:
Cubo drainage channel with perforated grating made of hot-dip galvanised steel

Price
without
grating

Gratings

Drainage troughs

Cubo drainage channel | hot-dip galvanised steel

Standard channel length: 1,000 to 3,000 mm feasible using just one part

Item designation	Inflow width	Height	RRP excl. VAT
DRC 105-50 ST	105 mm	50 mm	39,55 €/m
DRC 105-80 ST	105 mm	80 mm	44,04 €/m
DRC 145-50 ST	145 mm	50 mm	42,64 €/m
DRC 145-80 ST	145 mm	80 mm	45,56 €/m
DRC 165-50 ST	165 mm	50 mm	43,49 €/m
DRC 165-80 ST	165 mm	80 mm	47,08 €/m
DRC 205-50 ST	205 mm	50 mm	44,01 €/m
DRC 205-80 ST	205 mm	80 mm	49,22 €/m

End fittings | h-d g steel 1.5 mm

Fixed installation height for respective channel

Item designation	RRP excl. VAT
DRC E 105-50 ST	7,98 €/piece
DRC E 105-80 ST	8,25 €/piece
DRC E 145-50 ST	8,86 €/piece
DRC E 145-80 ST	9,23 €/piece
DRC E 165-50 ST	9,53 €/piece
DRC E 165-80 ST	9,91 €/piece
DRC E 205-50 ST	10,20 €/piece
DRC E 205-80 ST	10,66 €/piece

Connectors | hot-dip galvanised steel 1.5 mm

Item designation	RRP excl. VAT
DRV V ST	4,62 €/pair



Corner connectors | hot-dip galvanised steel

Item designation	RRP excl. VAT
DRV E ST	5,51 €/pair



Channel corner surcharge

Leg length: 500 mm

Made from running metres.

95,64 €/leg



Fultura | *The elevated channel with height adjustment*

Ideal for elevated floors

The height-adjustable Fultura drainage channels offer great benefits thanks to their simplified installation. For example, adjustable stilt supports make it possible to adapt the height of the channel to the level of the adjacent floor.

Application areas include balconies, roof terraces and other terrace areas with stone slab or terrace board flooring elevated on stilt supports or other sub-structures.

The channels facilitate the quick and targeted collection of falling precipitation, sending it directly through the drainage holes to the substrate (such as waterproof sheeting on balconies and roof terraces). To protect the waterproof sheeting from excess pressure at certain points as required by building regulations, protective mats must additionally be installed under the stilt supports of the channels.

Extremely easy height adjustment with the right twist

The stilt supports of the Fultura channel consist of threaded pins positioned inside the channel. The height of the pins is infinitely adjustable, easily adapted using an Allen key and then fixed into place with a conternut.

Secure and stable – even on uneven substrates

There are hinged feet at the bottom ends of the threaded pins, which allow for effortless compensation up to 15° for unevenness in the substrate. This extra adjustment option in addition to the height adjustment of the stilt supports make the channels extremely stable and especially suitable for uneven substrates.

Flexible – easy adjustment


This channel also presents as very flexible during installation. In the unlikely event that the length also needs to be adjusted, you can cut the channel to size on site and simply move the stilt supports to the next holders. If desired, additional dummy rivets can be supplied for this purpose.

Clean – with filter function

The channel bodies of our drainage channels have a filter effect. Gravel, leaves and other coarse contaminants are caught inside the drainage channels and can be removed in just a few hand movements. The drains for the roof and balcony areas therefore remain free of blockages caused by dirt and leaves.

Functional and beautiful

To ensure that the channels are not just functional but also look good, we offer a wide range of gratings for this channel type. Perforated gratings, mesh gratings and different cross and longitudinal bar gratings with eye-catching designs are available for selection.



Stilt supports




Dummy rivets



Flexible



Filter function





Gratings

Drainage troughs


Ludwig-Erhardt-Center, Fürth



More info

Fultura | Drainage channels made of stainless steel

Custom
measure-
ments
Upon
request



Fultura drainage channel | Stainless steel (V2A) 1.5 mm

Standard channel length: 1,000 to 3,000 mm feasible using just one part

Item designation	Inflow width	Height	RRP excl. VAT
DRF 100-55-80 VA	100 mm	55 to 80 mm	106,56 €/m
DRF 100-85-110 VA	100 mm	85 to 110 mm	111,84 €/m
DRF 140-55-80 VA	140 mm	55 to 80 mm	113,11 €/m
DRF 140-85-110 VA	140 mm	85 to 110 mm	118,39 €/m
DRF 160-55-80 VA	160 mm	55 to 80 mm	117,04 €/m
DRF 160-85-110 VA	160 mm	85 to 110 mm	122,32 €/m
DRF 200-55-80 VA	200 mm	55 to 80 mm	126,85 €/m
DRF 200-85-110 VA	200 mm	85 to 110 mm	132,12 €/m

End fittings | Stainless steel

Fixed installation height for respective channel

Item designation	RRP excl. VAT
DRF E 100 VA	12,64 €/piece
DRF E 100 VA	12,64 €/piece
DRF E 140 VA	13,02 €/piece
DRF E 140 VA	13,02 €/piece
DRF E 160 VA	13,18 €/piece
DRF E 160 VA	13,18 €/piece
DRF E 200 VA	13,24 €/piece
DRF E 200 VA	13,24 €/piece

Connectors | Stainless steel 1.5 mm

Item designation	RRP excl. VAT
DRV V VA	6,10 €/pair



Corner connectors | Stainless steel 1.5 mm

Item designation	RRP excl. VAT
DRV E VA	6,79 €/pair



Channel corner surcharge


Leg length: 500 mm

Made from running metres.

95,64 €/leg



Fultura | Drainage channel made of hot-dip galvanised steel



Fultura drainage channel | H-d-g steel 1.5 mm

Standard channel length: 1,000 to 3,000 mm feasible using just one part

Item designation	Inflow width	Height	RRP excl. VAT
DRF 100-55-80 ST	100 mm	55 to 80 mm	76,55 €/m
DRF 100-85-110 ST	100 mm	85 to 110 mm	77,59 €/m
DRF 140-55-80 ST	140 mm	55 to 80 mm	80,07 €/m
DRF 140-85-110 ST	140 mm	85 to 110 mm	81,11 €/m
DRF 160-55-80 ST	160 mm	55 to 80 mm	81,61 €/m
DRF 160-85-110 ST	160 mm	85 to 110 mm	82,64 €/m
DRF 200-55-80 ST	200 mm	55 to 80 mm	82,60 €/m
DRF 200-85-110 ST	200 mm	85 to 110 mm	83,64 €/m

End fittings | H-d-g steel

Fixed installation height for respective channel

Item designation	RRP excl. VAT
DRF E 100 ST	7,88 €/piece
DRF E 100 ST	7,88 €/piece
DRF E 140 ST	8,73 €/piece
DRF E 140 ST	8,73 €/piece
DRF E 160 ST	9,28 €/piece
DRF E 160 ST	9,28 €/piece
DRF E 200 ST	10,04 €/piece
DRF E 200 ST	10,04 €/piece

Connectors | Hot-dip galvanised steel 1.5 mm

Item designation	RRP excl. VAT
DRV V ST	4,62 €/pair



Corner connectors | Hot-dip galvanised steel 1.5 mm

Item designation	RRP excl. VAT
DRV E ST	5,51 €/pair



Channel corner surcharge

Leg length: 500 mm

Made from running metres.

95,64 €/leg




Stabile Air | Rear-ventilated façade channels

Drained and ventilated façade base

The Stabile Air façade channel is especially suitable for protecting wood and insulated façades from moisture because it prevents capillary forces from forming, facilitates ventilation of the lower façade areas and properly redirects incoming water.

Whether the channel is used as a drainage channel for on-site water absorption or as a dewatering channel with a connection to the sewer mains, our system is functional and practical, saves time and eliminates the cost-intensive need to establish conventional drainage.



In addition to the standard channels in our product range, we also manufacture custom solutions to meet your specifications. Inlet widths and heights may vary as needed.

Custom design solutions

As the image on the right shows, it is just as quick to create an extra wide projection to cross over insulation materials as it is to implement our custom-made standard versions.

There are multiple rows of holes based on the height of the channels to ensure sufficient ventilation of the base.

Time-saving setup

The individual channel segments are extremely easy to connect thanks to the 'plug-in' system, saving time during installation. Additional connectors are not needed here.



Ventilation window




Custom design



'Plug-in' system


Conventional façade drainage



Conventional drainage of wooden or insulated façades:

Laying angular concrete blocks onto a mortar base is a time-consuming, cumbersome task. What's more, the visible top parts of the angular blocks take away from the aesthetic. The transition from paved surfaces to the structural fabric is visually broken up.

Our façade drainage with Stabile Air



Drainage (dewatering) with the Stabile Air façade channel:

The projecting grating support **A** of the Stabile Air channel sits directly on the façade. The channel wall **B** underneath the support features ventilation openings **C** that enable ventilation of the base. The drainage openings **D**, located on the side of the channel opposite the façade, are used to direct the incoming water to the base course underneath. The transition going over the channel, from the paved surfaces to the façade, has a more elegant and uniform look as no angular blocks need to be laid.



Gratings

Drainage troughs



Skihotel, Tirol-Lodge, Ellmau



More info




Shopping centre, Kronen Vanløse, Copenhagen



More info

Stabile Air | Rear-ventilated façade drain

Custom
measurements
Upon
request



Stabile Air | made of stainless steel (V2A) 1.5 mm

Standard channel length: 1,000 mm, to 1,500 mm feasible using just one part

End fittings | stainless steel (V2A)


Item designation	Inflow width	Height	RRP excl. VAT
DRSA 100-170 VA	100 mm	170 mm	142,58€/m
DRSA 100-300 VA	100 mm	300 mm	218,11€/m
DRSA 140-170 VA	140 mm	170 mm	149,08€/m
DRSA 140-300 VA	140 mm	300 mm	224,74€/m
DRSA 200-170 VA	200 mm	170 mm	159,51€/m
DRSA 200-300 VA	200 mm	300 mm	234,67€/m
DRSA 250-170 VA	250 mm	170 mm	165,07€/m
DRSA 250-300 VA	250 mm	300 mm	242,94€/m
DRSA 300-170 VA*	300 mm	170 mm	172,72€/m
DRSA 300-300 VA*	300 mm	300 mm	252,15€/m

Item designation	RRP excl. VAT
DRSA E 100+170 VA (left/right)	16,16 €/piece
DRSA E 100+300 VA (left/right)	22,78 €/piece
DRSA E 140+170 VA (left/right)	17,17 €/piece
DRSA E 140+300 VA (left/right)	25,22 €/piece
DRSA E 200+170 VA (left/right)	18,16 €/piece
DRSA E 200+300 VA (left/right)	28,88 €/piece
DRSA E 250+170 VA (left/right)	20,19 €/piece
DRSA E 250+300 VA (left/right)	31,92 €/piece
DRSA E 250+170 VA (left/right)*	23,39 €/piece
DRSA E 250+300 VA (left/right)*	36,40 €/piece

Corners (inner & outer) | made of stainless steel (V2A) 1.5 mm


Incl. channel bodies ('plug-in' channel system, no connectors needed)

Item designation <i>Inner corner</i>	Item designation <i>Outer corner</i>	Inflow width	Height	short leg length	RRP excl. VAT
DRSA IE 100-170 VA	DRSA AE 100-170 VA	100 mm	170 mm	400 x 400	240,05€/piece
DRSA IE 100-300 VA	DRSA AE 100-300 VA	100 mm	300 mm	400 x 400	337,64€/piece
DRSA IE 140-170 VA	DRSA AE 140-170 VA	140 mm	170 mm	360 x 360	246,56€/piece
DRSA IE 140-300 VA	DRSA AE 140-300 VA	140 mm	300 mm	360 x 360	344,27€/piece
DRSA IE 200-170 VA	DRSA AE 200-170 VA	200 mm	170 mm	300 x 300	256,98€/piece
DRSA IE 200-300 VA	DRSA AE 200-300 VA	200 mm	300 mm	300 x 300	354,20€/piece
DRSA IE 250-170 VA	DRSA AE 250-170 VA	250 mm	170 mm	250 x 250	262,55€/piece
DRSA IE 250-300 VA	DRSA AE 250-300 VA	250 mm	300 mm	250 x 250	362,47€/piece
DRSA IE 300-170 VA*	DRSA AE 300-170 VA*	300 mm	170 mm	200 x 200	275,38€/piece
DRSA IE 300-300 VA*	DRSA AE 300-300 VA*	300 mm	300 mm	200 x 200	367,65€/piece



Inner corner

The long leg length,
facing the facade,
is always 500 x 500 mm.




* No stock item

Stabile Air | Rear-ventilated façade drain



Gratings

Drainage troughs



Stabile Air | made of hot-dip galvanised steel 1.5 mm

Standard channel length: 1,000 mm, to 1,500 mm feasible using just one part

Item designation	Inflow width	Height	RRP excl. VAT
DRSA 100-170 ST	100 mm	170 mm	80,88 €/m
DRSA 100-300 ST	100 mm	300 mm	123,65 €/m
DRSA 140-170 ST	140 mm	170 mm	82,99 €/m
DRSA 140-300 ST	140 mm	300 mm	128,20 €/m
DRSA 200-170 ST	200 mm	170 mm	85,25 €/m
DRSA 200-300 ST	200 mm	300 mm	135,03 €/m
DRSA 250-170 ST	250 mm	170 mm	88,15 €/m
DRSA 250-300 ST	250 mm	300 mm	140,71 €/m
DRSA 300-170 ST*	300 mm	170 mm	94,40 €/m
DRSA 300-300 ST*	300 mm	300 mm	146,39 €/m

End fittings | hot-dip galvanised steel


Item designation	RRP excl. VAT
DRSA E 100+170 ST (left/right)	12,02 €/piece
DRSA E 100+300 ST (left/right)	19,71 €/piece
DRSA E 140+170 ST (left/right)	12,49 €/piece
DRSA E 140+300 ST (left/right)	20,12 €/piece
DRSA E 200+170 ST (left/right)	13,67 €/piece
DRSA E 200+300 ST (left/right)	20,91 €/piece
DRSA E 250+170 ST (left/right)	15,34 €/piece
DRSA E 250+300 ST (left/right)	21,97 €/piece
DRSA E 300+170 ST (left/right)*	16,60 €/piece
DRSA E 300+300 ST (left/right)*	24,49 €/piece

Corners (inner & outer) | made of hot-dip galvanised steel 1.5 mm

Incl. channel bodies ('plug-in' channel system, no connectors needed)


Item designation Inner corner	Item designation Outer corner	Inflow width	Height	short leg length	RRP excl. VAT
DRSA AE 100-170 ST	DRSA AE 100-170 ST	170 mm	170 mm	400 x 400	176,52 €/piece
DRSA AE 100-300 ST	DRSA AE 100-300 ST	300 mm	300 mm	400 x 400	230,69 €/piece
DRSA AE 140-170 ST	DRSA AE 140-170 ST	170 mm	170 mm	360 x 360	178,63 €/piece
DRSA AE 140-300 ST	DRSA AE 140-300 ST	300 mm	300 mm	360 x 360	230,73 €/piece
DRSA AE 200-170 ST	DRSA AE 200-170 ST	170 mm	170 mm	300 x 300	180,88 €/piece
DRSA AE 200-300 ST	DRSA AE 200-300 ST	300 mm	300 mm	300 x 300	233,25 €/piece
DRSA AE 250-170 ST	DRSA AE 250-170 ST	170 mm	170 mm	250 x 250	183,79 €/piece
DRSA AE 250-300 ST	DRSA AE 250-300 ST	300 mm	300 mm	250 x 250	235,02 €/piece
DRSA IE 300-170 ST*	DRSA AE 300-170 ST*	300 mm	170 mm	200 x 200	195,13 €/piece
DRSA IE 300-300 ST*	DRSA AE 300-300 ST*	300 mm	300 mm	200 x 200	240,91 €/piece

* No stock item



Outer corner

The long leg length, averting the facade, is always 500 x 500 mm.



Bangkirai-channel | Flat drainage-channel for wood terraces



Bangkirai-Channel | stainless steel (V2A) 1.5 mm

Standard channel length: 3.000 mm

Item designation	Inflow width	Height	RRP excl. VAT
DRB 100-25 VA	100 mm	25 mm	159,83 €/piece
DRB 140-25 VA	140 mm	25 mm	180,13 €/piece
DRB 160-25 VA	160 mm	25 mm	191,92 €/piece
DRS S VA	Custom measurements		upon request

Connector | stainless steel (V2A) 1.5 mm

Item designation	RRP excl. VAT
DRB V 100-25 VA	15,81 €/piece
DRB V 140-25 VA	17,13 €/piece
DRB V 160-25 VA	17,79 €/piece
DRB V S VA	upon request




Gratings

Drainage troughs



Lamina | Fixed slotted drainage channels

Custom
measurements
Upon
request




Lamina fixed slotted drainage channel | made of stainless steel (V2A) 1.5 mm

Standard channel length: 1,000 mm, to 1,500 mm feasible using just one part

Item designation	Slot width	Total width	Collar height	Total height	RRP excl. VAT
DRL S 10-100-65-140 VA	10 mm	100 mm	65 mm	140 mm	190,43 €/m
DRL S 10-100-95-170 VA	10 mm	100 mm	95 mm	170 mm	202,57 €/m
DRL S 10-100-160-260 VA	10 mm	100 mm	160 mm	260 mm	245,15 €/m

End fittings | Stainless steel 1.5 mm

Item designation	Item designation	RRP excl. VAT
DRL S E 10-100-65-140 VA (left)	DRL S E 10-100-65-140 VA (right)	22,38€/piece
DRL S E 10-100-95-170 VA (left)	DRL S E 10-100-95-170 VA (right)	24,41€/piece
DRL S E 10-100-160-260 VA (left)	DRL S E 10-100-160-260 VA (right)	27,44€/piece



Connectors | Stainless steel 1.5 mm

Item designation	RRP excl. VAT
DRL U VA	10,16€/piece


Lamina fixed slotted drainage channel | made of hot-dip galvanised steel 1.5 mm

Standard channel length: 1,000 mm, to 1.500 mm feasible using just one part

Item designation	Slot width	Total width	Collar height	Total height	RRP excl. VAT
DRL S 10-100-65-140 ST	10 mm	100 mm	65 mm	140 mm	113,27 €/m
DRL S 10-100-95-170 ST	10 mm	100 mm	95 mm	170 mm	115,91 €/m
DRL S 10-100-160-260 ST	10 mm	100 mm	160 mm	260 mm	129,85 €/m

End fittings | hot-dip galvanised steel 1.5 mm

Item designation	Item designation	RRP excl. VAT
DRL S E 10-100-65-140 ST (left)	DRL S E 10-100-65-140 ST (right)	16,76€/piece
DRL S E 10-100-95-170 ST (left)	DRL S E 10-100-95-170 ST (right)	17,19€/piece
DRL S E 10-100-160-260 ST (left)	DRL S E 10-100-160-260 ST (right)	17,86€/piece



Connectors | hot-dip galvanised steel 1.5 mm

Item designation	RRP excl. VAT
DRL U ST	6,84€/piece

Inspection and flush boxes

Inspection box with
insertable locking box.

Also available with
nozzle on the side.



Inspection boxes for Lamina fixed slotted channel | made of stainless steel (V2A)

With DN 100 nozzle (facing downwards vertically)

Item designation	Slot width	Length × width	for Collar height	Total height	RRP excl. VAT
RKL 10-300-300-65-140 VA	10 mm	300 × 300 mm	65 mm	140 mm	295,96 €/piece
RKL 10-300-300-95-170 VA	10 mm	300 × 300 mm	95 mm	170 mm	298,40 €/piece
RKL 10-300-300-160-260 VA	10 mm	300 × 300 mm	160 mm	260 mm	344,45 €/piece

Inspection boxes for Lamina fixed slotted channel | made of hot-dip galvanised steel

With DN 100 nozzle (facing downwards vertically)

Item designation	Slot width	Length × width	for Collar height	Total height	RRP excl. VAT
RKL 10-300-300-65-140 ST	10 mm	300 × 300 mm	65 mm	140 mm	230,71 €/piece
RKL 10-300-300-95-170 ST	10 mm	300 × 300 mm	95 mm	170 mm	233,96 €/piece
RKL 10-300-300-160-260 ST	10 mm	300 × 300 mm	160 mm	260 mm	252,06 €/piece



Flush boxes for Lamina fixed slotted channel | made of stainless steel (V2A) 1.5 mm

No nozzle


Item designation	Slot width	Length × width	for Collar height	Total height	RRP excl. VAT
SKL 10-300-300-65-140 VA	10 mm	300 × 300 mm	65 mm	140 mm	245,58 €/piece
SKL 10-300-300-95-170 VA	10 mm	300 × 300 mm	95 mm	170 mm	248,01 €/piece
SKL 10-300-300-160-260 VA	10 mm	300 × 300 mm	160 mm	260 mm	358,14 €/piece

Flush boxes for Lamina fixed slotted channel | made of hot-dip galvanised steel 1.5 mm

No nozzle

Item designation	Slot width	Length × width	for Collar height	Total height	RRP excl. VAT
SKL 10-300-300-65-140 ST	10 mm	300 × 300 mm	65 mm	140 mm	179,90 €/piece
SKL 10-300-300-95-170 ST	10 mm	300 × 300 mm	95 mm	170 mm	182,13 €/piece
SKL 10-300-300-160-260 ST	10 mm	300 × 300 mm	160 mm	260 mm	240,47 €/piece

Lamina | Slotted drainage channels (height-adjustable)



Lamina slotted drainage channel *height-adjustable* | made of **stainless steel** (V2A)

Standard channel length: 1,000 mm, corner leg length: 500 mm


Item designation	Slot width	Total width	Collar height	Adjustable height	RRP excl. VAT
DRL H 10-80-50-90-115 VA	10 mm	80 mm	50 mm	90 to 115 mm	215,57 €/m

End fittings | **stainless steel** (V2A) 1.5 mm

Item designation	RRP excl. VAT
DRL H E 10-80-50-90-115 VA (left)	23,14 €/piece
DRL H E 10-80-50-90-115 VA (right)	23,14 €/piece

Lamina flush box | **stainless steel** (V2A)

Item designation	RRP excl. VAT
SKL H 10-80-500-90-115 VA	298,90 €/piece



Lamina slotted drainage channel *height-adjustable* | made of **hot-dip galvanised steel**

Standard channel length: 1,000 mm, corner leg length: 500 mm

Item designation	Slot width	Total width	Collar height	Adjustable height	RRP excl. VAT
DRL H 10-80-50-90-115 ST	10 mm	80 mm	50 mm	90 to 115 mm	140,73 €/m

End fittings | **hot-dip galvanised steel** 1.5 mm

Item designation	RRP excl. VAT
DRL H E 10-80-50-90-115 ST (left)	16,70 €/piece
DRL H E 10-80-50-90-115 ST (right)	16,70 €/piece

Lamina flush box | **hot-dip galvanised steel**

Item designation	RRP excl. VAT
SKL H 10-80-500-90-115 ST	239,02 €/piece



Gratings

Drainage troughs


European Hansemuseum, Lubeck



More info


Stabile | Dewatering channels made of stainless steel

Custom
measure-
ments
Upon
request



Sample illustration:
Stabile dewatering channel with Hydra Linearis longitudinal bar grating made of stainless steel

Price
not incl.
grating



Stabile dewatering channel | stainless steel (V2A)

Standard channel length: 1,000 mm, to 3.000 mm feasible using just one part

Item designation	Inflow width	Height	RRP excl. VAT
ERS 100-40 VA	100 mm	40 mm	53,29 €/m
ERS 100-50 VA	100 mm	50 mm	56,67 €/m
ERS 100-60 VA	100 mm	60 mm	60,05 €/m
ERS 100-80 VA	100 mm	80 mm	66,97 €/m
ERS 100-100 VA	100 mm	100 mm	73,73 €/m
ERS 140-40 VA	140 mm	40 mm	60,05 €/m
ERS 140-50 VA	140 mm	50 mm	63,46 €/m
ERS 140-60 VA	140 mm	60 mm	66,95 €/m
ERS 140-80 VA	140 mm	80 mm	73,73 €/m
ERS 140-100 VA	140 mm	100 mm	80,65 €/m
ERS 160-40 VA	160 mm	40 mm	63,98 €/m
ERS 160-50 VA	160 mm	50 mm	67,38 €/m
ERS 160-60 VA	160 mm	60 mm	70,88 €/m
ERS 160-80 VA	160 mm	80 mm	77,88 €/m
ERS 160-100 VA	160 mm	100 mm	84,56 €/m
ERS 200-40 VA	200 mm	40 mm	70,31 €/m
ERS 200-50 VA	200 mm	50 mm	73,73 €/m
ERS 200-60 VA	200 mm	60 mm	77,11 €/m
ERS 200-80 VA	200 mm	80 mm	84,02 €/m
ERS 200-100 VA	200 mm	100 mm	90,75 €/m

End fittings | stainless steel (V2A)

Item designation	RRP excl. VAT
ERS E 100-40 VA	12,64 €/piece
ERS E 100-50 VA	12,96 €/piece
ERS E 100-60 VA	13,28 €/piece
ERS E 100-80 VA	13,91 €/piece
ERS E 100-100 VA	14,16 €/piece
ERS E 140-40 VA	13,02 €/piece
ERS E 140-50 VA	13,46 €/piece
ERS E 140-60 VA	13,88 €/piece
ERS E 140-80 VA	14,74 €/piece
ERS E 140-100 VA	15,59 €/piece
ERS E 160-40 VA	13,18 €/piece
ERS E 160-50 VA	13,64 €/piece
ERS E 160-60 VA	14,05 €/piece
ERS E 140-80 VA	14,94 €/piece
ERS E 160-100 VA	15,83 €/piece
ERS E 200-40 VA	13,24 €/piece
ERS E 200-50 VA	13,73 €/piece
ERS E 200-60 VA	14,18 €/piece
ERS E 200-80 VA	15,14 €/piece
ERS E 200-100 VA	16,09 €/piece

Connectors | stainless steel (V2A)

Item designation	RRP excl. VAT
ERS U VA	10,42 €/piece



Use with
plastic drainage channel sockets
page 47

Channel corner surcharge


Leg length: 500 mm

Made from running
metres.

95,64 €/leg



Stabile | Dewatering channels made of hot-dip galvanised steel



Stabile dewatering channel | h-d galvanised steel

Standard channel length: 1,000 mm, to 3,000 mm feasible using just one part

Item designation	Inflow width	Height	RRP excl. VAT
ERS 100-40 ST	100 mm	40 mm	33,23 €/m
ERS 100-50 ST	100 mm	50 mm	34,70 €/m
ERS 100-60 ST	100 mm	60 mm	36,49 €/m
ERS 100-80 ST	100 mm	80 mm	39,16 €/m
ERS 100-100 ST	100 mm	100 mm	40,67 €/m
ERS 140-40 ST	140 mm	40 mm	36,49 €/m
ERS 140-50 ST	140 mm	50 mm	37,75 €/m
ERS 140-60 ST	140 mm	60 mm	39,17 €/m
ERS 140-80 ST	140 mm	80 mm	40,67 €/m
ERS 140-100 ST	140 mm	100 mm	43,08 €/m
ERS 160-40 ST	160 mm	40 mm	38,01 €/m
ERS 160-50 ST	160 mm	50 mm	39,29 €/m
ERS 160-60 ST	160 mm	60 mm	40,7 €/m
ERS 160-80 ST	160 mm	80 mm	42,21 €/m
ERS 160-100 ST	160 mm	100 mm	44,48 €/m
ERS 200-40 ST	200 mm	40 mm	39,17 €/m
ERS 200-50 ST	200 mm	50 mm	40,67 €/m
ERS 200-60 ST	200 mm	60 mm	42,94 €/m
ERS 200-80 ST	200 mm	80 mm	44,36 €/m
ERS 200-100 ST	200 mm	100 mm	46,86 €/m

End fittings | hdg steel 1.5 mm

Item designation	RRP excl. VAT
ERS E 100-40 ST	7,88 €/piece
ERS E 100-50 ST	7,98 €/piece
ERS E 100-60 ST	8,06 €/piece
ERS E 100-80 ST	8,25 €/piece
ERS E 100-100 ST	8,43 €/piece
ERS E 140-40 ST	8,75 €/piece
ERS E 140-50 ST	8,86 €/piece
ERS E 140-60 ST	8,98 €/piece
ERS E 140-80 ST	9,23 €/piece
ERS E 140-100 ST	9,49 €/piece
ERS E 160-40 ST	9,28 €/piece
ERS E 160-50 ST	9,4 €/piece
ERS E 160-60 ST	9,51 €/piece
ERS E 140-80 ST	9,77 €/piece
ERS E 160-100 ST	10,03 €/piece
ERS E 200-40 ST	10,04 €/piece
ERS E 200-50 ST	10,20 €/piece
ERS E 200-60 ST	10,35 €/piece
ERS E 200-80 ST	10,66 €/piece
ERS E 200-100 ST	10,97 €/piece

Connectors | hot-dip galvanised steel 1.5 mm

Item designation	RRP excl. VAT
ERS U ST	7,00 €/piece



Channel corner surcharge

Leg length: 500 mm

Made from running metres.


95,64 €/leg



Use with
plastic drainage channel sockets
page 47

Cubo | Dewatering channels made of stainless steel

Custom
measure-
ments
Upon
request



Price
not incl.
grating

Cubo dewatering channel | stainless steel (V2A) 1.5 mm

Standard channel length: 1,000 mm, to 3.000 mm feasible using just one part

Item designation	Inflow width	Height	RRP excl. VAT
ERC 105-50 VA	105 mm	50 mm	61,63 €/m
ERC 105-80 VA	105 mm	80 mm	71,88 €/m
ERC 145-50 VA	145 mm	50 mm	68,39 €/m
ERC 145-80 VA	145 mm	80 mm	78,67 €/m
ERC 205-50 VA	205 mm	50 mm	78,67 €/m
ERC 205-80 VA	205 mm	80 mm	88,95 €/m

End fittings | stainless steel (V2A)

Item designation	RRP excl. VAT
ERC E 105-50 VA	12,96 €/piece
ERC E 105-80 VA	13,91 €/piece
ERC E 145-50 VA	13,45 €/piece
ERC E 145-80 VA	14,74 €/piece
ERC E 205-50 VA	14,08 €/piece
ERC E 205-80 VA	15,14 €/piece

Connectors | stainless steel (V2A) 1.5 mm

Item designation	RRP excl. VAT
ERC U VA	10,42 €/piece



Channel corner surcharge

Leg length: 500 mm


Made from running metres.

95,64 €/leg




Use with
plastic drainage channel sockets
page 47

Cubo | Dewatering channels made of hot-dip galvanised steel



Sample illustration:
Cubo dewatering channel with mesh grating made of hot-dip galvanised steel



Gratings

Drainage troughs

Dewatering troughs

Price
not incl.
grating



Cubo dewatering channel | h-d g steel 1.5 mm

Standard channel length: 1,000 mm, to 3,000 mm feasible using just one part

Item designation	Inflow width	Height	RRP excl. VAT
ERC 105-50 ST	105 mm	50 mm	39,55 €/m
ERC 105-80 ST	105 mm	80 mm	44,04 €/m
ERC 145-50 ST	145 mm	50 mm	42,64 €/m
ERC 145-80 ST	145 mm	80 mm	45,56 €/m
ERC 205-50 ST	205 mm	50 mm	44,00 €/m
ERC 205-80 ST	205 mm	80 mm	49,22 €/m

End fittings | h-d g steel 1.5 mm

Item designation	RRP excl. VAT
ERC E 105-50 ST	7,98 €/piece
ERC E 105-80 ST	8,25 €/piece
ERC E 145-50 ST	8,86 €/piece
ERC E 145-80 ST	9,23 €/piece
ERC E 205-50 ST	10,20 €/piece
ERC E 205-80 ST	10,66 €/piece

Connectors | hot-dip galvanised steel 1.5 mm

Item designation	RRP excl. VAT
ERC U ST	7,00 €/piece



Channel corner surcharge

Leg length: 500 mm

Made from running metres.


95,64 €/leg



Use with
plastic drainage channel sockets
page 47

Drainage units

Custom
measure-
ments
Upon
request



Drainage units | made of hot-dip galvanised steel 1.5 mm

Item designation	Length	Width	Height	RRP excl. VAT
SK 400-65-250 ST	400 mm	65 mm	250 mm	255,81 €/piece
SK 400-88-250 ST	400 mm	88 mm	250 mm	276,49 €/piece

Drainage units | made of stainless steel (V2A) 1.5 mm

Item designation	Length	Width	Height	RRP excl. VAT
SK 400-65-250 VA	400 mm	65 mm	250 mm	338,92 €/piece
SK 400-88-250 VA	400 mm	88 mm	250 mm	366,32 €/piece

Odor trap | made of stainless steel (V2A) 1.5 mm


Item designation	RRP excl. VAT
SK GV VA	87,43 €/piece

Flexible: the drainage unit on the channel

This drainage unit is screwed directly to the channel body. All channel types can be used. In addition to the associated **dirt trap**, an **odor trap** is also available as an option. You can freely determine the exact positioning of the drainage unit in the channel run.
The channel itself is not included in the price.




Drainage channel sockets | Fitted at the factory



Drainage channel sockets

We can fit the sockets at our factory as per the customer's specification, or supply them separately for mounting at the installation location.

Item designation	External diameter	Overlap with 100 mm channel width	Overlap with 140 mm channel width	Overlap with 160 mm channel width	Overlap with 200 mm channel width	height nozzle + 87,5° arc	RRP excl. VAT
DR Stutzen DN 50	50 mm	9 mm	0 mm	0 mm	0 mm	116,0 mm	54,91 €
DR Stutzen DN 70	75 mm	34 mm	0 mm	0 mm	0 mm	149,5 mm	59,30 €
DR Stutzen DN 100	110 mm	69 mm	29 mm	0 mm	0 mm	196,0 mm	63,15 €
DR Stutzen DN 150	150 mm	–	46 mm	26 mm	0 mm	266,0 mm	71,83 €



Soffit drain | made of hot-dip galvanised steel 1.5 mm

For the reveal connection of drainage and drainage channels

Item designation	Length	Width	Height	Nozzle	RRP excl. VAT
LAS 300 DN 100 ST	350 mm	170 mm	20 mm	DN 100	104,64 €
LAS 800 DN 100 ST	850 mm	170 mm	40 mm	DN 100	130,97 €
LAS S DN 100 ST	Custom measurements				–


Soffit drain | made of stainless steel (V2A) 1.5 mm

For the reveal connection of drainage and drainage channels

Item designation	Length	Width	Height	Nozzle	RRP excl. VAT
LAS 300 DN 100 VA	350 mm	170 mm	70 mm	DN 100	138,65 €
LAS 800 DN 100 VA	850 mm	170 mm	40 mm	DN 100	173,53 €
LAS S DN 100 VA	Custom measurements				–

Lamina slotted channels | Fixed dewatering channels

Custom
measure-
ments
Upon
request



Lamina fixed slotted drainage channel | made of stainless steel (V2A) 1.5 mm

Standard channel length: 1,000 mm, to 1,500 mm feasible using just one part

Item designation	Slot width	Total width	Collar height	Total height	RRP excl. VAT
ERL S 10-100-65-140 VA	10 mm	100 mm	65 mm	140 mm	190,43 €/m
ERL S 10-100-95-170 VA	10 mm	100 mm	95 mm	170 mm	202,57 €/m
ERL S 10-100-160-260 VA	10 mm	100 mm	160 mm	260 mm	245,15 €/m

End fittings | Stainless steel 1.5 mm

Item designation	Item designation	RRP excl. VAT
ERL S E 10-100-65-140 VA (left)	ERL S E 10-100-65-140 VA (right)	22,38€/piece
ERL S E 10-100-95-170 VA (left)	ERL S E 10-100-95-170 VA (right)	24,41€/piece
ERL S E 10-100-160-260 VA (left)	ERL S E 10-100-160-260 VA (right)	27,44€/piece



Connectors | Stainless steel 1.5 mm

Item designation	RRP excl. VAT
ERL U VA	10,42 €/piece

Lamina fixed slotted drainage channel | made of hot-dip galvanised steel 1.5 mm

Standard channel length: 1,000 mm, to 1,500 mm feasible using just one part

Item designation	Slot width	Total width	Collar height	Total height	RRP excl. VAT
ERL S 10-100-65-140 ST	10 mm	100 mm	65 mm	140 mm	113,27 €/m
ERL S 10-100-95-170 ST	10 mm	100 mm	95 mm	170 mm	115,91 €/m
ERL S 10-100-160-260 ST	10 mm	100 mm	160 mm	260 mm	129,85 €/m

End fittings | hot-dip galvanised steel 1.5 mm

Item designation	Item designation	RRP excl. VAT
ERL S E 10-100-65-140 ST (left)	ERL S E 10-100-65-140 ST (right)	16,76 €/piece
ERL S E 10-100-95-170 ST (left)	ERL S E 10-100-95-170 ST (right)	17,20 €/piece
ERL S E 10-100-160-260 ST (left)	ERL S E 10-100-160-260 ST (right)	17,86 €/piece



Connectors | hot-dip galvanised steel 1.5 mm

Item designation	RRP excl. VAT
ERL U ST	6,84€/piece

Inspection and flush boxes

Inspection box with insertable locking box.

Also available with nozzle on the side.



Inspection boxes for Lamina fixed slotted channel | stainless steel (V2A) 1.5 mm

With DN 100 nozzle (facing downwards vertically)

Item designation	Slot width	Length × width	for collar height	Total height	RRP excl. VAT
RKL 10-300-300-65-140 VA	10 mm	300 × 300 mm	65 mm	140 mm	295,96 €/piece
RKL 10-300-300-95-170 VA	10 mm	300 × 300 mm	95 mm	170 mm	298,40 €/piece
RKL 10-300-300-160-260 VA	10 mm	300 × 300 mm	160 mm	260 mm	344,45 €/piece

Inspection boxes for Lamina fixed slotted channel | hot-dip galvanised steel 1.5 mm

With DN 100 nozzle (facing downwards vertically)

Item designation	Slot width	Length × width	for collar height	Total height	RRP excl. VAT
RKL 10-300-300-65-140 ST	10 mm	300 × 300 mm	65 mm	140 mm	230,71 €/piece
RKL 10-300-300-95-170 ST	10 mm	300 × 300 mm	95 mm	170 mm	233,96 €/piece
RKL 10-300-300-160-260 ST	10 mm	300 × 300 mm	160 mm	260 mm	252,06 €/piece



Flush boxes for Lamina fixed slotted channel | made of stainless steel (V2A) 1.5 mm

Without nozzle

Item designation	Slot width	Length × width	for collar height	Total height	RRP excl. VAT
SKL 10-300-300-65-140 VA	10 mm	300 × 300 mm	65 mm	140 mm	245,58 €/piece
SKL 10-300-300-95-170 VA	10 mm	300 × 300 mm	95 mm	170 mm	248,01 €/piece
SKL 10-300-300-160-260 VA	10 mm	300 × 300 mm	160 mm	260 mm	294,07 €/piece

Flush boxes for Lamina fixed slotted channel | made of hot-dip galvanised steel 1.5 mm

Without nozzle

Item designation	Slot width	Length × width	for collar height	Total height	RRP excl. VAT
SKL 10-300-300-65-140 ST	10 mm	300 × 300 mm	65 mm	140 mm	179,90 €/piece
SKL 10-300-300-95-170 ST	10 mm	300 × 300 mm	95 mm	170 mm	182,13 €/piece
SKL 10-300-300-160-260 ST	10 mm	300 × 300 mm	160 mm	260 mm	201,24 €/piece

Perforated gully gratings | Match our gratings



Gully grating with round perforation | made of stainless steel (V2A) 1,5 mm

Item designation	Inlet dimensions	Height	Round hole diameter	RRP excl. VAT
DRGR PR 250-10 8,5 VA	250 × 250 mm	10 mm*	8,5 mm	70,11 €/piece
DRGR PR 250-20 8,5 VA	250 × 250 mm	20 mm	8,5 mm	70,11 €/piece
DRGR PR 400-10 8,5 VA	400 × 400 mm	10 mm*	8,5 mm	127,53 €/piece
DRGR PR 400-20 8,5 VA	400 × 400 mm	20 mm	8,5 mm	127,54 €/piece
DRGR PR 500-20 8,5 VA	500 × 500 mm	20 mm	8,5 mm	170,32 €/piece

* 10 mm high gratings for height adjustment from 40 to 55 mm (see page 56)



Gully grating with round perforation | made of hot-dip galvanised steel 1.5 mm

Item designation	Inlet dimensions	Height	Round hole diameter	RRP excl. VAT
DRGR PR 250-20 8,5 ST	250 × 250 mm	20 mm	8,5 mm	44,81 €/piece
DRGR PR 400-20 8,5 ST	400 × 400 mm	20 mm	8,5 mm	76,04 €/piece
DRGR PR 500-20 8,5 ST	500 × 500 mm	20 mm	8,5 mm	100,75 €/piece

Gully grating with square perforation | made of stainless steel (V2A) 1,5 mm

Item designation	Inlet dimensions	Height	Square	RRP excl. VAT
DRGR PE 250-10 8x8 VA	250 × 250 mm	10 mm*	8 × 8 mm	70,11 €/piece
DRGR PE 250-20 8x8 VA	250 × 250 mm	20 mm	8 × 8 mm	70,11 €/piece
DRGR PE 400-10 8x8 VA	400 × 400 mm	10 mm*	8 × 8 mm	127,53 €/piece
DRGR PE 400-20 8x8 VA	400 × 400 mm	20 mm	8 × 8 mm	127,54 €/piece
DRGR PE 500-20 8x8 VA	500 × 500 mm	20 mm	8 × 8 mm	170,32 €/piece

* 10 mm high gratings for height adjustment from 40 to 55 mm (see page 56)



Gully grating with square perforation | made of hot-dip galvanised steel 1.5 mm


Item designation	Inlet dimensions	Height	Square	RRP excl. VAT
DRGR PE 250-20 8x8 ST	250 × 250 mm	20 mm	8 × 8 mm	44,81 €/piece
DRGR PE 400-20 8x8 ST	400 × 400 mm	20 mm	8 × 8 mm	76,04 €/piece
DRGR PE 500-20 8x8 ST	500 × 500 mm	20 mm	8 × 8 mm	100,75 €/piece

Locks
available upon request

Gully grating with rectangular perforation | made of stainless steel (V2A) 1,5 mm

Item designation	Inlet dimensions	Height	Rectangle	RRP excl. VAT
DRGR PE 250-10 30x5 VA	250 × 250 mm	10 mm*	30 × 5 mm	70,11 €/piece
DRGR PE 250-20 30x5 VA	250 × 250 mm	20 mm	30 × 5 mm	70,11 €/piece
DRGR PE 400-10 30x5 VA	400 × 400 mm	10 mm*	30 × 5 mm	127,53 €/piece
DRGR PE 400-20 30x5 VA	400 × 400 mm	20 mm	30 × 5 mm	127,54 €/piece
DRGR PE 500-20 30x5 VA	500 × 500 mm	20 mm	30 × 5 mm	170,32 €/piece

* 10 mm high gratings for height adjustment from 40 to 55 mm (see page 56)



Gratings

Drainage troughs

Gully grating with rectangular perforation | made of hot-dip galvanised steel 1.5 mm

Item designation	Inlet dimensions	Height	Rectangle	RRP excl. VAT
DRGR PE 250-20 30x5 ST	250 × 250 mm	20 mm	30 × 5 mm	44,81 €/piece
DRGR PE 400-20 30x5 ST	400 × 400 mm	20 mm	30 × 5 mm	76,04 €/piece
DRGR PE 500-20 30x5 ST	500 × 500 mm	20 mm	30 × 5 mm	100,75 €/piece


Dewatering troughs

Gully gratings
Gullies & Channels

Gully grating with narrow slotted perforation | made of stainless steel (V2A) 1,5 mm

Item designation	Inlet dimensions	Height	Slot	RRP excl. VAT
DRGR PR 250-10 30x5 VA	250 × 250 mm	10 mm*	30 × 5 mm	70,11 €/piece
DRGR PR 250-20 30x5 VA	250 × 250 mm	20 mm	30 × 5 mm	70,11 €/piece
DRGR PR 400-10 30x5 VA	400 × 400 mm	10 mm*	30 × 5 mm	127,53 €/piece
DRGR PR 400-20 30x5 VA	400 × 400 mm	20 mm	30 × 5 mm	127,54 €/piece
DRGR PR 500-20 30x5 VA	500 × 500 mm	20 mm	30 × 5 mm	170,32 €/piece

* 10 mm high gratings for height adjustment from 40 to 55 mm (see page 56)



Gully grating with narrow slotted perforation | made of hot-dip galvanised steel 1.5 mm

Item designation	Inlet dimensions	Height	Slot	RRP excl. VAT
DRGR PR 250-20 30x5 ST	250 × 250 mm	20 mm	30 × 5 mm	44,81 €/piece
DRGR PR 400-20 30x5 ST	400 × 400 mm	20 mm	30 × 5 mm	76,04 €/piece
DRGR PR 500-20 30x5 ST	500 × 500 mm	20 mm	30 × 5 mm	100,75 €/piece

Locks
available upon request

Perforated gully gratings | Match our gratings



Gully grating with wide slotted perforation | made of stainless steel (V2A) 1.5 mm

Item designation	Inlet dimensions	Height	Slot	RRP excl. VAT
DRGR PR 250-10 30x10 VA	250 × 250 mm	10 mm*	30 × 10 mm	70,11 €/piece
DRGR PR 250-20 30x10 VA	250 × 250 mm	20 mm	30 × 10 mm	70,11 €/piece
DRGR PR 400-10 30x10 VA	400 × 400 mm	10 mm*	30 × 10 mm	127,53 €/piece
DRGR PR 400-20 30x10 VA	400 × 400 mm	20 mm	30 × 10 mm	127,54 €/piece

* 10 mm high gratings for height adjustment from 40 to 55 mm (see page 56)



Gully grating with wide slotted perforation | hot-dip galvanised steel 1.5 mm


Item designation	Inlet dimensions	Height	Slot	RRP excl. VAT
DRGR PR 250-20 30x10 ST	250 × 250 mm	20 mm	30 × 10 mm	44,81 €/piece
DRGR PR 400-20 30x10 ST	400 × 400 mm	20 mm	30 × 10 mm	76,04 €/piece

Gully mesh grating | made of stainless steel (V2A) 1.5 mm

Item designation	Inlet dimensions	Height	Mesh openings	RRP excl. VAT
DRGR M 250-20 30x10 VA	250 × 250 mm	20 mm	30 × 10 mm	130,39 €/piece
DRGR M 400-20 30x10 VA	400 × 400 mm	20 mm	30 × 10 mm	156,97 €/piece
DRGR M 500-20 30x10 VA	500 × 500 mm	20 mm	30 × 10 mm	203,18 €/piece



See price list **Heavy-Duty-Dewatering systems**




Gully mesh grating | made of hot-dip galvanised steel 1.5 mm

Item designation	Inlet dimensions	Height	Mesh openings	RRP excl. VAT
DRGR M 250-20 30x10 ST	250 × 250 mm	20 mm	30 × 10 mm	43,71 €/piece
DRGR M 400-20 30x10 ST	400 × 400 mm	20 mm	30 × 10 mm	74,18 €/piece
DRGR M 500-20 30x10 ST	500 × 500 mm	20 mm	30 × 10 mm	98,30 €/piece



See price list **Heavy-Duty-Dewatering systems**



Locks
available upon request



Gratings

Drainage troughs

Dewatering
troughs

Gully gratings
Gullies & Channels

Dorint-Hotel, Frankfurt-Oberursel



More info

Designer gully grating | Match our gratings



Longitudinal bar gully grating 7 × 7 mm | made of stainless steel (V2A)



Heavy-Duty
upon request

Item designation	Inlet dimensions	Height	Bar thickness	RRP excl. VAT
DRGR L 250-20 7x7 VA	250 × 250 mm	20 mm	7 × 7 mm	160,61 €/piece
DRGR L 400-20 7x7 VA	400 × 400 mm	20 mm	7 × 7 mm	270,29 €/piece
DRGR L 500-20 7x7 VA	500 × 500 mm	20 mm	7 × 7 mm	364,78 €/piece



Longitudinal bar gully grating 20 × 3 mm | made of stainless steel (V2A)



Heavy-Duty
upon request

Item designation	Inlet dimensions	Height	Stab-Stärke	RRP excl. VAT
DRGR L 250-20 20x3 VA	250 × 250 mm	20 mm	20 × 3 mm	153,87 €/piece
DRGR L 400-20 20x3 VA	400 × 400 mm	20 mm	20 × 3 mm	255,56 €/piece
DRGR L 500-20 20x3 VA	500 × 500 mm	20 mm	20 × 3 mm	345,83 €/piece



Longitudinal bar gully grating 20 × 3 mm | made of h-d g steel



Heavy-Duty
upon request

Item designation	Inlet dimensions	Height	Bar thickness	RRP excl. VAT
DRGR L 250-20 20x3 ST	250 × 250 mm	20 mm	20 × 3 mm	133,12 €/piece
DRGR L 400-20 20x3 ST	400 × 400 mm	20 mm	20 × 3 mm	215,79 €/piece
DRGR L 500-20 20x3 ST	500 × 500 mm	20 mm	20 × 3 mm	265,99 €/piece



Longitudinal bar gully grating Hydra Linearis 7 × 7 mm | st. steel (V2A)



See price list
Heavy-Duty-
Dewatering
systems

Item designation	Inlet dimensions	Height	Stab-Stärke	RRP excl. VAT
DRGR LH 250-20 7x7 VA	250 × 250 mm	20 mm	7 × 7 mm	150,61 €/piece
DRGR LH 400-20 7x7 VA	400 × 400 mm	20 mm	7 × 7 mm	258,79 €/piece
DRGR LH 500-20 7x7 VA	500 × 500 mm	20 mm	7 × 7 mm	361,61 €/piece

Can be combined with the Hydra Linearis longitudinal bar grating 7 × 7mm and cross bar grating 7 × 7mm



Locks
available upon request

Designer gully grating | Match our gratings




Longitudinal bar gully grating Legato | made of stainless steel (V2A)



Heavy-Duty
upon request

Item designation	Inlet dimensions	Height	Bar thickness	RRP excl. VAT
DRGR L 250-20 Legato VA	250 × 250 mm	20 mm	20 × 3 mm	204,08 €/piece
DRGR L 400-20 Legato VA	400 × 400 mm	20 mm	20 × 3 mm	342,13 €/piece
DRGR L 500-20 Legato VA	500 × 500 mm	20 mm	20 × 3 mm	466,51 €/piece



Gratings

Drainage troughs

Dewatering troughs


Gully gratings
Gullies & Channels

Longitudinal bar gully grating Staccato | made of stainless steel (V2A)



Heavy-Duty
upon request

Item designation	Inlet dimensions	Height	Bar thickness	RRP excl. VAT
DRGR L 250-20 Staccato VA	250 × 250 mm	20 mm	20 × 3 mm	165,74 €/piece
DRGR L 400-20 Staccato VA	400 × 400 mm	20 mm	20 × 3 mm	298,30 €/piece
DRGR L 500-20 Staccato VA	500 × 500 mm	20 mm	20 × 3 mm	369,57 €/piece




Longitudinal bar gully grating Ritmo | made of stainless steel (V2A)



Heavy-Duty
upon request

Item designation	Inlet dimensions	Height	Bar thickness	RRP excl. VAT
DRGR L 250-20 Ritmo VA	250 × 250 mm	20 mm	20 × 3 mm	204,08 €/piece
DRGR L 400-20 Ritmo VA	400 × 400 mm	20 mm	20 × 3 mm	342,13 €/piece
DRGR L 500-20 Ritmo VA	500 × 500 mm	20 mm	20 × 3 mm	466,51 €/piece




Gully grating Gemini | made of stainless steel (V2A)




Heavy-Duty
upon request

Item designation	Inlet dimensions	Height	Stone-Height	RRP excl. VAT
DRGR L 250-33 Gemini VA	250 × 250 mm	20 mm	20 mm	163,18 €/piece
DRGR L 400-33 Gemini VA	400 × 400 mm	20 mm	20 mm	260,74 €/piece
DRGR L 250-43 Gemini VA	250 × 250 mm	20 mm	30 mm	170,92 €/piece
DRGR L 400-43 Gemini VA	400 × 400 mm	20 mm	30 mm	272,60 €/piece



Locks
available upon request




Hydra drainage gully | made of stainless steel (V2A) 1.5 mm

Item designation	Inlet dimensions	Adjustable height	RRP excl. VAT
DRG 250-40-55 VA*	250 × 250 mm	40 to 55 mm	101,23 €/piece
DRG 250-54-69 VA	250 × 250 mm	54 to 69 mm	101,23 €/piece
DRG 250-70-100 VA	250 × 250 mm	70 to 100 mm	108,75 €/piece
DRG 400-40-55 VA*	400 × 400 mm	40 to 55 mm	140,56 €/piece
DRG 400-54-69 VA	400 × 400 mm	54 to 69 mm	140,56 €/piece
DRG 400-70-100 VA	400 × 400 mm	70 to 100 mm	153,37 €/piece
DRG 500-54-69 VA	500 × 500 mm	54 to 69 mm	165,54 €/piece
DRG 500-70-100 VA	500 × 500 mm	70 to 100 mm	184,90 €/piece

* Drainage gully for 10 mm high perforated gratings (see gratings page 50 to 52)

Hydra drainage gully | made of hot-dip galvanised steel 1.5 mm

Item designation	Inlet dimensions	Adjustable height	RRP excl. VAT
DRG 250-54-69 ST	250 × 250 mm	54 to 69 mm	68,37 €/piece
DRG 250-70-100 ST	250 × 250 mm	70 to 100 mm	71,36 €/piece
DRG 400-54-69 ST	400 × 400 mm	54 to 69 mm	84,33 €/piece
DRG 400-70-100 ST	400 × 400 mm	70 to 100 mm	85,88 €/piece
DRG 500-54-69 ST	500 × 500 mm	54 to 69 mm	94,00 €/piece
DRG 500-70-100 ST	500 × 500 mm	70 to 100 mm	100,57 €/piece



Gratings

Drainage troughs

Dewatering troughs

Gully gratings
Gullies & Channels

Hydra drainage gully body set | stainless steel (V2A) 1.5 mm


Item designation	Inlet dimensions	Height	RRP excl. VAT
DRG S 250-30 VA	250 × 250 mm	30 mm	43,76 €/set
DRG S 250-60 VA	250 × 250 mm	60 mm	49,54 €/set
DRG S 250-90 VA	250 × 250 mm	90 mm	56,37 €/set
DRG S 400-30 VA	400 × 400 mm	30 mm	57,79 €/set
DRG S 400-60 VA	400 × 400 mm	60 mm	68,76 €/set
DRG S 400-90 VA	400 × 400 mm	90 mm	79,73 €/set
DRG S 500-30 VA	500 × 500 mm	30 mm	70,30 €/set
DRG S 500-60 VA	500 × 500 mm	60 mm	82,05 €/set
DRG S 500-90 VA	500 × 500 mm	90 mm	96,19 €/set
DRG S S VA	Custom measurements		Upon request

Hydra drainage gully body set | hot-dip galvanised steel 1.5 mm

Item designation	Inlet dimensions	Height	RRP excl. VAT
DRG S 250-30 ST	250 × 250 mm	30 mm	27,68 €/set
DRG S 250-60 ST	250 × 250 mm	60 mm	29,63 €/set
DRG S 250-90 ST	250 × 250 mm	90 mm	31,60 €/set
DRG S 400-30 ST	400 × 400 mm	30 mm	33,93 €/set
DRG S 400-60 ST	400 × 400 mm	60 mm	37,05 €/set
DRG S 400-90 ST	400 × 400 mm	90 mm	40,20 €/set
DRG S 500-30 ST	500 × 500 mm	30 mm	37,59 €/set
DRG S 500-60 ST	500 × 500 mm	60 mm	42,91 €/set
DRG S 500-90 ST	500 × 500 mm	90 mm	46,84 €/set
DRG S S ST	Custom measurements		Upon request

Hydra | Inspection channels for gully connections

Custom measurements
Other panel dimensions and thicknesses
available upon request



Hydra inspection channels | made of stainless steel (V2A) 1.5 mm

Standard channel length: 1,200mm, suitable for connection to Hydra, Hydra Express, Stabile and Cubo drainage channels


Item designation	Inflow width	Panel material	Adjustable height with 20mm grating	Adjustable height with 30 mm panel thickness	Adjustable height with 40mm panel thickness	RRP excl. VAT
DRG RK 403-54-69 VA	403 mm	400 × 400 mm	54 to 69 mm	64 to 69 mm	Upon request	277,24 €/piece
DRG RK 403-70-100 VA	403 mm	400 × 400 mm	70 to 100 mm	80 to 100 mm	90 to 100 mm	283,61 €/piece
DRG RK 403-100-160 VA	403 mm	400 × 400 mm	100 to 160 mm	110 to 160 mm	120 to 160 mm	486,53 €/piece
DRG RK S VA	Custom measurements					Upon request

Hydra inspection channels | made of hot-dip galvanised steel 1.5 mm

Standard channel length: 1,200mm, suitable for connection to Hydra, Hydra Express, Stabile and Cubo drainage channels


Item designation	Inflow width	Panel material	Adjustable height with 20mm grating	Adjustable height with 30 mm panel thickness	Adjustable height with 40 mm panel thickness	RRP excl. VAT
DRG RK 403-54-69 ST	403 mm	400 × 400 mm	54 to 69 mm	64 to 69 mm	Upon request	179,01 €/piece
DRG RK 403-70-100 ST	403 mm	400 × 400 mm	70 to 100 mm	80 to 100 mm	90 to 100 mm	186,05 €/piece
DRG RK 403-100-160 ST	403 mm	400 × 400 mm	100 to 160 mm	110 to 160 mm	120 to 160 mm	286,58 €/piece
DRG RK S ST	Custom measurements					Upon request

The **Hydra inspection channel**
can be mounted at any point using
screw connections.



Hydra | Inspection channel extension

Custom measurements
Other panel dimensions and thicknesses
available upon request



Price
not incl.
grating

Adjustable
height

Gratings

Drainage troughs

Dewatering
troughs

Gully gratings
Gullies & Channels

Hydra Inspection channel extension | made of **stainless steel (V2A) 1.5 mm**

Standard channel length: 1,200mm, suitable for connection to Hydra, Hydra Express, Stabile and Cubo drainage channels

Item designation	Inflow width	Panel material	Adjustable height with 20mm grating	Adjustable height with 30 mm panel thickness	Adjustable height with 40mm panel thickness	RRP excl. VAT
DRH RK 403-54-69 VA	403 mm	400 × 400 mm	54 to 69 mm	64 to 69 mm	Upon request	164,93 €/piece
DRH RK 403-70-100 VA	403 mm	400 × 400 mm	70 to 100 mm	80 to 100 mm	90 to 100 mm	183,84 €/piece
DRH RK 403-100-160 VA	403 mm	400 × 400 mm	100 to 160 mm	110 to 160 mm	120 to 160 mm	278,70 €/piece
DRH RK S VA	Custom measurements					Upon request

Connectors | Stainless steel (V2A) 1.5 mm

Item designation	RRP excl. VAT
DRV V VA	6,10 €/pair

Hydra Inspection channel extension | made of **hot-dip galvanised steel 1.5 mm**


Standard channel length: 1,200mm, suitable for connection to Hydra, Hydra Express, Stabile and Cubo drainage channels

Item designation	Inflow width	Panel material	Adjustable height with 20mm grating	Adjustable height with 30 mm panel thickness	Adjustable height with 40mm panel thickness	RRP excl. VAT
DRH RK 403-54-69 ST	403 mm	400 × 400 mm	54 to 69 mm	64 to 69 mm	Upon request	84,87 €/piece
DRH RK 403-70-100 ST	403 mm	400 × 400 mm	70 to 100 mm	80 to 100 mm	90 to 100 mm	90,43 €/piece
DRH RK 403-100-160 ST	403 mm	400 × 400 mm	100 to 160 mm	110 to 160 mm	120 to 160 mm	150,94 €/piece
DRH RK S ST	Custom measurements					Upon request

Connectors | Hot-dip galvanised steel 1.5 mm

Item designation	RRP excl. VAT
DRV V ST	4,62 €/pair





1. Branch channel | made of aluminium 1.5 mm

Standard length: 3,000 mm

Item designation	Length	Width	Height	RRP excl. VAT
STK 100-30 AL	3,000 mm	100 mm	30 mm	19,87 €/m

2. Branch adapter | aluminium

For connection to a dewatering system

Item designation	for installation height with channel of	RRP excl. VAT
STK A 100-30-60 AL	80 to 110 mm	28,26 €/piece
STK A 100-30-90 AL	80 to 140 mm	31,35 €/piece

3. Branch connector | aluminium

'Click' connector for branch channels

Item designation	RRP excl. VAT
STK V 100-30 AL	6,29 €/piece

Branch channel T-corner | made of aluminium 1.5 mm

Item designation	Leg length external dimension	RRP excl. VAT
STK T 100-30 AL	ca. 90 mm	63,98 €/piece

4. Branch 90° and 45° corners | aluminium

Leg length outside dimension: ca. 125 mm

Item designation	RRP excl. VAT
STK E 100-30 90 45 AL	48,54 €/piece



4. Branch 30° and 15° corners

Leg length outside dimension: ca. 100 mm

Item designation	RRP excl. VAT
STK E 100-30 30 15 AL	48,54 €/piece

5. Inspection shaft | made of aluminium 1.5 mm

For channel inspections

Item designation	Dimensions	Height	RRP excl. VAT
DRK 250-100 AL (Inspection shaft)	250 × 250 mm	100 mm	76,87 €/piece
DRK S 250-50 AL (Stacking element)	250 × 250 mm	50 mm	25,44 €/piece
DRK S 250-100 AL (Stacking element)	250 × 250 mm	100 mm	28,46 €/piece



Branch channel, installation example



More Info

Silex | Fixed gravel stops with **connectors**

Custom
measurements
Upon request



Fixed gravel stops | made of **aluminium** 1.5 mm with 3 bends

Standard length: 3,000 mm

Item designation	Height	Sample prices per running metre (rm) RRP excl. VAT								Connectors	Corner
		3 rm	9 rm	18 rm	30 rm	51 rm	102 rm	201 rm	402 rm		
KFL 15-15-40-80 AL	40 mm	31,99 €	18,51 €	14,76 €	12,95 €	11,96 €	10,88 €	10,01 €	9,27 €	2,65 €	28,60 €
KFL 15-15-60-100 AL	60 mm	36,83 €	23,16 €	19,21 €	17,20 €	16,02 €	14,74 €	13,67 €	12,73 €	2,88 €	31,12 €
KFL 15-15-80-105 AL	80 mm	38,36 €	24,62 €	20,61 €	18,54 €	17,30 €	15,95 €	14,82 €	13,82 €	3,19 €	31,97 €
KFL 15-15-100-120 AL	100 mm	40,30 €	26,48 €	22,39 €	20,24 €	18,92 €	17,49 €	16,28 €	15,20 €	3,52 €	33,11 €
KFL 15-15-120-100 AL	120 mm	40,30 €	26,48 €	22,39 €	20,24 €	18,92 €	17,49 €	16,28 €	15,20 €	3,70 €	34,10 €
KFL 15-15-140-130 AL	140 mm	43,07 €	29,14 €	24,93 €	22,67 €	21,24 €	19,70 €	18,38 €	17,18 €	3,91 €	34,93 €
KFL S AL	Custom	Upon request								Upon request	

Fixed gravel stops | made of **stainless steel** (V2A) 1.0 mm with 3 bends

Standard length: 3,000 mm

Item designation	Height	Sample prices per running metre (rm) RRP excl. VAT								Connectors	Corner
		3 rm	9 rm	18 rm	30 rm	51 rm	102 rm	201 rm	402 rm		
KFL 15-15-60-100 VA	60 mm	46,52 €	32,40 €	28,00 €	25,54 €	23,90 €	22,17 €	20,65 €	19,26 €	3,96 €	37,57 €
KFL 15-15-80-105 VA	80 mm	49,39 €	35,14 €	30,62 €	28,04 €	26,28 €	24,43 €	22,78 €	21,27 €	4,25 €	39,33 €
KFL 15-15-100-120 VA	100 mm	53,04 €	38,64 €	33,96 €	31,22 €	29,31 €	27,30 €	25,50 €	23,83 €	4,57 €	41,72 €
KFL S VA	Custom	Upon request								Upon request	

In addition to our standard variants, we can manufacture any gravel stop according to your custom measurements and material thicknesses (1.0 mm, 1.5 mm, 2.0 mm or 3.0 mm).

Silex | Height-adjustable gravel stops



Height-adjustable gravel stops | made of aluminium with 2 bends

Standard length: 3,000 mm

Item designation	Adjustable height	Sample prices per running metre (rm) RRP excl. VAT								Corner
		3 rm	9 rm	18 rm	30 rm	51 rm	102 rm	201 rm	402 rm	
KFL H 10-60-100-165 AL	60-100 mm	55,67 €	41,41 €	36,88 €	34,29 €	32,52 €	30,65 €	29,00 €	27,48 €	55,20 €
KFL H 14-80-130-165 AL	80-130 mm	66,73 €	52,08 €	47,15 €	44,16 €	42,00 €	39,74 €	37,69 €	35,77 €	63,09 €
KFL H 14-100-170-155 AL	100-170 mm	76,31 €	61,32 €	56,05 €	52,72 €	50,22 €	47,61 €	45,22 €	42,96 €	64,12 €
KFL H 16-150-270-175 AL	150-270 mm	102,91 €	86,97 €	80,74 €	76,47 €	73,01 €	69,46 €	66,12 €	62,91 €	80,28 €
KFL H S AL	Custom	Upon request								

Height-adjustable gravel stops | made of stainless steel (V2A) with 2 bends

Standard length: 3,000 mm

Item designation	Adjustable height	Sample prices per running metre (rm) RRP excl. VAT								Corner
		3 rm	9 rm	18 rm	30 rm	51 rm	102 rm	201 rm	402 rm	
KFL H 10-60-100-165 VA	60-100 mm	70,43 €	55,91 €	51,11 €	48,25 €	46,22 €	44,08 €	42,16 €	40,37 €	67,30 €
KFL H 14-80-130-165 VA	80-130 mm	91,31 €	76,14 €	70,70 €	67,21 €	64,53 €	61,76 €	59,20 €	56,77 €	84,33 €
KFL H 14-100-170-155 VA	100-170 mm	103,42 €	87,89 €	82,08 €	78,21 €	75,16 €	72,02 €	69,09 €	66,29 €	87,26 €
KFL H 16-150-270-175 VA	150-270 mm	144,10 €	127,32 €	120,27 €	115,15 €	110,86 €	106,48 €	102,30 €	98,26 €	118,63 €
KFL H S VA	Custom	Upon request								

Connectors | made of stainless steel (V2A)

Item designation	RRP excl. VAT
KFL V VA	3,78 €


Corner connectors | made of stainless steel (V2A)

Item designation	RRP excl. VAT
KFL V VA	4,41 €

In addition to our standard variants, we can manufacture any gravel stop according to your custom measurements and material thicknesses (1.0 mm, 1.5 mm, 2.0 mm or 3.0 mm).

Substrate rails | For separating fills on both sides


Custom
measure-
ments
Upon
request



»Click« system connectors

Simply position the connectors between the substrate rails and **click into place.**

RAL
coating
available




Straight substrate rail | made of aluminium 1.0 mm with 3 bends

Standard length: 3,000 mm

Item designation	Height	Sample prices per running metre (rm) RRP excl. VAT							
		3 rm	9 rm	18 rm	30 rm	51 rm	102 rm	201 rm	402 rm
KFL SUS 15-15-80-70 AL	80 mm	33,37 €	19,84 €	16,03 €	14,17 €	13,12 €	11,98 €	11,05 €	10,26 €
KFL SUS 15-15-100-78 AL	100 mm	34,35 €	20,78 €	16,93 €	15,02 €	13,94 €	12,76 €	11,79 €	10,96 €
KFL SUS S AL	Custom	Upon request							

Click-connectors

Item designation	RRP excl. VAT
KFL SUS V 15-15-80-70 AL	3,19 €/piece
KFL SUS V 15-15-100-78 AL	3,52 €/piece




Edging solutions as substrate rails | *Flexible and straight*



Assembly
Video



RAL
coating
available



Gratings

Drainage troughs

Dewatering
troughs

Gully gratings
Gullies & Channels

Branch channel system
Gravel stops

Edging solution as substrate rail *straight* | made of aluminium 1.0 mm

Standard length: 3,000 mm

Item designation	Height	Beispielpreise pro Meter empf. Verkaufspreis zuzüglich MwSt.							
		3 rm	9 rm	18 rm	30 rm	51 rm	102 rm	201 rm	402 rm
BE SUS G 10-100-50 AL	100 mm	32,32 €	18,48 €	14,69 €	12,92 €	11,99 €	10,96 €	10,16 €	9,48 €
BE SUS G 10-150-50 AL	150 mm	33,87 €	19,98 €	16,14 €	14,31 €	13,33 €	12,24 €	11,38 €	10,65 €
BE SUS S AL		Auf Anfrage							


Edging solution as substrate rail *flexible* | made of aluminium 1.0 mm

Standard length: 3,000 mm

Item designation	Height	Beispielpreise pro Meter empf. Verkaufspreis zuzüglich MwSt.							
		3 rm	9 rm	18 rm	30 rm	51 rm	102 rm	201 rm	402 rm
BE SUS F 10-100-50 AL	100 mm	37,74 €	23,71 €	19,73 €	17,76 €	16,64 €	15,42 €	14,42 €	13,55 €
BE SUS F 10-150-50 AL	150 mm	39,30 €	25,21 €	21,18 €	19,15 €	17,98 €	16,70 €	15,64 €	14,72 €
BE SUS S AL		Auf Anfrage							

Fixed connectors

Item designation	Height	RRP excl. VAT
BE V 100 AL/VA	100 mm	3,18 €
BE V 150 AL/VA	150 mm	3,88 €




Combi connectors

Item designation	Height	RRP excl. VAT
BE V 100 AL/VA K	100 mm	5,65 €
BE V 150 AL/VA K	150 mm	6,73 €



Drain mats

Roll width
1,200 mm



Drain mat | with glass fibre mesh

For fixed laying of ceramic flooring with single grain mortar; capillary height: 8 mm and 16 mm

Item designation	Drainage speed (at 2% gradient)	Total height	Roll width	Roll length	Roll surface	RRP excl. VAT	
DM G 8	0.36 l/m x s	8 mm	1,200 mm	15 m	18 m ²	15,69 €/m	282,42 €/Roll
DM G 16	0.77 l/m x s	16 mm	1,200 mm	10 m	12 m ²	27,51 €/m	330,12 €/Roll

Please note: Sealing sheets must be laid in direction of flow!


Drain mat | with special fleece

For loose-lay flooring on unbound, washed gravel and chip layers; capillary height: 8 mm and 16 mm

Item designation	Drainage speed (at 2% gradient)	Total height	Roll width	Roll length	Roll surface	RRP excl. VAT	
DM V 8	0.39 l/m x s	8 mm	1,200 mm	15 m	18 m ²	12,50 €/m	225,00 €/Roll
DM V 16	0.79 l/m x s	16 mm	1,200 mm	10 m	12 m ²	18,50 €/m	222,00 €/Roll

Please note: Sealing sheets must be laid in direction of flow!

Drain mat adapter



Price
not incl.
channel

Price
not incl.
mat

Gratings

Drainage troughs

Dewatering
troughs

Gully gratings
Gullies & Channels

Branch channel system
Gravel stops

Drain mat adapter | made of hot-dip galvanised steel

Item designation	for drain mat height	Length	RRP excl. VAT
DMA 8 ST Drainagematten-Adapter	8 mm	1.000 mm	12,50 €
DMA 16 ST Drainagematten-Adapter	16 mm	1.000 mm	12,50 €

Drain mat adapter | made of stainless steel

Artikelbezeichnung	for drain mat height	Length	RRP excl. VAT
DMA 8 VA Drainagematten-Adapter	8 mm	1.000 mm	15,83 €
DMA 16 VA Drainagematten-Adapter	16 mm	1.000 mm	15,83 €

Dimpled sheet cover track



Dimpled sheet cover track | made of aluminium


Item designation	Dimpled sheet	RRP excl. VAT
NBA 50-6-13-25 AL	6-13 mm strong dimple	29,55 €/m
NBA 50-13-20-25 AL	13-20 mm strong dimple	29,85 €/m

Dimpled sheet cover track | made of stainless steel

Item designation	Dimpled sheet	RRP excl. VAT
NBA 50-6-13-25 VA	6-13 mm strong dimple	35,87 €/m
NBA 50-13-20-25 VA	13-20 mm strong dimple	36,67 €/m

Punkto | Point drainage

Custom
measure-
ments
Upon
request



Point drainage Punkto | made of **stainless steel (V2A) 1.5 mm**
Incl. dirt trap

Item designation	Material thickness	Dimensions	Height	Processing method	Load class	RRP excl. VAT
PE 250-250-300 VA	1,5 mm	250 × 250 mm	300 mm	Riveted; not welded leak-tight	People	233,26 €/piece

Point drainage Punkto | made of **hot-dip galvanised (V2A) 1.5 mm**
Incl. dirt trap

Item designation	Material thickness	Dimensions	Height	Processing method	Load class	RRP excl. VAT
PE 250-250-300 ST	1,5 mm	250 × 250 mm	300 mm	Riveted; not welded leak-tight	People	195,38 €/piece

Hydra Linearis | Tree grate, matching all our Design-Grates



Two-
parts

incl.
frame


Tree grate Hydra Linearis | made of stainless steel (V2A)

Item designation	External dimension	Interior dimensions	Total height	Bar thickness	RRP excl. VAT
BR LH 1250-1250 VA	1.250 x 1.250 mm	440 x 440 mm	53 mm	7x7 mm	2.616,59 €/m
BR LH 1800-1800 VA	1.800 x 1.800 mm	600 x 600 mm	53 mm	7x7 mm	5.396,02 €/m
BR LH S	Custom measurements				Upon request



- Gratings
- Drainage troughs
- Dewatering troughs
- Gully gratings
Gullies & Channels
- Branch channel system
Gravel stops
- Dirt catch basins
Point drainage units

Foot grate with dirt tray



Dirt tray

Item designation

FARW S ST Schmutzfangwanne für Fussabtrittroste

FARW S VA Schmutzfangwanne für Fussabtrittroste

Footsteps

Item designation

FAR S ST Fussabtrittroste ST

FAR S VA Fussabtrittroste VA

Grating locks

Item designation

FAR S RV ST Rostverriegelung ST

FAR S RV VA Rostverriegelung VA

Entrance mats



Gratings

Drainage troughs

Dewatering troughs

Gully gratings
Gullies & Channels

Branch channel system
Gravel stops

Dirt catch basins
Point drainage units

Entrance mats | made of aluminium with **Rubber and brush insert 1**

Item designation	Field of use	Installation situation	Colour
EMA GB1 Black	Catches coarse dirt (zone 1)	Indoor and outdoor	black

Entrance mats | made of aluminium with **Plastic carpet 2**

Item designation	Field of use	Installation situation	Colour
EMA ST1 Anthracite	Catches coarse dirt (zone 1)	Indoor and outdoor	anthrazit
EMA ST1 Brown	Catches coarse dirt (zone 1)	Indoor and outdoor	brown
EMA ST2 Anthracite	Removes fine dirt and moisture (zone 2)	Indoor or covered outdoor areas	anthrazit
EMA ST2 Brown	Removes fine dirt and moisture (zone 2)	Indoor or covered outdoor areas	brown
EMA ST2 Grey	Removes fine dirt and moisture (zone 2)	Indoor or covered outdoor areas	grey
EMA ST2 Beige	Removes fine dirt and moisture (zone 2)	Indoor or covered outdoor areas	beige


Dirt tray

Item designation	Material
EMA SFW S VA	stainless steel
EMA SFW S ST	hot-dip galvanized steel

Angle frame

Item designation	Material
EMA WR S VA	stainless steel

Custom design | Examples




Stabile Magna with removable side panel & drain trough

Despite being set in concrete, this heavy-duty channel can still be easily inspected thanks to the removable side panel.

Dewatering systems with projecting elements

Maximum flexibility for non-standard building bases, terraces and thresholds.



Lamina double-slit channel

Larger inlet cross-section to take in a greater volume of water through the slit opening


Emergency outlet for roof drainage

Suitable for flat or green roofs



Cubo with façade guide plate

Concrete anchors for increased stability.
Includes integrated façade guide plate that directs façade water into the dewatering channel




Angle frame with grating

You have the shaft, we have the solution – individual angle frames made to measure.


Curved dewatering systems

Our dewatering systems – both channels and gratings – are also available as curved products. Dimensional accuracy must be ensured here, especially in the case of revolving doors..



Shaft covers for paved areas

- Can withstand the load of cars and trucks
- Load class requirements are met **without** the need for high-performance concrete



Gratings

Drainage troughs

Dewatering troughs

Gully gratings
Gullies & Channels

Branch channel system
Gravel stops

Dirt catch basins
Point drainage units



Your contacts



Alexander Bruelheide
+49 (0)5207 95 04-221
alexander.bruehlheide@richard-brink.de



Sinan Dullovi
+49 (0)5207 95 04-228
sinan.dullovi@richard-brink.de



Lukas Otto
+49 (0)5207 95 04-216
lukas.otto@richard-brink.de

Richard Brink GmbH & Co. KG

Metalware Production and Sales

Germany

Görlitzer Straße 1
33758 Schloß Holte-Stukenbrock
T +49 (0)5207 95 04-0
F +49 (0)5207 95 04-20

anfragen@richard-brink.de
bestellungen@richard-brink.de

Great Britain

Causeway House
13 The Causeway
Teddington, TW11 0JR
T +44 (0) 20 3096 7261

request@richard-brink.de

www.richard-brink.com

