



## Technical data sheet

### Clickable wall profile KP WAA



#### Manufacturer


Richard Brink GmbH & Co KG  
Metal goods manufacture and distribution  
Görlitzer Str. 1  
33758 Schloß Holte-Stukenbrock  
Phone: 0049 (0)5207 9504-0  
Fax: 0049 (0)5207 9504-20



## Product description

The wall profiles are corner profiles in the wall connection area made of aluminium. The wall connection profile includes a click-on cover profile for a flat surface. The lower wall profile is attached to the façade; we also offer corners, connectors, end pieces and reveal plates for this purpose. The upper cover profile can then simply be clicked into place. The inner corner is separated into two parts, as otherwise the click function is not possible

Only the upper sheet is coated. A hole for the suspension is inserted during the coating process. As a concealed version, it is a good alternative to visible fixing. The coatings are available in RAL colours.



## Dimensions

The wall profiles are available in the following standard heights


- 150 mm
- 200 mm

The side length of both corners is 200 x 200 mm

## Material specifications

Material: aluminium (AlMg3)

Material thickness: 1.5 mm



## **Accessories**

Connectors

End pieces (left and right)

Reveal plates

## **Processing and care instructions**

Care should always be taken when storing and processing the wall profiles.

Dust particles from other metals or general cutting of components with flying sparks on the product should be avoided, as the surfaces of all materials are very sensitive. If dust particles or soiling from other metals are present, these must be removed immediately using appropriate cleaning agents.

In order to maintain the external appearance of the wall connection profiles in the long term, regular cleaning work is generally recommended. The profiles should be cleaned by hand using suitable, non-abrasive cleaning agents.

A coating can be damaged through direct contact with spray and/or salt water.

Further installation and usage instructions as well as information on the material can be found at: <https://www.richard-brink.de/en/downloads/overview.html>