

New!
Ventus



Your experts for gardening
and landscaping
Partner of the North
Rhine-Westphalia
Association of Gardening,
Landscaping and
Recreation Construction

Spring brochure **Planting systems 2023**



New!
Basio

Basio – Corten steel planters





Find out more in
our video:

www.richard-brink.de/beeteinfassungen

Edging solutions
One *p*roduct. m



and lawn edges
any applications



Edging solutions | Straight lawn edgings

Standard length: 3.000mm

Custom
measurements
Upon request

Stainless steel

Item designation	Height	Example prices per running metre (rm) RRP excl. VAT							
		3 rm	9 rm	18 rm	30 rm	51 rm	102 rm	201 rm	402 rm
BE G 10-100-50 VA	100 mm	51.16 €/m	36.79 €/m	32.18 €/m	29.52 €/m	27.69 €/m	25.76 €/m	24.05 €/m	22.46 €/m
BE G 10-150-50 VA	150 mm	58.69 €/m	44.00 €/m	39.07 €/m	36.09 €/m	33.94 €/m	31.68 €/m	29.64 €/m	27.74 €/m

Aluminium

Item designation	Height	Example prices per running metre (rm) RRP excl. VAT							
		3 rm	9 rm	18 rm	30 rm	51 rm	102 rm	201 rm	402 rm
BE G 10-100-50 AL	100 mm	35.88 €/m	21.80 €/m	17.78 €/m	15.76 €/m	14.59 €/m	13.33 €/m	12.28 €/m	11.37 €/m
BE G 10-150-50 AL	150 mm	38.39 €/m	24.20 €/m	20.07 €/m	17.94 €/m	16.67 €/m	15.30 €/m	14.14 €/m	13.12 €/m

Corten steel

Item designation	Height	Example prices per running metre (rm) RRP excl. VAT							
		3 rm	9 rm	18 rm	30 rm	51 rm	102 rm	201 rm	402 rm
BE G 10-100-50 CS	100 mm	36.68 €/m	23.16 €/m	19.22 €/m	17.19 €/m	15.97 €/m	14.66 €/m	13.55 €/m	12.57 €/m
BE G 10-150-50 CS	150 mm	39.85 €/m	26.19 €/m	22.11 €/m	19.95 €/m	18.60 €/m	17.15 €/m	15.90 €/m	14.97 €/m

Fixed (straight) connectors

Item designation	Height	Material	RRP excl. VAT
BE V 100 AL/VA	100 mm	Stainless steel	3.18 €/piece
BE V 150 AL/VA	150 mm	Stainless steel	3.88 €/piece
BE V 100 CS	100 mm	Corten	2.66 €/piece
BE V 150 CS	150 mm	Corten	3.01 €/piece

Fixed connectors incl. screws

Visible
border
10 mm

Flange
section
50 mm

Combination connectors (flexibel)

Item designation	Height	Material	RRP excl. VAT
BE V 100 AL/VA K	100 mm	Stainless steel	5.63 €/piece
BE V 150 AL/VA K	150 mm	Stainless steel	6.71 €/piece
BE V 100 CS K	100 mm	Corten	5.16 €/piece
BE V 150 CS K	150 mm	Corten	5.88 €/piece

Prices and dimensions may contain errors.

Product description

Our flower bed edging solutions are well suited for both new and existing flower beds. A strip of earth is simply dug out along the edge of the flower bed, which is where the supporting base will be fixed in place. The top of the edging solution should sit approximately one centimetre above the height of the flower bed or turf.

from sinking into the ground over time. Any pressure exerted on the edging by people or machines is resisted by the supporting base.

Metal plates connect the edging sections: they are slotted in at the back and screwed in place, creating transitions that trace the desired bed shape perfectly.

In spite of its name, the product can also be used to create borders for paved, gravel and granulate fills.

The edging solution is fixed to the ground using steel pins, which are pushed through the offset holes in the supporting base. The design of the base not only ensures the edging is held firmly in place; it also prevents it



Stainless steel
Corten steel

Stainless steel
Corten steel

See our videos!
Richard Brink @ YouTube



Edging solutions | Flexible lawn edgings

Standard length: 3.000mm



Stainless steel

		Example prices per running metre (rm) RRP excl. VAT							
Item designation	Height	3 rm	9 rm	18 rm	30 rm	51 rm	102 rm	201 rm	402 rm
BE F 10-100-50 VA	100 mm	56.80 €/m	42.19 €/m	37.34 €/m	34.44 €/m	32.37 €/m	30.20 €/m	28.24 €/m	26.41 €/m
BE F 10-150-50 VA	150 mm	64.34 €/m	49.41 €/m	44.23 €/m	41.01 €/m	38.61 €/m	36.12 €/m	33.84 €/m	31.69 €/m

Aluminium

		Example prices per running metre (rm) RRP excl. VAT							
Item designation	Height	3 rm	9 rm	18 rm	30 rm	51 rm	102 rm	201 rm	402 rm
BE F 10-100-50 AL	100 mm	41.69 €/m	27.37 €/m	23.09 €/m	20.83 €/m	19.41 €/m	17.89 €/m	16.60 €/m	15.44 €/m
BE F 10-150-50 AL	150 mm	44.20 €/m	29.77 €/m	25.38 €/m	23.01 €/m	21.49 €/m	19.86 €/m	18.46 €/m	17.19 €/m

Corten steel

		Example prices per running metre (rm) RRP excl. VAT							
Item designation	Height	3 rm	9 rm	18 rm	30 rm	51 rm	102 rm	201 rm	402 rm
BE F 10-100-50 CS	100 mm	42.22 €/m	28.46 €/m	24.28 €/m	22.02 €/m	20.56 €/m	19.01 €/m	17.67 €/m	16.45 €/m
BE F 10-150-50 CS	150 mm	45.39 €/m	31.49 €/m	27.18 €/m	24.78 €/m	23.19 €/m	21.50 €/m	20.02 €/m	18.67 €/m

Combination connectors (flexibel)

Item designation	Height	Material	RRP excl. VAT
BE V 100 AL/VA K	100 mm	Stainless steel	5.63 €/piece
BE V 150 AL/VA K	150 mm	Stainless steel	6.71 €/piece
BE V 100 CS K	100 mm	Corten	5.16 €/piece
BE V 150 CS K	150 mm	Corten	5.88 €/piece

Prices and dimensions may contain errors.



Visible border
10 mm

Flange section
50 mm

Stainless steel
Corten steel

Product description

No shape is off limits with the flexible edging solutions. The toothed design of the supporting base allows the segments to be curved as desired.

For more information on how to install the solution, please refer to the description for the straight solutions on the opposite page.

In spite of its name, the product can also be used to create borders for paved, gravel and granulate fills.



BE earth pins 0.96 €/piece
3pc./m recommended





Raised beds – for vert
Unique and **t**ailor-m





Vertical landscaping
made!



Janus raised beds | Adaptable plug-in systems

The maximum length of the raised arm harness is 3.000 mm.

Janus 425 | made of aluminium

Height: 425 mm	Length \ Width	750 mm	1.000 mm	RRP excl. VAT 1.500 mm	2.000 mm	3.000 mm
	750 mm	564.29 €/pc.	618.97 €/pc.	728.40 €/pc.	854.17 €/pc.	1.073.09 €/pc.
Height: 425 mm	1.000 mm	618.97 €/pc.	673.66 €/pc.	783.09 €/pc.	908.86 €/pc.	1.127.77 €/pc.
	1.500 mm	728.40 €/pc.	783.09 €/pc.	892.51 €/pc.	1.018.29 €/pc.	1.237.20 €/pc.
	2.000 mm	854.17 €/pc.	908.86 €/pc.	1.018.29 €/pc.	1.144.06 €/pc.	1.362.97 €/pc.
	3.000 mm	1.073.09 €/pc.	1.127.77 €/pc.	1.237.20 €/pc.	1.362.97 €/pc.	1.581.89 €/pc.

Other dimensions are also possible on request. The prices of the next higher standard dimensions apply to the respective intermediate dimensions.

Janus 625 | made of aluminium

Height: 625 mm	Length \ Width	750 mm	1.000 mm	RRP excl. VAT 1.500 mm	2.000 mm	3.000 mm
	750 mm	801.77 €/pc.	883.80 €/pc.	1.047.94 €/pc.	1.236.60 €/pc.	1.564.97 €/pc.
Height: 625 mm	1.000 mm	883.80 €/pc.	965.83 €/pc.	1.129.97 €/pc.	1.318.63 €/pc.	1.647.00 €/pc.
	1.500 mm	1.047.94 €/pc.	1.129.97 €/pc.	1.294.11 €/pc.	1.482.77 €/pc.	1.811.14 €/pc.
	2.000 mm	1.236.60 €/pc.	1.318.63 €/pc.	1.482.77 €/pc.	1.671.43 €/pc.	1.999.80 €/pc.
	3.000 mm	1.564.97 €/pc.	1.647.00 €/pc.	1.811.14 €/pc.	1.999.80 €/pc.	2.328.17 €/pc.

Other dimensions are also possible on request. The prices of the next higher standard dimensions apply to the respective intermediate dimensions.

Janus 825 | made of aluminium

Height: 825 mm	Length \ Width	750 mm	1.000 mm	RRP excl. VAT 1.500 mm	2.000 mm	3.000 mm
	750 mm	1.039.26 €/pc.	1.148.63 €/pc.	1.367.49 €/pc.	1.619.03 €/pc.	2.056.86 €/pc.
Height: 825 mm	1.000 mm	1.148.63 €/pc.	1.258.00 €/pc.	1.476.86 €/pc.	1.728.40 €/pc.	2.166.23 €/pc.
	1.500 mm	1.367.49 €/pc.	1.476.86 €/pc.	1.695.71 €/pc.	1.947.26 €/pc.	2.385.09 €/pc.
	2.000 mm	1.619.03 €/pc.	1.728.40 €/pc.	1.947.26 €/pc.	2.198.80 €/pc.	2.636.63 €/pc.
	3.000 mm	2.056.86 €/pc.	2.166.23 €/pc.	2.385.09 €/pc.	2.636.63 €/pc.	3.074.46 €/pc.

Other dimensions are also possible on request. The prices of the next higher standard dimensions apply to the respective intermediate dimensions.

Janus 1025 | made of aluminium

Height: 1.025 mm	Length \ Width	750 mm	1.000 mm	RRP excl. VAT 1.500 mm	2.000 mm	3.000 mm
	750 mm	1.276.74 €/pc.	1.413.46 €/pc.	1.687.03 €/pc.	2.001.46 €/pc.	2.548.74 €/pc.
Height: 1.025 mm	1.000 mm	1.413.46 €/pc.	1.550.17 €/pc.	1.823.74 €/pc.	2.138.17 €/pc.	2.685.46 €/pc.
	1.500 mm	1.687.03 €/pc.	1.823.74 €/pc.	2.097.31 €/pc.	2.411.74 €/pc.	2.959.03 €/pc.
	2.000 mm	2.001.46 €/pc.	2.138.17 €/pc.	2.411.74 €/pc.	2.726.17 €/pc.	3.273.46 €/pc.
	3.000 mm	2.548.74 €/pc.	2.685.46 €/pc.	2.959.03 €/pc.	3.273.46 €/pc.	3.820.74 €/pc.

Other dimensions are also possible on request. The prices of the next higher standard dimensions apply to the respective intermediate dimensions.



The following colour coatings are included in the price:

- Iron mica DB 703
- White aluminium RAL 9006
- Traffic white RAL 9016

Corner and panel colours can be mixed and matched.

We also offer coatings in other RAL, DB and NCS colours upon request and for an extra fee (additional preproduction cost).

Product description

The new Janus raised bed system made from coated, double-walled, extruded aluminium profiles impresses with its adaptable look and stability besides the fact that it's easy to assemble on site: the corner elements and panels are simply plugged into each other and held in place with screwed connections.

The double-walled design complete with insulating air chambers inside the profiles protects plants from dehydration and frost.

The two sides of the aluminium panels offer two different finishes. One side appears to be made of moulded wooden boards, while the other has a subtly undulating and somewhat retro look reminiscent of a bygone age of aircraft construction.

The panels are slotted into the corner elements with the preferred side facing outwards before being fixed in place on the inside using self-tapping screws.

The corner elements are also available in two designs, with the choice of a rounded or squared finish.

The raised beds come in one or two colours, depending on personal preference; panels and corner elements are simply given different coatings. A dark-light contrast further enhances the structure of the raised beds.



Raised beds | Adaptable plug-in systems

Lengths of up to 3.000mm feasible with just one part.

Custom
measurements
Upon request


Polished
Stainless steel LV2A

Item designation	Height	Support base	Upper backward bend	Material thickness	RRP excl. VAT
HB 275-160-30-30 VA	275 mm	160 mm	30 x 30 mm	3.0 mm	159.55 €/m
HB 415-190-30-30 VA	415 mm	190 mm	30 x 30 mm	3.0 mm	240.84 €/m
HB 500-190-30-30 VA	500 mm	190 mm	30 x 30 mm	3.0 mm	280.95 €/m
HB 550-190-30-30 VA	550 mm	190 mm	30 x 30 mm	3.0 mm	312.45 €/m
HB 700-235-35-30 VA	700 mm	235 mm	35 x 30 mm	4.0 mm	497.42 €/m
HB 900-285-35-30 VA	900 mm	285 mm	35 x 30 mm	4.0 mm	629.66 €/m
HB 1100-335-35-30 VA	1.100 mm	335 mm	35 x 30 mm	5.0 mm	961.32 €/m
HB S VA (custom-made)	Custom dimensions			Proportional	Upon request

Aluminium

Item designation	Height	Support base	Upper backward bend	Material thickness	RRP excl. VAT
HB 275-160-30-30 AL	275 mm	160 mm	30 x 30 mm	3.0 mm	85.31 €/m
HB 415-190-30-30 AL	415 mm	190 mm	30 x 30 mm	3.0 mm	113.76 €/m
HB 500-190-30-30 AL	500 mm	190 mm	30 x 30 mm	3.0 mm	137.31 €/m
HB 550-185-35-30 AL	550 mm	185 mm	35 x 30 mm	4.0 mm	188.22 €/m
HB 700-235-35-30 AL	700 mm	235 mm	35 x 30 mm	4.0 mm	231.19 €/m
HB 900-285-35-30 AL	900 mm	285 mm	35 x 30 mm	5.0 mm	338.88 €/m
HB 1100-335-35-30 AL	1.100 mm	335 mm	35 x 30 mm	6.0 mm	504.95 €/m
HB S AL (custom-made)	Custom dimensions			Proportional	Upon request

Prices and dimensions may contain errors.



The image shows a cross-section of our raised bed structure. The raised bed wall 1 together with the backward bend 2 and support base 3 is stabilised using a gusset plate 4.

Prices for
RAL coatings
available upon
request



Plug-in
system



Product description

The raised beds are made up of several segments that are easily joined together using plug-in connections for quick, straightforward assembly. Standard raised beds can thus be extended individually and flexibly.

The angled shape of the raised beds guarantees a high level of stability, which is reinforced further through the integration of gusset plates in the individual segments. We recommend also

using tie rods for beds taller than 415mm.

This helps them withstand the pressure of being filled with planting soil without buckling. The open frame

construction allows plants to thrive as there is no base element to prevent direct contact with the ground below. The roots can therefore reach and penetrate the earth underneath the raised beds.

The corners are produced in side lengths of 500mm as standard. A corner surcharge is calculated on top of the resulting metre. For more information on pricing, please see the opposite page.



Side lengths and angles can also be made to measure.



Corten steel

Item designation	Height	Support base	Upper backward bend	Material thickness	RRP excl. VAT
HB 275-160-30-30 CS	275 mm	160 mm	30 x 30 mm	3.0 mm	102.06 €/m
HB 415-190-30-30 CS	415 mm	190 mm	30 x 30 mm	3.0 mm	140.44 €/m
HB 500-190-30-30 CS	500 mm	190 mm	30 x 30 mm	3.0 mm	168.30 €/m
HB 550-190-30-30 CS	550 mm	190 mm	30 x 30 mm	3.0 mm	194.13 €/m
HB 700-235-35-30 CS	700 mm	235 mm	35 x 30 mm	4.0 mm	292.21 €/m
HB 900-285-35-30 CS	900 mm	285 mm	35 x 30 mm	4.0 mm	373.01 €/m
HB 1100-335-35-30 CS	1.100 mm	335 mm	35 x 30 mm	5.0 mm	678.18 €/m
HB S CS (custom-made)	Custom dimensions			Proportional	Upon request

Corner surcharge

Applies to both inner and outer corners.

Item designation	Surcharge
HB * 275-160-30-30	46.28 €
HB * 415-190-30-30	58.49 €
HB * 500-190-30-30	61.47 €
HB * 550-190-30-30	61.40 €
HB * 700-235-35-30	68.59 €
HB * 900-285-35-30	74.61 €
HB * 1100-335-35-30	85.46 €
HB * S (custom-made)	Upon request



Plug-in system



Your experts for gardening and landscaping

Partner of the "Garten(t)räume" exhibition hosted by the German Association of Gardening, Landscaping and Recreation Construction (BGL) at the 2016 + 2018 GaLaBau trade fairs in Nuremberg

Prices and dimensions may contain errors.


We also create bespoke solutions in the dimensions, shapes and colours specified by the customer. Even curved and organic shapes are possible upon request, as seen in these examples from the 2016 GaLaBau in Nuremberg.



Round versions possible



From 415 mm height we recommend tie rods



Tie rod trays





Plant boxes – sta **Showcasing p**





standard or custom-made
planters in style



Basio | This corten steel planter is the ideal base for any plant

Basio | made of corten steel. 2.0mm

Square shape

Item designation	Height	Width	Depth	RRP excl. VAT
PKB Q 400-400-400 CS	400 mm	400 mm	400 mm	155.86 €/piece
PKB Q 500-500-500 CS	500 mm	500 mm	500 mm	207.97 €/piece
PKB Q 600-600-600 CS	600 mm	600 mm	600 mm	268.74 €/piece
PKB Q 700-700-700 CS	700 mm	700 mm	700 mm	338.17 €/piece
PKB Q 400-800-800 CS	400 mm	800 mm	800 mm	297.07 €/piece
PKB Q 600-800-800 CS	600 mm	800 mm	800 mm	386.22 €/piece
PKB Q 800-800-800 CS	800 mm	800 mm	800 mm	445.83 €/piece
PKB Q 400-1000-1000 CS	400 mm	1.000 mm	1.000 mm	417.48 €/piece
PKB Q 600-1000-1000 CS	600 mm	1.000 mm	1.000 mm	490.96 €/piece
PKB Q 800-1000-1000 CS	800 mm	1.000 mm	1.000 mm	593.96 €/piece
PKB Q 1000-1000-1000 CS	1.000 mm	1.000 mm	1.000 mm	677.29 €/piece
PKB Q 400-1200-1200 CS	400 mm	1.200 mm	1.200 mm	544.82 €/piece
PKB Q 600-1200-1200 CS	600 mm	1.200 mm	1.200 mm	651.85 €/piece
PKB Q 800-1200-1200 CS	800 mm	1.200 mm	1.200 mm	758.89 €/piece

Rectangular shape

PKB R 400-400-800 CS	400 mm	400 mm	800 mm	240.99 €/piece
PKB R 400-400-1000 CS	400 mm	400 mm	1.000 mm	254.74 €/piece
PKB R 400-400-1200 CS	400 mm	400 mm	1.200 mm	266.73 €/piece
PKB R 400-400-1500 CS	400 mm	400 mm	1.500 mm	317.32 €/piece
PKB R 500-500-1000 CS	500 mm	500 mm	1.000 mm	303.50 €/piece
PKB R 500-500-1200 CS	500 mm	500 mm	1.200 mm	356.19 €/piece
PKB R 500-500-1500 CS	500 mm	500 mm	1.500 mm	400.67 €/piece
PKB R 600-500-1000 CS	600 mm	500 mm	1.000 mm	432.22 €/piece
PKB R 600-500-1200 CS	600 mm	500 mm	1.200 mm	456.31 €/piece
PKB R 600-500-1500 CS	600 mm	500 mm	1.500 mm	484.71 €/piece
PKB R 800-400-800 CS	800 mm	400 mm	800 mm	461.53 €/piece
PKB R 800-400-1000 CS	800 mm	400 mm	1.000 mm	473.02 €/piece
PKB R 800-400-1200 CS	800 mm	400 mm	1.200 mm	543.27 €/piece
PKB R 800-400-1500 CS	800 mm	400 mm	1.500 mm	580.70 €/piece

Prices and dimensions may contain errors.



Made entirely from 2mm corten steel, this plant box has an almost monolithic appearance thanks to its **seamless welded joints**.

Protection against frost and dehydration

The Basio model can be lined with 20mm-thick Styrodur, as needed. This provides the plants with **optimal insulation**, which protects equally against frost and dehydration.



This plant box system with integrated glass screen wall not only provides privacy and protection against wind. it also offers space for lavish planting or an elegant wooden seat.

The system can also be lined on the inside with 20mm-thick Styrodur, providing insulation as needed.

The planters are available in the standard colours **iron mica (DB 703)** and **traffic white (RAL 9016)**. Other RAL colours are available on request.



1. Modular Ventus with clear glass panel (rear) | made of aluminium 1.5 mm

Plant box height: **400 mm**. screen wall height: **1.650 mm** (also in heights of 1.450 mm und 1.850 mm)

Width \ Length	630 mm	880 mm	1.130 mm	1.380 mm	1.600 mm	1.800 mm	2.000 mm
440 mm	749.39 €/pc.	869.04 €/pc.	997.14 €/pc.	1.108.41 €/pc.	1.213.66 €/pc.	1.309.43 €/pc.	1.405.15 €/pc.

Plant box height: **650 mm**. screen wall height: **1.650 mm**

440 mm	759.10 €/pc.	871.73 €/pc.	992.96 €/pc.	1.097.13 €/pc.	1.196.21 €/pc.	1.286.35 €/pc.	1.376.46 €/pc.
--------	--------------	--------------	--------------	----------------	----------------	----------------	----------------

2. Modular Ventus with clear glass panel (centre) | made of aluminium 1.5 mm

Plant box height: **400 mm**. screen wall height: **1.650 mm** (also in heights of 1.450 mm und 1.850 mm)

Width \ Length	630 mm	880 mm	1.130 mm	1.380 mm	1.600 mm	1.800 mm	2.000 mm
480 mm	751.26 €/pc.	871.58 €/pc.	991.88 €/pc.	1.115.90 €/pc.	1.215.51 €/pc.	1.314.49 €/pc.	1.410.75 €/pc.

Plant box height: **650 mm**. screen wall height: **1.650 mm**

480 mm	760.97 €/pc.	874.27 €/pc.	987.70 €/pc.	1.104.61 €/pc.	1.198.06 €/pc.	1.291.41 €/pc.	1.382.06 €/pc.
--------	--------------	--------------	--------------	----------------	----------------	----------------	----------------

3. Modular Ventus with clear glass panel (rear) and bench | made of aluminium 1.5 mm

Plant box height: **400 mm**. screen wall height: **1.650 mm** (also in heights of 1.450 mm und 1.850 mm)

Width \ Length	630 mm	880 mm	1.130 mm	1.380 mm	1.600 mm	1.800 mm	2.000 mm
440 mm	982.64 €/pc.	1.194.85 €/pc.	1.415.51 €/pc.	1.622.65 €/pc.	1.806.04 €/pc.	1.980.14 €/pc.	2.145.62 €/pc.

Prices and dimensions may contain errors.



Modular Ventus | Corten steel plant boxes with glass screen wall



1. Modular Ventus with clear glass panel (rear) | made of corten steel 1.5 mm

Plant box height: **400 mm**. screen wall height: **1.650 mm** (also in heights of 1.450 mm und 1.850 mm)

Width \ Length	Length		Recommended retail price excl. VAT				
	630 mm	880 mm	1.130 mm	1.380 mm	1.600 mm	1.800 mm	2.000 mm
440 mm	688.99 €/pc.	802.81 €/pc.	916.60 €/pc.	1.030.01 €/pc.	1.130.66 €/pc.	1.221.73 €/pc.	1.312.77 €/pc.

Plant box height: **650 mm**. screen wall height: **1.650 mm**

440 mm	689.62 €/pc.	792.47 €/pc.	895.41 €/pc.	989.27 €/pc.	1.088.72 €/pc.	1.171.02 €/pc.	1.253.29 €/pc.
--------	--------------	--------------	--------------	--------------	----------------	----------------	----------------

2. Modular Ventus with clear glass panel (centre) | made of corten steel 1.5 mm

Plant box height: **400 mm**. screen wall height: **1.650 mm** (also in heights of 1.450 mm und 1.850 mm)

Width \ Length	Length		Recommended retail price excl. VAT				
	630 mm	880 mm	1.130 mm	1.380 mm	1.600 mm	1.800 mm	2.000 mm
480 mm	691.29 €/pc.	805.92 €/pc.	920.57 €/pc.	1.035.18 €/pc.	1.136.19 €/pc.	1.227.92 €/pc.	1.319.65 €/pc.

Plant box height: **650 mm**. screen wall height: **1.650 mm**

480 mm	691.92 €/pc.	795.59 €/pc.	899.39 €/pc.	994.44 €/pc.	1.094.25 €/pc.	1.177.21 €/pc.	1.260.16 €/pc.
--------	--------------	--------------	--------------	--------------	----------------	----------------	----------------

3. Modular Ventus with clear glass panel (rear) and bench | made of corten steel 1.5 mm

Plant box height: **400 mm**. screen wall height: **1.650 mm** (also in heights of 1.450 mm und 1.850 mm)

Width \ Length	Length		Recommended retail price excl. VAT				
	630 mm	880 mm	1.130 mm	1.380 mm	1.600 mm	1.800 mm	2.000 mm
440 mm	922.24 €/pc.	1.128.62 €/pc.	1.334.97 €/pc.	1.544.25 €/pc.	1.723.04 €/pc.	1.892.44 €/pc.	2.053.25 €/pc.

Prices and dimensions may contain errors.





1. Modular Ventus with clear glass panel (rear) | made of stainless steel 1.5 mm

Plant box height: **400 mm**. screen wall height: **1.650 mm** (also in heights of 1.450 mm und 1.850 mm)

Width	Length		Recommended retail price excl. VAT				
	630 mm	880 mm	1.130 mm	1.380 mm	1.600 mm	1.800 mm	2.000 mm
440 mm	777.64 €/pc.	907.12 €/pc.	1.036.68 €/pc.	1.166.78 €/pc.	1.280.31 €/pc.	1.383.97 €/pc.	1.487.59 €/pc.

Plant box height: **650 mm**. screen wall height: **1.650 mm**

440 mm	795.35 €/pc.	919.39 €/pc.	1.043.53 €/pc.	1.167.98 €/pc.	1.276.63 €/pc.	1.375.89 €/pc.	1.475.10 €/pc.
--------	--------------	--------------	----------------	----------------	----------------	----------------	----------------

2. Modular Ventus with clear glass panel (centre) | made of stainless steel 1.5 mm

Plant box height: **400 mm**. screen wall height: **1.650 mm** (also in heights of 1.450 mm und 1.850 mm)

Width	Length		Recommended retail price excl. VAT				
	630 mm	880 mm	1.130 mm	1.380 mm	1.600 mm	1.800 mm	2.000 mm
480 mm	790.05 €/pc.	920.77 €/pc.	1.051.57 €/pc.	1.152.95 €/pc.	1.297.54 €/pc.	1.402.23 €/pc.	1.506.82 €/pc.

Height Pflanzkasten: **650 mm**. screen wall height: **1.650 mm** (also in heights of 1.450 mm und 1.850 mm)

480 mm	798.79 €/pc.	924.06 €/pc.	1.049.44 €/pc.	1.145.18 €/pc.	1.284.89 €/pc.	1.385.18 €/pc.	1.485.36 €/pc.
--------	--------------	--------------	----------------	----------------	----------------	----------------	----------------

3. Modular Ventus with clear glass panel (rear) and bench | made of stainless steel 1.5 mm

Plant box height: **400 mm**. screen wall height: **1.650 mm** (also in heights of 1.450 mm und 1.850 mm)

Width	Length		Recommended retail price excl. VAT				
	630 mm	880 mm	1.130 mm	1.380 mm	1.600 mm	1.800 mm	2.000 mm
440 mm	1.010.88 €/pc.	1.232.94 €/pc.	1.455.05 €/pc.	1.681.03 €/pc.	1.872.70 €/pc.	2.054.69 €/pc.	2.228.06 €/pc.

Prices and dimensions may contain errors.



Product description

The plant boxes from the «Modular» series made of aluminum can be easily assembled and screwed together thanks to the individual segments. The screws are inserted through the stabilizing flanges of two segments on the inside and fastened with nuts.



The base plate is also fixed to the plant box using screwed connections.

For larger boxes, tie rods included in the scope of delivery strengthen the product's stability.

Should you wish to add an insulating layer to this plant box, we recommend using 20mm-thick Styrodur sheets that are easy to cut to size and insert. This provides optimal insulation which protects equally against frost and dehydration.



We also produce plastic-coated water basins upon request that protect substrates that are easily soiled.

To save space, the plant boxes are packaged and delivered as individual segments as standard; they can, however, be pre-assembled if preferred.



Besides our standard products listed in the tables on the opposite page, we also manufacture plant boxes with custom dimensions and in any RAL or DB colour. The image below shows a bespoke box made for the "Garten(t)räume" exhibition at the GaLaBau 2018 trade fair. This planting system provides smooth transitions between plant boxes and raised beds.



Corner connector



Your experts for gardening and landscaping

Aluminium 1.5mm
incl. plastic coating

Standard height of the Modular plant box: 400 mm

Width \ Length	RRP excl. VAT				
	440 mm	630 mm	880 mm	1.130 mm	1.380 mm
440 mm	204.53 €	273.17 €	304.77 €	336.31 €	369.71 €
630 mm	273.17 €	344.09 €	379.43 €	414.09 €	448.85 €
880 mm	304.77 €	379.43 €	418.17 €	456.90 €	496.43 €
1.130 mm	336.31 €	414.09 €	456.90 €	500.40 €	544.01 €
1.380 mm	369.71 €	448.85 €	496.43 €	544.01 €	591.71 €

Standardcolour iron mica
DB 703



Standardcolour
pure white RAL 9010

Aluminium 1.5mm
incl. plastic coating

Standard height of the Modular plant box: 650 mm


Width \ Length	RRP excl. VAT				
	440 mm	630 mm	880 mm	1.130 mm	1.380 mm
440 mm	240.19 €	320.26 €	363.34 €	406.51 €	451.31 €
630 mm	320.26 €	402.61 €	449.43 €	495.71 €	541.87 €
880 mm	363.34 €	449.43 €	499.65 €	550.02 €	600.95 €
1.130 mm	406.51 €	495.71 €	550.02 €	605.14 €	660.15 €
1.380 mm	451.31 €	541.87 €	600.95 €	660.15 €	719.25 €

Prices and dimensions may contain errors.

Standardcolour combinations

The plant boxes are produced in the colour combination **pure white (RAL 9010)** and **iron mica (DB 703)** as standard.

Additional colours are also available upon request. however a surcharge covering pre-production costs of €94.14 per colour will apply.



Modular 400 + 650 | Plant boxes with base panel

Standard heights: 400mm and 650mm

Corten steel 1.5 mm

Standard height of the modular plant box: 400mm

Width \ Length	RRP excl. VAT				
	440 mm	630 mm	880 mm	1.130 mm	1.380 mm
440 mm	164.57 €	225.57 €	251.51 €	277.03 €	303.21 €
630 mm	225.57 €	289.28 €	319.63 €	349.17 €	378.82 €
880 mm	251.51 €	319.63 €	354.14 €	388.68 €	424.17 €
1.130 mm	277.03 €	349.17 €	388.68 €	429.05 €	469.55 €
1.380 mm	303.21 €	378.82 €	429.05 €	469.55 €	515.03 €

Corten steel 1.5 mm

Standard height of the modular plant box: 650mm

Width \ Length	RRP excl. VAT				
	440 mm	630 mm	880 mm	1.130 mm	1.380 mm
440 mm	194.86 €	263.57 €	296.86 €	330.23 €	355.27 €
630 mm	263.57 €	335.00 €	372.88 €	410.08 €	438.68 €
880 mm	296.86 €	372.88 €	414.94 €	457.14 €	491.57 €
1.130 mm	330.23 €	410.08 €	457.14 €	505.17 €	544.61 €
1.380 mm	355.27 €	438.68 €	491.57 €	544.61 €	589.03 €

Prices and dimensions may contain errors.



Easy assembly

Pre-assembled upon request



Base panel



The image to the right shows the screwed flange connection on the inside of the plant box.

Product description

The modular corten steel plant boxes are easy to assemble and screw together on the inside thanks to their individual segments. The screws are inserted through the inside flange that joins two segments and are secured using nuts. This goes not only for the side elements of the plant boxes but also for the base plate, which is similarly secured using screwed connections.

Besides joining the individual segments, the flanges also increase stability. The tie rods supplied with the boxes can be used to strengthen them further.

Protection against frost and dehydration

Should you wish to add an insulating layer to this plant box, we recommend using 20mm-thick Styrodur sheets that are easy to cut to size and insert. This provides optimal insulation that protects equally against frost and dehydration (image to the right).

Tie rods

We recommend using tie rods for boxes taller than 415mm as a way of increasing stability and preventing warping. We automatically include these in the scope of delivery at no extra cost (see example below).



To save space, the plant boxes are packaged and delivered as individual segments as standard; they can, however, be pre-assembled if preferred.



Eva living wall | Bring the smallest of spaces to life

200 plants per wall (at a height of 1.944mm)



Steel Magnelis* 2.0 mm


Item designation	Height	Width	Depth below	Depth above	Colour	RRP excl. VAT
EVA O 1176-1450-500 ST	1.176 mm	1.450 mm	500 mm	324 mm	natur / none	866.16 €/Piece
EVA W 1176-1450-500 ST	1.176 mm	1.450 mm	500 mm	324 mm	Pure white	962.40 €/Piece
EVA G 1176-1450-500 ST	1.176 mm	1.450 mm	500 mm	324 mm	Iron mica	962.40 €/Piece
EVA O 1944-1450-500 ST	1.944 mm	1.450 mm	500 mm	209 mm	natur / none	1,295.20 €/Piece
EVA W 1944-1450-500 ST	1.944 mm	1.450 mm	500 mm	209 mm	Pure white	1,439.11 €/Piece
EVA G 1944-1450-500 ST	1.944 mm	1.450 mm	500 mm	209 mm	Iron mica	1,439.11 €/Piece

*Steel with magnesium-zinc coating (10× greater corrosion resistance than galvanised steel + self-healing protection for cut edges)


Prices and dimensions may contain errors.



Set-up option A



Set-up option B



Product description

Available in two different heights, the Eva living wall breathes life into the smallest of spaces thanks to its plantable sides. A specially designed tray enables the wall to also be used indoors.

The required base area of 0.73m² is able to support around 5.7m² of planting space in the taller version: that's almost eight times the size of the wall's footprint - a perfect way to fill tight spaces with greenery.

Moreover, the living wall is easily assembled in minutes using a plug-in system and has plenty of room to accommodate 20 plants per panel. The higher wall can therefore fit 200 and the lower version 120 plants.

Depending on the weight of the filled planting soil, the vertical garden can either be erected as a free-standing unit or installed on top of an additional concrete base and secured with floor anchors.

The sectional drawings above illustrate

the different ways of constructing the wall.

Protection against frost and dehydration

The panels are insulated using Styrodur sheets to protect the plants from frost and heat. The sheets are easy to drill through when planting the walls.

The circular plant slots are 84mm in diameter and therefore accommodate the standard root ball size of plants from 9cm pots.

The Eva living wall is available in three standard versions: either with a natural finish (no surface processing), or with powder coatings in the colours pure white (RAL 9010) or iron mica (DB 703). Additional colours are of course also possible upon request.

Besides adding greenery and thus improving air quality in a room, the Eva living wall also dampens noise and increases privacy.



Plant boxes | with planting trough

Insulating effect thanks to double-walled structure.

Custom measurements
Upon request

Polished stainless steel v2A

Item designation	Height	Width	Depth	RRP excl. VAT
PK 500-500-500 VA	500 mm	500 mm	500 mm	538.37 €/Piece
PK 500-500-1000 VA	500 mm	500 mm	1,000 mm	687.62 €/piece
PK 1000-500-500 VA	1,000 mm	500 mm	500 mm	722.81 €/piece
PK S VA (custom-made)	Custom dimensions			Upon request

h-d-g steel*

Item designation	Height	Width	Depth	RRP excl. VAT
PK 500-500-500 ST	500 mm	500 mm	500 mm	334.19 €/Piece
PK 500-500-1000 ST	500 mm	500 mm	1,000 mm	386.13 €/piece
PK 1000-500-500 ST	1,000 mm	500 mm	500 mm	394.00 €/piece
PK S ST (custom-made)	Custom dimensions			Upon request

* hot-dip galvanised steel

Prices and dimensions may contain errors.



Prices for RAL coatings available upon request



Planting trough

Protects against frost and dehydration


Product description

The double-walled structure of the plant boxes with plant trough inserts protects the contents from frost and dehydration as the insulating air spaces shield plants from both heat and cold.

The 200mm-high troughs are produced with retractable handles as standard, allowing them to be conveniently lifted out and planted. They can also be fitted with fixed handles upon request.

The tapered shape of the trough also facilitates its removal. Moreover, this design prevents the plant trough from incurring frost damage as any ice forming inside the trough can expand and move upwards.

These clever details benefit and protect the plants in the long run and make them easier to look after.



We're also happy to produce bespoke solutions upon request in different dimensions or shapes.



Plant boxes | with panels

Insulating effect thanks to double-walled structure.



Polished stainless steel v2A

Item designation	Height	Width	Depth	RRP excl. VAT
PK P 500-500-500 VA	500 mm	500 mm	500 mm	585.39 €/Piece
PK P 500-500-1000 VA	500 mm	500 mm	1,000 mm	768.91 €/piece
PK P 1000-500-500 VA	1,000 mm	500 mm	500 mm	807.15 €/piece
PK P S VA (custom-made)	Custom dimensions			Upon request

h-d-g steel*

Item designation	Height	Width	Depth	RRP excl. VAT
PK P 500-500-500 ST	500 mm	500 mm	500 mm	429.62 €/Piece
PK P 500-500-1000 ST	500 mm	500 mm	1,000 mm	535.75 €/piece
PK P 1000-500-500 ST	1,000 mm	500 mm	500 mm	546.84 €/piece
PK P S ST (custom-made)	Custom dimensions			Upon request

* hot-dip galvanised steel

Prices and dimensions may contain errors.



Prices for RAL coatings available upon request

Protects against frost and dehydration

Panels



Product description

The double-walled construction of the plant boxes with panels fitted to the inside protects the plants from frost and dehydration. This protection is aided through the insulating air spaces, which form a gap between the soil and the outer shell.

The image above showing two open side walls clearly illustrates the well-designed system.

This version can be completely filled with soil and is particularly well suited to larger tub plants with pronounced root balls and thus a greater need for space.

The clever details incorporated into this plant box benefit and protect the plants in the long

run and make them easier to look after.

We're also happy to produce bespoke solutions upon request in different dimensions or shapes.

ALL RAL colours possible





Richard Brink GmbH & Co. KG

Metalware Production and Sales

Germany

Görlitzer Straße 1
33758 Schloß Holte-Stukenbrock
T +49 (0)5207 95 04-0
F +49 (0)5207 95 04-20

anfragen@richard-brink.de
bestellungen@richard-brink.de

Austria

Rosenheim 112 b
9805 Baldramsdorf
T +43 (0)4762 75 00-0
F +43 (0)4762 75 00-04

anfragen@richard-brink.at
bestellungen@richard-brink.at

Netherlands

Capitool 10
7521PL Enschede
T +31 (0)85 210 0519
M +31 (0)64 420 9309

aanvragen@richard-brink.nl
bestellingen@richard-brink.nl

France

50. avenue d'Alsace
68000 Colmar
T +49 (0)5207 95 04 224
T +33 6 79 87 58 17

demandes@richard-brink.fr
commandes@richard-brink.fr

www.richard-brink.com

Spring brochure Planting systems 2023

Upon request:

**Aluminium. steel. corten steel
and stainless steel strip edgings**

With integrated concrete anchors and a material
thickness of up to 10mm

Strip edging including round hole anchors
Strip edging with integrated
trapezium anchors