



Double slit grating ***Gemini***



reddot award 2015
best of the best

Doppelschlitzrost **Gemini**
with inlet for stone insert

Double-slot gratings Gemini | made of stainless steel (V2A) 3,0 mm



Standard grating length: 1,000 to 1,500 mm feasible using just one part



Heavy-Duty Version see price list
Heavy-Duty-Dewatering systems

Item designation	for inflow width	Height	Slot widths
DRR GG 100-20	100 mm	20 mm	2 x 9 mm
DRR GG 140-20	140 mm	20 mm	2 x 9 mm
DRR GG 160-20	160 mm	20 mm	2 x 9 mm
DRR GG 200-20	200 mm	20 mm	2 x 9 mm

Two removal hooks are provided upon request.



Double-slot gratings Gemini | made of stainless steel (V2A) 2,0 mm

Standard grating length: 1,000 mm, with inlet for 20 mm thick stone inlay




Heavy-Duty Version see price list
Heavy-Duty-Dewatering systems

Item designation	for inflow width	Height from Supporting base	Slot widths	Stone width	Stone height
DRR GS 100-33	100 mm	33 mm*	2 x 9 mm	69 mm	20 mm
DRR GS 140-33	140 mm	33 mm*	2 x 9 mm	109 mm	20 mm
DRR GS 160-33	160 mm	33 mm*	2 x 9 mm	129 mm	20 mm
DRR GS 200-33	200 mm	33 mm*	2 x 9 mm	171 mm	20 mm
DRR GS 250-33	250 mm	33 mm*	2 x 9 mm	219 mm	20 mm

Two removal hooks are provided upon request.

* with 40mm total height



reddot award 2015
best of the best



Double-slot gratings Gemini | made of stainless steel (V2A) 2,0 mm

Standard grating length: 1,000 mm, with inlet for 30 mm thick stone inlay




Heavy-Duty Version see price list
Heavy-Duty-Dewatering systems


Item designation	for inflow width	Height from Supporting base	Slot widths	Stone width	Stone height
DRR GS 100-43	100 mm	43 mm*	2 x 9 mm	69 mm	30 mm
DRR GS 140-43	140 mm	43 mm*	2 x 9 mm	109 mm	30 mm
DRR GS 160-43	160 mm	43 mm*	2 x 9 mm	129 mm	30 mm
DRR GS 200-43	200 mm	43 mm*	2 x 9 mm	171 mm	30 mm
DRR GS 250-43	250 mm	43 mm*	2 x 9 mm	219 mm	30 mm


Two removal hooks are provided upon request.

* with 50mm total height



reddot award 2015
best of the best





Heavy-duty double slot channel Gemini Magna | made of stainless steel (V2A) 3.0 mm

Standard length: 1,000 mm


Item designation	Nominal dimensions	Load class	Length	Width	Height	Slits	Stone width
DN100 D 400 H 205							
ER GS M 2x13-153-105-205 VA	DN 100	D 400*	1.000 mm	153 mm	205 mm	2 x 13 mm	113 mm
DN150 D 400 H 255							
ER GS M 2x13-203-105-255 VA	DN 150	D 400*	1.000 mm	203 mm	255 mm	2 x 13 mm	163 mm

Heavy-duty double slot channel Gemini Magna | made of h-d-g steel 3.0 mm


Standard length: 1,000 mm

Item designation	Nominal dimensions	Load class	Length	Width	Height	Slits	Stone width
DN100 D 400 H 205							
ER GS M 2x13-153-105-205 ST	DN 100	D 400*	1.000 mm	153 mm	205 mm	2 x 13 mm	113 mm
DN150 D 400 H 255							
ER GS M 2x13-203-105-255 ST	DN 150	D 400*	1.000 mm	203 mm	255 mm	2 x 13 mm	163 mm

DN100



DN150



* Based on the respective load class

Richard Brink GmbH & Co. KG

Metalware Production and Sales

Germany

Görlitzer Straße 1
33758 Schloß Holte-Stukenbrock
T +49 (0)5207 95 04-0
F +49 (0)5207 95 04-20

anfragen@richard-brink.de
bestellungen@richard-brink.de

Austria

Rosenheim 112 b
9805 Baldramsdorf
T +43 (0)4762 75 00-0
F +43 (0)4762 75 00-04

anfragen@richard-brink.at
bestellungen@richard-brink.at

Netherlands

Capitool 10
7521PL Enschede
T +31 (0)85 210 0519
M +31 (0)64 420 9309

aanvragen@richard-brink.nl
bestellingen@richard-brink.nl

France

50, avenue d'Alsace
68000 Colmar
T +49 (0)5207 95 04 224
T +33 6 79 87 58 17

demandes@richard-brink.fr
commandes@richard-brink.fr

www.richard-brink.com

