


Spring 2025 brochure Planting systems

From garden edging solutions to raised beds



DRAINAGE AND
DEWATERING SYSTEMS

HEAVY-DUTY
SYSTEMS

ROOF AND WALL
SYSTEMS

PLANTING
SYSTEMS

BATHROOM AND
KITCHEN SYSTEMS

Make your *world* a little bit *greener*!

Edging solutions, plant boxes, raised beds – we produce everything in Germany and deliver to you directly.

Whether for gardens, rooftops or ground-floor terraces, balconies or paved open spaces: our range of products has everything you need to add structure to your green space.

All of the products featured in our spring brochure have one thing in common – they frame and accentuate green and open spaces alike. Edging solutions and steel strips are used to delimit spaces at ground level, while plant boxes and raised beds create elevated greenery.

In terms of materials, you can choose from aluminium, hot-dip galvanised steel, corten steel and stainless steel, depending on the product.

What's more, plant boxes and raised beds made from aluminium can be powder coated in the RAL colour of your choice.

Besides our standard dimensions, many of our articles can also be made to measure.

With our well-thought-out, individual assortment, you are sure to find the product you need – **high-quality, custom-made** on request, and therefore **quick** and **easy** to assemble.

Breathe life into your outdoor space!
Richard Brink

The right bed for every plant

On request, we can adapt the size of our plant boxes and raised beds to give even trees a generous foundation in which to take root.

But it's not just the dimensions that make our planting systems special; the ability to create bespoke shapes, both geometric and organic, gives your projects a unique and therefore personal touch.

A picture really is worth a thousand words here. See for yourself and take inspiration from our past projects.

You can find them at:

www.richard-brink.de/en/references



Prices and dimensions listed in this spring brochure are subject to change.



Ora straight edgings – the cutting edge of garden design

Ora straight edgings | made of stainless steel (V2A), 1.5 mm

Standard length: 3,000 mm

Item designation	Height	Sample prices per running metre (rm) RRP excl. VAT							
		from 3 rm	from 9 rm	from 18 rm	from 30 rm	from 51 rm	from 102 rm	from 201 rm	from 402 rm
BE G 10-100-50 VA	100 mm	52.80 €/m	37.97 €/m	33.21 €/m	30.46 €/m	28.58 €/m	26.58 €/m	24.82 €/m	23.18 €/m
BE G 10-150-50 VA	150 mm	60.57 €/m	45.41 €/m	40.32 €/m	37.24 €/m	35.03 €/m	32.69 €/m	30.59 €/m	28.63 €/m

Ora straight edgings | made of aluminium, 1.5 mm

Standard length: 3,000 mm

Item designation	Height	Sample prices per running metre (rm) RRP excl. VAT							
		from 3 rm	from 9 rm	from 18 rm	from 30 rm	from 51 rm	from 102 rm	from 201 rm	from 402 rm
BE G 10-100-50 AL	100 mm	37.03 €/m	22.50 €/m	18.35 €/m	16.26 €/m	15.06 €/m	13.76 €/m	12.67 €/m	11.73 €/m
BE G 10-150-50 AL	150 mm	39.62 €/m	24.97 €/m	20.71 €/m	18.51 €/m	17.20 €/m	15.79 €/m	14.59 €/m	13.54 €/m

Ora straight edgings | made of corten steel, 1.5 mm

Standard length: 3,000 mm

Item designation	Height	Sample prices per running metre (rm) RRP excl. VAT							
		from 3 rm	from 9 rm	from 18 rm	from 30 rm	from 51 rm	from 102 rm	from 201 rm	from 402 rm
BE G 10-100-50 CS	100 mm	37.85 €/m	23.90 €/m	19.84 €/m	17.74 €/m	16.48 €/m	15.13 €/m	13.98 €/m	12.97 €/m
BE G 10-150-50 CS	150 mm	41.13 €/m	27.03 €/m	22.82 €/m	20.59 €/m	19.20 €/m	17.70 €/m	16.41 €/m	15.45 €/m

Not only gemstone deserve a beautiful setting

Our edging solutions can be used not only to frame flower beds, but also to line paved surfaces.

To hold them firmly in place, we supply earth pins that can be knocked into the ground, even through gravel surfaces.

The layer of wood chips that sits over the gravel and the paving stones placed on top provide the edging solutions with added stability. The edging solutions and flooring material therefore support each other.



From curved contours to straight lines

Straight and flexible edging solutions are easily combined using our uniform combination connectors.

Fixed connectors

Item designation	Material	Height	RRP excl. VAT
BE V 100 AL/VA	Stainless steel	100 mm	3.28 €/unit
BE V 150 AL/VA	Stainless steel	150 mm	4.00 €/unit
BE V 100 CS	Corten	100 mm	2.75 €/unit
BE V 150 CS	Corten	150 mm	3.11 €/unit

Combination connectors

Item designation	Material	Height	RRP excl. VAT.
BE V 100 AL/VA K	Stainless steel	100 mm	5.83 €/unit
BE V 150 AL/VA K	Stainless steel	150 mm	6.95 €/unit
BE V 100 CS K	Corten	100 mm	5.24 €/unit
BE V 150 CS K	Corten	150 mm	5.98 €/unit

Earth pins | made of hot-dip galvanised steel

Length: 210 mm, Ø 7 mm

Item designation	RRP excl. VAT			
	from 1 unit	from 400 units	from 800 units	from 1200 units
BE Earth pins	0.99 €/unit	0.92 €/unit	0.84 €/unit	0.76 €/unit

Earth pins are used to fix the solutions to the ground and can be hammered through the respective holes featured along the supporting base. The base sections themselves prevent the edging solutions from sinking into the ground.

A beeline across the garden

Our edging solutions, consisting of side walls and a supporting base, are designed to run straight as an arrow.

The same can generally not be said of conventional flower bed edging solutions and lawn edgings, whose blunt walls are simply knocked into the ground.

Whether for trimming a lawn or lining paved walkways – our flower bed edging solutions are sure to give you the edge.

10 mm visible border flange

50 mm anchoring section

Ora flexible edgings – above the curve

Ora Flexible edging solutions | made of stainless steel (V2A), 1.5 mm

Standard length: 3,000 mm

Item designation	Height	Sample prices per running metre (rm) RRP excl. VAT							
		from 3 rm	from 9 rm	from 18 rm	from 30 rm	from 51 rm	from 102 rm	from 201 rm	from 402 rm
BE F 10-100-50 VA	100 mm	58.62 €/m	43.54 €/m	38.53 €/m	35.54 €/m	33.41 €/m	31.17 €/m	29.14 €/m	27.26 €/m
BE F 10-150-50 VA	150 mm	66.40 €/m	50.99 €/m	45.65 €/m	42.32 €/m	39.85 €/m	37.28 €/m	34.92 €/m	32.70 €/m

Ora Flexible edging solutions | made of aluminium, 1.5 mm

Standard length: 3,000 mm

Item designation	Height	Sample prices per running metre (rm) RRP excl. VAT							
		from 3 rm	from 9 rm	from 18 rm	from 30 rm	from 51 rm	from 102 rm	from 201 rm	from 402 rm
BE F 10-100-50 AL	100 mm	43.02 €/m	28.25 €/m	23.83 €/m	21.50 €/m	20.03 €/m	18.46 €/m	17.13 €/m	15.93 €/m
BE F 10-150-50 AL	150 mm	45.61 €/m	30.72 €/m	26.19 €/m	23.75 €/m	22.18 €/m	20.50 €/m	19.05 €/m	17.74 €/m

Ora Flexible edging solutions | made of corten steel, 1.5 mm

Standard length: 3,000 mm

Item designation	Height	Sample prices per running metre (rm) RRP excl. VAT							
		from 3 rm	from 9 rm	from 18 rm	from 30 rm	from 51 rm	from 102 rm	from 201 rm	from 402 rm
BE F 10-100-50 CS	100 mm	43.57 €/m	29.37 €/m	25.06 €/m	22.72 €/m	21.22 €/m	19.62 €/m	18.24 €/m	16.98 €/m
BE F 10-150-50 CS	150 mm	46.84 €/m	32.50 €/m	28.05 €/m	25.57 €/m	23.93 v	22.19 €/m	20.66 €/m	19.27 €/m

Lush green right to the very edge

When setting borders around lawn areas, many conventional methods use concrete to surround and support edging stones.

This results in a lack of soil underneath the turf that sits adjacent to the stones, which leaves the turf lacking in nutrients and moisture.

Our edgings offer an optimised solution. They allow plenty of space for soil and thus grass as no concrete is required to support the side of the edging that faces the lawn.



Fixed connectors

Item designation	Material	Height	RRP excl. VAT
BEV 100 AL/VA	Stainless steel	100 mm	3.28 €/unit
BEV 150 AL/VA	Stainless steel	150 mm	4.00 €/unit
BE V 100 CS	Corten	100 mm	2.75 €/unit
BE V 150 CS	Corten	150 mm	3.11 €/unit

Combination connectors

Item designation	Material	Height	RRP excl. VAT
BE V 100 AL/VA K	Stainless steel	100 mm	5.83 €/unit
BE V 150 AL/VA K	Stainless steel	150 mm	6.95 €/unit
BE V 100 CS K	Corten	100 mm	5.24 €/unit
BE V 150 CS K	Corten	150 mm	5.98 €/unit

The stainless steel connectors are also used with our aluminium edging solutions.

Earth pins | made of hot-dip galvanised steel

Length: 210 mm, Ø 7 mm

Item des.	RRP excl. VAT			
	from 1 unit	from 400 units	from 800 units	from 1200 units
BE earth pins	0.99 €/unit	0.92 €/unit	0.84 €/unit	0.76 €/unit

Earth pins are used to fix the solutions to the ground and can be hammered through the respective holes featured along the supporting base. The base sections themselves prevent the edging solutions from sinking into the ground.

Winding through the garden

Whether used to create geometrically radial or organic shapes – our edging solutions trace your design ideas at every twist and turn, delineating flower beds and walkways alike. The edgings are simply bent into shape by hand to achieve the desired contours on site.

Watch our info films on the topic of edging solutions at:

www.richard-brink.de/en/lawn-edging-video

10 mm
visible border
flange


50 mm
anchoring
section

Ora Max strip edgings – durable and flexible

The prices of our strip edgings are subject to constant adjustments due to the cost of materials purchased in advance. The prices listed in this brochure reflect approximate pricing as per March 2025. **Please contact us for current prices.** Smaller quantities are also subject to a price adjustment.

Ora Max HDG steel* strip edgings, 5 mm | with trapezium anchors


Standard length: 3,000mm (see our online shop for additional material thicknesses and heights)



Item designation	Height	Total height	Sample prices per running metre (rm) RRP excl. VAT			
			from 30 rm	from 51 rm	from 102 rm	from 201 rm
SB 50-5 ST	50 mm	100 mm	23.48 €/m	22.19 €/m	21.27 €/m	20.81 €/m
SB 100-5 ST	100 mm	150 mm	33.25 €/m	31.95 €/m	31.03 €/m	30.57 €/m
SB 125-5 ST	125 mm	175 mm	38.13 €/m	36.83 €/m	35.91 €/m	35.45 €/m

Ora Max HDG steel* strip edgings, 5 mm | with round hole anchors

Standard length: 3,000mm (see our online shop for additional material thicknesses and heights)



Item designation	Height	Total height	Sample prices per running metre (rm) RRP excl. VAT			
			from 30 rm	from 51 rm	from 102 rm	from 201 rm
SB 150-5 ST	150 mm	38.13 €/m	36.83 €/m	35.91 €/m	35.45 €/m	
SB 200-5 ST	200 mm	47.89 €/m	46.59 €/m	45.67 €/m	45.21 €/m	
SB 250-5 ST	250 mm	57.65 €/m	56.35 €/m	55.43 €/m	54.97 €/m	
SB 300-5 ST	300 mm	67.41 €/m	66.12 €/m	65.19 €/m	64.74 €/m	
SB 375-5 ST	375 mm	82.05 €/m	80.76 €/m	79.83 €/m	79.38 €/m	
SB 400-5 ST	400 mm	86.93 €/m	85.64 €/m	84.71 €/m	84.26 €/m	
SB 500-5 ST	500 mm	106.45 €/m	105.16 €/m	104.24 €/m	103.78 €/m	

*HDG steel = hot-dip galvanised steel



Steel strips – our sturdy flower bed and path edgings

Similar to our flower bed edging solutions, strip edgings are primarily used to clearly distinguish between individual areas such as flower beds and paths. However, they can also be used as design elements for areas featuring loose fills and paved surfaces.

When used in this way, the strips are produced in a much thicker material as they have to withstand much higher loads. Our material thicknesses start at 3mm and continue to 4, 5, 6 and 8mm right over to a maximum of 10mm.



Current prices:
www.richard-brink.de/en/strip-edging

Pre-curved on request


If their thickness allows, our strip edgings can also be bent to shape gentle curves. If you are looking for more pronounced or circular contours, we can also create bespoke angles as required.



Our strip edgings are available in hot-dip galvanised steel, corten steel, stainless steel and aluminium as standard. We can also produce crude steel strip edgings on request.

Ora Max Corten steel strip edgings, 5 mm | with trapezium anchors


Standard length: 3,000mm (see our online shop for additional material thicknesses and heights)



Item designation	Height	Total height	Sample prices per running metre (rm) RRP excl. VAT			
			from 30 rm	from 51 rm	from 102 rm	from 201 rm
SB 50-5 CS	50 mm	100 mm	20.19 €/m	18.90 €/m	17.97 €/m	17.52 €/m
SB 100-5 CS	100 mm	150 mm	27.80 €/m	26.51 €/m	25.58 €/m	25.13 €/m
SB 125-5 CS	125 mm	175 mm	31.61 €/m	30.31 €/m	29.39 €/m	28.93 €/m

Ora Max Corten steel strip edgings, 5 mm | with round hole anchors

Standard length: 3,000mm (see our online shop for additional material thicknesses and heights)



Item designation	Height	Total height	Sample prices per running metre (rm) RRP excl. VAT			
			from 30 rm	from 51 rm	from 102 rm	from 201 rm
SB 150-5 CS	150 mm	31.61 €/m	30.31 €/m	29.39 €/m	28.93 €/m	
SB 200-5 CS	200 mm	39.22 €/m	37.93 €/m	37.00 €/m	36.55 €/m	
SB 250-5 CS	250 mm	46.83 €/m	45.54 €/m	44.61 €/m	44.16 €/m	
SB 300-5 CS	300 mm	54.44 €/m	53.15 €/m	52.22 €/m	51.77 €/m	
SB 375-5 CS	375 mm	65.86 €/m	64.57 €/m	63.64 €/m	63.19 €/m	
SB 400-5 CS	400 mm	69.67 €/m	68.37 €/m	67.45 €/m	66.99 €/m	
SB 500-5 CS	500 mm	84.89 €/m	83.59 €/m	82.67 €/m	82.21 €/m	




Ora Max strip edgings – durable and flexible

The prices of our strip edgings are subject to constant adjustments due to the cost of materials purchased in advance. The prices listed in this brochure reflect approximate pricing as per March 2025. **Please contact us for current prices.** Smaller quantities are also subject to a price adjustment.

Ora Max aluminium strip edgings, 5 mm | with trapezium anchors


Standard length: 3,000mm (see our online shop for additional material thicknesses and heights)



Item designation	Height	Height incl. anchor	Sample prices per running metre (rm) RRP excl. VAT			
			from 30 rm	from 51 rm	from 102 rm	from 201 rm
SB 50-5 ST	50 mm	100 mm	16.96 €/m	15.66 €/m	14.74 €/m	14.28 €/m
SB 100-5 ST	100 mm	150 mm	22.62 €/m	21.33 €/m	20.40 €/m	19.95 €/m
SB 125-5 ST	125 mm	175 mm	25.45 €/m	24.16 €/m	23.23 €/m	22.78 €/m

Ora Max aluminium strip edgings, 5 mm | with round hole anchors

Standard length: 3,000mm (see our online shop for additional material thicknesses and heights)



Item designation	Height	Sample prices per running metre (rm) RRP excl. VAT			
		from 30 rm	from 51 rm	from 102 rm	from 201 rm
SB 150-5 ST	150 mm	25.45 €/m	24.16 €/m	23.23 €/m	22.78 €/m
SB 200-5 ST	200 mm	31.12 €/m	29.82 €/m	28.90 €/m	28.44 €/m
SB 250-5 ST	250 mm	36.78 €/m	35.49 €/m	34.57 €/m	34.11 €/m
SB 300-5 ST	300 mm	42.45 €/m	41.16 €/m	40.23 €/m	39.78 €/m
SB 375-5 ST	375 mm	50.95 €/m	49.65 €/m	48.73 €/m	48.27 €/m
SB 400-5 ST	400 mm	53.78 €/m	52.49 €/m	51.56 €/m	51.11 €/m
SB 500-5 ST	500 mm	65.11 €/m	63.82 €/m	62.89 €/m	62.44 €/m



Steel strips – our sturdy flower bed and path edgings

Similar to our flower bed edging solutions, strip edgings are primarily used to clearly distinguish between individual areas such as flower beds and paths. However, they can also be used as design elements for areas featuring loose fills and paved surfaces.

When used in this way, the strips are produced in a much thicker material as they have to withstand much higher loads. Our material thicknesses start at 3mm and continue to 4, 5, 6 and 8mm right over to a maximum of 10mm.




Current prices:
www.richard-brink.de/en/strip-edging

Pre-curved on request


If their thickness allows, our strip edgings can also be bent to shape gentle curves. If you are looking for more pronounced or circular contours, we can also create bespoke angles as required.

Besides aluminium and stainless steel strip edgings, we provide edgings in hot-dip galvanised steel and corten steel. We can also produce crude steel strip edgings on request.



Ora Max stainless strip edgings, 5 mm | with trapezium anchors


Standard length: 3,000mm (see our online shop for additional material thicknesses and heights)



Item designation	Height	Height incl. anchor	Sample prices per running metre (rm) RRP excl. VAT			
			from 30 rm	from 51 rm	from 102 rm	from 201 rm
SB 50-5 VA	50 mm	100 mm	34.73 €/m	33.43 €/m	32.51 €/m	32.05 €/m
SB 100-5 VA	100 mm	150 mm	51.01 €/m	49.72 €/m	48.80 €/m	48.34 €/m
SB 125-5 VA	125 mm	175 mm	59.16 €/m	57.86 €/m	56.94 €/m	56.48 €/m

Ora Max stainless strip edgings, 5 mm | with round hole anchors

Standard length: 3,000mm (see our online shop for additional material thicknesses and heights)



Item designation	Height	Sample prices per running metre (rm) RRP excl. VAT			
		from 30 rm	from 51 rm	from 102 rm	from 201 rm
SB 150-5 VA	150 mm	59.16 €/m	57.86 €/m	56.94 €/m	56.48 €/m
SB 200-5 VA	200 mm	75.44 €/m	74.15 €/m	73.22 €/m	72.77 €/m
SB 250-5 VA	250 mm	91.73 €/m	90.43 €/m	89.51 €/m	89.05 €/m
SB 300-5 VA	300 mm	108.01 €/m	106.72 €/m	105.80 €/m	105.34 €/m
SB 375-5 VA	375 mm	132.44 €/m	131.15 €/m	130.22 €/m	129.77 €/m
SB 400-5 VA	400 mm	140.59 €/m	139.29 €/m	138.37 €/m	137.91 €/m
SB 500-5 VA	500 mm	173.16 €/m	171.86 €/m	170.94 €/m	170.48 €/m



Basio plant box – the rust-coloured monolith

Basio plant boxes **square** | made of corten steel, 2.0 mm

Item designation	Height	Width	Depth	RRP excl. VAT
PKB Q 400-400-400 CS	400 mm	400 mm	400 mm	160.85 €
PKB Q 500-500-500 CS	500 mm	500 mm	500 mm	214.63 €
PKB Q 600-600-600 CS	600 mm	600 mm	600 mm	277.34 €
PKB Q 700-700-700 CS	700 mm	700 mm	700 mm	348.99 €
PKB Q 400-800-800 CS	400 mm	800 mm	800 mm	306.58 €
PKB Q 600-800-800 CS	600 mm	800 mm	800 mm	398.58 €
PKB Q 800-800-800 CS	800 mm	800 mm	800 mm	460.10 €
PKB Q 400-1000-1000 CS	400 mm	1,000 mm	1,000 mm	430.84 €
PKB Q 600-1000-1000 CS	600 mm	1,000 mm	1,000 mm	506.67 €
PKB Q 800-1000-1000 CS	800 mm	1,000 mm	1,000 mm	612.97 €
PKB Q 1000-1000-1000 CS	1,000 mm	1,000 mm	1,000 mm	698.96 €
PKB Q 400-1200-1200 CS	400 mm	1,200 mm	1,200 mm	562.25 €
PKB Q 600-1200-1200 CS	600 mm	1,200 mm	1,200 mm	672.71 €
PKB Q 800-1200-1200 CS	800 mm	1,200 mm	1,200 mm	783.17 €

The layer of rust typical of corten steel takes some time to build up depending on the weather. The plant box therefore usually has a steel-grey look when it is first delivered.

If requested by the customer, we can pretreat the plant boxes to speed up the oxidation process, however the same result can be achieved after a few weeks outdoors.

We also provide stainless-steel carry handles that make it easier to move the plant boxes around. The handles are simply inserted under the **Basio**'s backward bend.

Square, practical, high quality –

these are the characteristics of our square Basio plant box in a nutshell. Its seamlessly welded outer shell made from 2mm corten steel appears to have been made from a single mould and can be lined with 20mm Styrodur insulation on request.

Not only can the upper backward bend discreetly hold the insulation boards, it also gives the plant box a solid appearance.

The **Basio** plant boxes feature drain holes in the base to prevent water-logging.

Basio plant boxes **rectangular** | made of corten steel, 2.0 mm

Item designation	Height	Width	Depth	RRP excl. VAT
PKB R 400-400-800 CS	400 mm	400 mm	800 mm	248.70 €
PKB R 400-400-1000 CS	400 mm	400 mm	1,000 mm	262.89 €
PKB R 400-400-1200 CS	400 mm	400 mm	1,200 mm	275.27 €
PKB R 400-400-1500 CS	400 mm	400 mm	1,500 mm	327.47 €
PKB R 500-500-1000 CS	500 mm	500 mm	1,000 mm	313.21 €
PKB R 500-500-1200 CS	500 mm	500 mm	1,200 mm	367.59 €
PKB R 500-500-1500 CS	500 mm	500 mm	1,500 mm	413.49 €
PKB R 600-500-1000 CS	600 mm	500 mm	1,000 mm	446.05 €
PKB R 600-500-1200 CS	600 mm	500 mm	1,200 mm	470.91 €
PKB R 600-500-1500 CS	600 mm	500 mm	1,500 mm	500.22 €
PKB R 800-400-800 CS	800 mm	400 mm	800 mm	476.30 €
PKB R 800-400-1000 CS	800 mm	400 mm	1,000 mm	488.16 €
PKB R 800-400-1200 CS	800 mm	400 mm	1,200 mm	560.65 €
PKB R 800-400-1500 CS	800 mm	400 mm	1,500 mm	599.28 €

More spatial in a rectangle

We produce our **Basio** plant boxes not only as a square but also in a rectangular form.

These boxes are larger, however they boast all the attributes of their square counterparts.

They, too, can be fitted with an insulating layer of Styrodur on request and the surface can similarly be prewethered.



Modular plant box – made of corten steel, aluminium or stainless steel

Modular 400 plant boxes | made of corten steel, 1.5 mm

Length width	RRP excl. VAT							
	440 mm	630 mm	880 mm	1,130 mm	1,380 mm	1,600 mm	1,800 mm	2,000 mm
440 mm	169.83 €	232.78 €	259.36 €	285.87 €	312.83 €	335.92 €	363.00 €	378.45 €
630 mm	232.78 €	298.54 €	329.87 €	360.33 €	390.95 €	417.73 €	442.47 €	467.21 €
880 mm	259.36 €	329.87 €	365.49 €	401.11 €	437.75 €	469.70 €	497.88 €	526.92 €
1,130 mm	285.87 €	360.33 €	401.11 €	442.75 €	484.56 €	520.80 €	554.14 €	587.48 €
1,380 mm	312.83 €	390.95 €	437.75 €	484.56 €	531.52 €	572.06 €	609.71 €	647.35 €

Modular 650 plant boxes | made of corten steel, 1.5 mm

Length width	RRP excl. VAT							
	440 mm	630 mm	880 mm	1,130 mm	1,380 mm	1,600 mm	1,800 mm	2,000 mm
440 mm	201.07 €	271.96 €	306.34 €	340.77 €	366.63 €	405.30 €	438.60 €	460.25 €
630 mm	271.96 €	345.66 €	384.79 €	423.17 €	452.69 €	495.05 €	526.01 €	556.95 €
880 mm	306.34 €	384.79 €	428.21 €	471.75 €	507.29 €	554.82 €	589.22 €	624.46 €
1,130 mm	340.77 €	423.17 €	471.75 €	521.31 €	562.02 €	613.84 €	653.40 €	692.94 €
1,380 mm	366.63 €	452.69 €	507.29 €	562.02 €	607.88 €	664.00 €	707.87 €	751.71 €

Stores small, builds big!

As the name implies, our **Modular** plant boxes are made up of various components such as straight and corner sections, which can be screwed together on site.

The smallest variant measures 440mm x 440mm and comprises just four corner pieces. Straight wall sections can then be added to expand the boxes.

Precisely-fitting, screw-on bases close the bottom of the plant box.



The boxes can also be insulated with 20mm-thick Styrodur, protecting their contents from heat and cold in equal measure. You can either insert the insulation yourself or have us do it for you for a small extra fee.

Corner strut reinforcement

Regardless of material, all **Modular** plant boxes can be fitted with corner struts to increase stability and prevent deformation caused by the soil fill.

The struts are always included in the delivery.



Modular 400 plant boxes | made of aluminium, 1.5 mm, powder coated

Length width	RRP excl. VAT							
	440 mm	630 mm	880 mm	1,130 mm	1,380 mm	1,600 mm	1,800 mm	2,000 mm
440 mm	211.05 €	281.90 €	314.52 €	347.05 €	381.53 €	408.38 €	434.51 €	460.57 €
630 mm	281.90 €	355.08 €	391.56 €	427.30 €	463.20 €	494.65 €	523.62 €	552.53 €
880 mm	314.52 €	391.56 €	431.55 €	471.50 €	512.32 €	547.98 €	579.76 €	612.18 €
1,130 mm	347.05 €	427.30 €	471.50 €	516.37 €	561.40 €	600.57 €	636.57 €	672.50 €
1,380 mm	381.53 €	463.20 €	512.32 €	561.40 €	610.64 €	653.32 €	692.83 €	732.27 €

Modular 650 plant boxes | made of aluminium, 1.5 mm, powder coated

Length width	RRP excl. VAT							
	440 mm	630 mm	880 mm	1,130 mm	1,380 mm	1,600 mm	1,800 mm	2,000 mm
440 mm	247.89 €	330.54 €	374.98 €	419.55 €	465.79 €	503.08 €	538.67 €	574.21 €
630 mm	330.54 €	415.52 €	463.82 €	511.60 €	559.26 €	601.15 €	639.58 €	677.97 €
880 mm	374.98 €	463.82 €	515.63 €	567.62 €	620.20 €	666.30 €	707.54 €	749.44 €
1,130 mm	419.55 €	511.60 €	567.62 €	624.53 €	681.32 €	730.93 €	776.39 €	821.80 €
1,380 mm	465.79 €	559.26 €	620.20 €	681.32 €	742.32 €	795.44 €	844.41 €	893.33 €

The **Modular** plant boxes made from aluminium are available in two colours as standard:
1. as a light-coloured model in **pure white (RAL 9010)** and
2. as a dark-coloured model in **iron mica (DB 703)**

Additional colours are available on request.

You can find the prices of our stainless steel variants in our online configurator.

Plant boxes are also raised beds

Whoever decided that plant boxes were destined to sit only on terraces, balconies and paved surfaces in general?

Try placing plant boxes in the middle of the garden to create a tiered bed.

On the picture to the right, for example, plant boxes from our Modular line have been integrated into a gentle slope, giving it extra stability. The plants that now flow down it, such as lady's mantle, surround the boxes, while other plants such as catnip, sage and lavender grow out of them.



Modular Ventus plant box – planting, privacy and protection against wind

Modular Ventus plant boxes with clear glass panel (rear) | made of corten steel, 1.5 mm

Width \ Length	RRP excl. VAT					
	630 mm	880 mm	1,130 mm	1,380 mm	1,600 mm	2,000 mm
Plant box height: 400 mm, partition wall height: 1,650 mm (also available in heights of 1,450mm and 1,850mm)						
440 mm	567.56 €	657.76 €	747.90 €	837.69 €	917.56 €	1,061.91 €
Plant box height: 650 mm, partition wall height: 1,650 mm (also available in heights of 1,450mm and 1,850mm)						
440 mm	579.74 €	664.38 €	749.06 €	824.39 €	908.08 €	1,043.46 €

Modular Ventus plant boxes with clear glass panel (centre) | made of corten steel, 1.5 mm

Width \ Length	RRP excl. VAT					
	630 mm	880 mm	1,130 mm	1,380 mm	1,600 mm	2,000 mm
Plant box height: 400 mm, partition wall height: 1,650 mm (also available in heights of 1,450mm and 1,850mm)						
480 mm	569.94 €	660.98 €	752.01 €	843.03 €	923.27 €	1,068.98 €
Plant box height: 650 mm, partition wall height: 1,650 mm (also available in heights of 1,450mm and 1,850mm)						
480 mm	582.12 €	667.60 €	753.17 €	829.73 €	913.79 €	1,050.53 €

Modular Ventus plant boxes with clear glass panel (rear & bench) | made of corten steel, 1.5 mm

Width \ Length	RRP excl. VAT					
	630 mm	880 mm	1,130 mm	1,380 mm	1,600 mm	2,000 mm
Plant box height: 400 mm, partition wall height: 1,650 mm (also available in heights of 1,450mm and 1,850mm)						
440 mm	736.05 €	893.13 €	1,050.13 €	1,205.05 €	1,345.50 €	1,596.83 €

Also available as an insulated box on request and for an extra fee.

The material thickness of all plant boxes is 1.5 mm.

Plant box and wind protection in one

This product boasts not one but two advantages for terraces, whether used in private gardens or outdoor catering areas.

Besides the benefits of added greenery, our Modular Ventus plant boxes also protect against the wind and even absorb sound, making them an ideal partition element for outdoor areas.

We provide clear glass panels as standard. We can, however, also supply satin glass panels. You can choose to have the panel fitted across the middle or the rear of the plant box.

The boxes can also be equipped with wheels on request, allowing them to be repositioned quickly and easily.

Design using our
Online configurator
www.richard-brink.de/en/modular-configurator



Modular Ventus plant boxes with clear glass panel (rear) | made of aluminium, 1.5 mm

Width \ Length	RRP excl. VAT					
	630 mm	880 mm	1,130 mm	1,380 mm	1,600 mm	2,000 mm
Plant box height: 400 mm, partition wall height: 1,650 mm (also available in heights of 1,450mm and 1,850mm)						
440 mm	625.92 €	722.14 €	827.05 €	914.63 €	999.24 €	1,076.27 €
Plant box height: 650 mm, partition wall height: 1,650 mm (also available in heights of 1,450mm and 1,850mm)						
440 mm	647.54 €	742.22 €	845.79 €	931.77 €	1,015.06 €	1,090.85 €

Modular Ventus plant boxes with clear glass panel (centre) | made of aluminium, 1.5 mm

Width \ Length	RRP excl. VAT					
	630 mm	880 mm	1,130 mm	1,380 mm	1,600 mm	2,000 mm
Plant box height: 400 mm, partition wall height: 1,650 mm (also available in heights of 1,450mm and 1,850mm)						
480 mm	627.86 €	724.76 €	821.63 €	922.36 €	1,001.16 €	1,081.49 €
Plant box height: 650 mm, partition wall height: 1,650 mm (also available in heights of 1,450mm and 1,850mm)						
480 mm	649.50 €	744.86 €	840.39 €	939.52 €	1,017.00 €	1,096.09 €

Modular Ventus plant boxes with clear glass panel (rear & bench) | made of aluminium, 1.5 mm

Width \ Length	RRP excl. VAT					
	630 mm	880 mm	1,130 mm	1,380 mm	1,600 mm	2,000 mm
Plant box height: 400 mm, partition wall height: 1,650 mm (also available in heights of 1,450mm and 1,850mm)						
440 mm	794.41 €	957.51 €	1,129.28 €	1,281.99 €	1,427.18 €	1,557.70 €

The material thickness of all plant boxes is 1.5 mm.

Also available with insulation on request and for an extra fee.

We produce the seats to fit the entire length of the plant box as standard, however we can make them shorter on request, with an adjacent section for planting.

Add a splash of colour

Our aluminium version of the Modular Ventus plant box is available in the colours pure white (RAL 9010) and iron mica (DB 703) as standard.



Additional colours are available on request.



Modular Ventus plant box – planting, privacy and protection against wind

Modular Ventus plant boxes with clear glass panel (rear) | made of stainless steel (V2A), 1.5 mm

Length	RRP excl. VAT						
Width	630 mm	880 mm	1,130 mm	1,380 mm	1,600 mm	1,800 mm	2,000 mm
Plant box height: 400 mm, partition wall height: 1,650 mm (also available in heights of 1,450mm and 1,850mm)							
440 mm	655.09 €	761.43 €	867.89 €	974.89 €	1,068.04 €	1,153.20 €	1,238.34 €
Plant box height: 650 mm, partition wall height: 1,650 mm (also available in heights of 1,450mm and 1,850mm)							
440 mm	684.93 €	791.41 €	897.97 €	1,004.87 €	1,098.04 €	1,183.24 €	1,268.41 €

Modular Ventus plant boxes with clear glass panel (centre) | made of stainless steel (V2A), 1.5 mm

Length	RRP excl. VAT						
Width	630 mm	880 mm	1,130 mm	1,380 mm	1,600 mm	1,800 mm	2,000 mm
Plant box height: 400 mm, partition wall height: 1,650 mm (also available in heights of 1,450mm and 1,850mm)							
480 mm	667.90 €	775.51 €	883.26 €	960.62 €	1,085.83 €	1,085.83 €	1,258.19 €
Plant box height: 650 mm, partition wall height: 1,650 mm (also available in heights of 1,450mm and 1,850mm)							
480 mm	688.48 €	796.23 €	904.08 €	981.34 €	1,106.57 €	1,192.83 €	1,279.00 €

Modular Ventus plant boxes with clear glass panel (rear & bench) | made of stainless steel, 1.5 mm

Length	RRP excl. VAT						
Width	630 mm	880 mm	1,130 mm	1,380 mm	1,600 mm	1,800 mm	2,000 mm
Plant box height: 400 mm, partition wall height: 1,650 mm (also available in heights of 1,450mm and 1,850mm)							
440 mm	823.58 €	996.80 €	1,170.12 €	1,342.25 €	1,495.98 €	1,634.63 €	1,773.26 €

Also available as an insulated box on request and for an extra fee.

The material thickness of all plant boxes is 1.5 mm.



The choice is yours

Besides aluminium and corten steel, we also offer the **Modular Ventus** plant box in stainless steel.

Here, too, you can decide whether the clear or satin glass panel should be positioned across the centre or rear of the box.

Modular Sol plant box – an energy-laden planter

The **Modular Sol** plant box combines wind protection, privacy and energy generation with the equally positive attribute of added planting space. It comes in aluminium, corten steel and stainless steel.

We offer the aluminium variant either without a coating or in the colours **pure white (RAL 9010)** and **iron mica (DB 703)** as standard.

Additional colours are also possible upon request.



Solar panels as a complete system

The plant boxes are equipped with two integrated solar panels that are fitted in place of the glass panel. The solar panels are then easy to connect thanks to their plug and play design. The system includes a 400 watt inverter and enables immediate energy generation on site.

The sun's energy is visible here not only in the lush green of the plants thanks to photosynthesis, but also in the electricity savings on the meter.

Please do not hesitate to contact us should you have any questions about this product. We are happy to provide you with further information.



Duplex plant box – with plant trough for easy handling

Duplex plant boxes | made of polished stainless steel (V2A), 1.5 mm
Plant trough, 200mm high, with retractable handles

Item designation	Height	Width	Depth	RRP excl. VAT
PK 500-500-500 VA	500 mm	500 mm	500 mm	555.60 €
PK 500-500-1000 VA	500 mm	500 mm	1,000 mm	709.62 €
PK 1000-500-500 VA	1,000 mm	500 mm	500 mm	745.94 €
PK S VA (custom product)	Custom dimensions			Upon request

Duplex plant boxes | made of hot-dip galvanised steel, 1.5 mm
Plant trough, 200mm high, with retractable handles

Item designation	Height	Width	Depth	RRP excl. VAT
PK 500-500-500 ST	500 mm	500 mm	500 mm	344.88 €
PK 500-500-1000 ST	500 mm	500 mm	1,000 mm	398.49 €
PK 1000-500-500 ST	1,000 mm	500 mm	500 mm	406.61 €
PK S ST (custom product)	Custom dimensions			Upon request

The **Duplex** plant boxes achieve their double-walled design thanks to the use of removable plant troughs made from stainless steel. The air gap between the outer shell and the plant trough insulates and protects against heat and cold alike. The troughs are also easy to handle with the option to have retractable or fixed handles, which makes planting more convenient. The plant troughs come in a height of 20cm as standard, they can however also be produced in taller variants on request.



Add a splash of colour

Our plant boxes can be finished in any RAL shade – perfect for adding a pop of colour to terraces, entrance areas or gardens, even on cold, dull days.

Coordinate the plant and box colours for an extravagant look – place lavender blossoms in a purple box, for instance.



All RAL colours possible

Duplex Max plant box – double-walled and air-insulated

Duplex Max plant boxes | made of polished stainless steel (V2A), 1.5 mm
Plant trough, 200mm high, with retractable handles

Item designation	Height	Width	Depth	RRP excl. VAT
PK P 500-500-500 VA	500 mm	500 mm	500 mm	604.12 €
PK P 500-500-1000 VA	500 mm	500 mm	1,000 mm	793.52 €
PK P 1000-500-500 VA	1,000 mm	500 mm	500 mm	832.98 €
PK P S VA (custom product)	Custom dimensions			Upon request

Duplex Max plant boxes | made of hot-dip galvanised steel, 1.5 mm
Plant trough, 200mm high, with retractable handles

Item designation	Height	Width	Depth	RRP excl. VAT
PK P 500-500-500 ST	500 mm	500 mm	500 mm	443.37 €
PK P 500-500-1000 ST	500 mm	500 mm	1,000 mm	552.89 €
PK P 1000-500-500 ST	1,000 mm	500 mm	500 mm	564.34 €
PK P S ST (custom product)	Custom dimensions			Upon request

The plant boxes from the **Duplex Max** line are designed to hold more potting compost and can be completely filled. Their double-walled construction is achieved thanks to the panels fitted on the inside that act as spacers along the outer shell. The resulting air gap insulates against frost and heat alike.

Not quite green enough?

The **Duplex Max** plant boxes also leave you spoilt for choice: we can coat the boxes in any RAL colour.



All RAL colours possible



The cross section here shows the double-walled construction of the **Duplex Max** plant box. The inside panels maintain a distance of approx. 26mm to the outer shell.

Bonus feature: our **Duplex Max** plant boxes can be finished with a custom-lasered company logo.



Janus raised bed – two faces, one plant box

Janus 425 raised beds | made of aluminium

Width \ Length	750 mm	1,000 mm	RRP excl. VAT 1,500 mm	2,000 mm	3,000 mm
750 mm	353.28 €	389.48 €	461.96 €	540.36 €	685.28 €
1,000 mm	389.48 €	425.68 €	498.16 €	576.56 €	721.48 €
1,500 mm	461.96 €	498.16 €	570.64 €	649.04 €	793.96 €
2,000 mm	540.36 €	576.56 €	649.04 €	727.44 €	872.36 €
3,000 mm	685.28 €	721.48 €	793.96 €	872.36 €	1,017.28 €

Janus 625 raised beds | made of aluminium

Width \ Length	750 mm	1,000 mm	RRP excl. VAT 1,500 mm	2,000 mm	3,000 mm
750 mm	505.04 €	559.34 €	668.06 €	785.66 €	1,003.04 €
1,000 mm	559.34 €	613.64 €	722.36 €	839.96 €	1,057.34 €
1,500 mm	668.06 €	722.36 €	831.08 €	948.68 €	1,166.06 €
2,000 mm	785.66 €	839.96 €	948.68 €	1,066.28 €	1,283.66 €
3,000 mm	1,003.04 €	1,057.34 €	1,166.06 €	1,283.66 €	1,501.04 €

Prices incl. standard coating in the colours:
iron mica (DB 703) – white aluminium (RAL 9006) – traffic white (RAL 9016)



This aluminium raised bed takes its name from the two-faced Roman god of beginnings and endings. Just like **Janus**, our raised bed also has two faces depending on its assembly. You can choose between the appearance of smooth wooden panels or corrugated profiled sheets.

The double-walled, hollow-chamber profiles used to create the beds are not only decorative, they also provide insulation thanks to the air spaces enclosed within the panels. This protects the plants from frost and heat in equal measure.

The panels and corners can be mixed and matched in terms of colour, meaning you don't have to opt for a monochrome design.

You can choose from the following colours as standard:
1. Iron mica (DB 703)
2. White aluminium (RAL 9006)
3. Traffic white (RAL 9016)

Additional colours are also possible on request.

Janus 825 raised beds | made of aluminium

Width \ Length	750 mm	1,000 mm	RRP excl. VAT 1,500 mm	2,000 mm	3,000 mm
750 mm	656.84 €	729.24 €	874.20 €	1,031.00 €	1,320.84 €
1,000 mm	729.24 €	801.64 €	946.60 €	1,103.40 €	1,393.24 €
1,500 mm	874.20 €	946.60 €	1,091.56 €	1,248.36 €	1,538.20 €
2,000 mm	1,031.00 €	1,103.40 €	1,248.36 €	1,405.16 €	1,695.00 €
3,000 mm	1,320.84 €	1,393.24 €	1,538.20 €	1,695.00 €	1,984.84 €

Janus 1025 raised beds | made of aluminium

Width \ Length	750 mm	1,000 mm	RRP excl. VAT 1,500 mm	2,000 mm	3,000 mm
750 mm	808.56 €	899.06 €	1,080.26 €	1,276.26 €	1,638.56 €
1,000 mm	899.06 €	989.56 €	1,170.76 €	1,366.76 €	1,729.06 €
1,500 mm	1,080.26 €	1,170.76 €	1,351.96 €	1,547.96 €	1,910.26 €
2,000 mm	1,276.26 €	1,366.76 €	1,547.96 €	1,743.96 €	2,106.26 €
3,000 mm	1,638.56 €	1,729.06 €	1,910.26 €	2,106.26 €	2,468.56 €

Prices incl. standard coating in the colours:
Iron mica (DB 703)
White aluminium (RAL 9006)
Traffic white (RAL 9016)




Put together your own, individual raised bed – with any of our standard colours and with either side of the panels facing outwards. You can choose from four different heights and two different corner styles.

Corner and panel colours can also be mixed and matched.

The choice is yours


The corners of the **Janus** raised bed are available in a 90° angle or with a rounded edge.



Design using our
Online configurator
www.richard-brink.de/en/janus-configurator




Modular raised bed – do it yourself!






Price example 1 (rectangular)
with a wall circumference of 390cm
with a height of 380mm (aluminium): €733.50
with a height of 600mm (aluminium): €896.15
with a height of 380mm (corten steel): €526.10
with a height of 600mm (corten steel): €673.70



Price example 2 (square)
with a wall circumference of 520cm
with a height of 380mm (aluminium): €916.96
with a height of 600mm (aluminium): €1,133.93
with a height of 380mm (corten steel): €687.16
with a height of 600mm (corten steel): €877.00



Price example 3 (U-shape)
with a wall circumference of 780cm
with a height of 380mm (aluminium): €1,307.22
with a height of 600mm (aluminium): €1,628.07
with a height of 380mm (corten steel): €1,033.38
with a height of 600mm (corten steel): €1,313.62



Configure your raised bed to meet your needs

The clue is in the name: the Modular raised-bed system consists of various components that can be combined at will. It is available in heights of 380mm and 600mm.

In terms of material, you can choose between corten steel and powder-coated aluminium, the latter of which can be finished in any RAL colour.

Both the outer and inner corners have a side length of 325mm. The straight panel walls come in lengths of 162.5mm, 325mm and 650mm.

Modular raised-bed segments | aluminium / 380 mm tall

Including powder coating in any preferred RAL colour

Segments	Side lengths	RRP excl. VAT
Outer corner	325.00 mm	98.05 €/unit
Inner corner	325.00 mm	86.73 €/unit
Straight panel 162.5 mm	162.50 mm	52.28 €/unit
Straight panel 325 mm	325.00 mm	71.91 €/unit
Straight panel 650 mm	650.00 mm	91.53 €/unit

Corten steel / 380 mm tall

Segments	Side lengths	RRP excl. VAT
Outer corner	325.00 mm	91.26 €/unit
Inner corner	325.00 mm	81.85 €/unit
Straight panel 162.5 mm	162.50 mm	48.26 €/unit
Straight panel 325 mm	325.00 mm	58.99 €/unit
Straight panel 650 mm	650.00 mm	80.53 €/unit

Modular raised-bed segments | aluminium / 600 mm tall

Including powder coating in any preferred RAL colour

Segments	Side lengths	RRP excl. VAT
Outer corner	325.00 mm	122.92 €/unit
Inner corner	325.00 mm	108.68 €/unit
Straight panel 162.5 mm	162.50 mm	62.44 €/unit
Straight panel 325 mm	325.00 mm	81.28 €/unit
Straight panel 650 mm	650.00 mm	118.84 €/unit

Corten steel / 600 mm tall

Segments	Side lengths	RRP excl. VAT
Outer corner	325.00 mm	117.60 €/unit
Inner corner	325.00 mm	100.71 €/unit
Straight panel 162.5 mm	162.50 mm	56.63 €/unit
Straight panel 325 mm	325.00 mm	71.60 €/unit
Straight panel 650 mm	650.00 mm	101.65 €/unit

Whether placed in a row with trellises or used as a partition screen or border –

with our **Modular** raised beds and our online configurator as a handy planning tool, you can put together your ideal raised bed yourself in next to no time.

Design using our online configurator
www.richard-brink.de/en/h-modular-configurator

- tie rods included
- powder coating (all RAL colours)



Semira custom raised bed – take your planting to the next level

Semira raised beds | made of aluminium

Price per running metre, single-section lengths of up to 3,000mm possible

Item designation	Height	Support base	Upper back-ward bend	Material thickness	RRP excl. VAT.
HB 275-155-35-30 AL	275 mm	155 mm	35 x 30 mm	3.0 mm	88.04 €/m
HB 415-185-35-30 AL	415 mm	185 mm	35 x 30 mm	3.0 mm	117.40 €/m
HB 500-185-35-30 AL	500 mm	185 mm	35 x 30 mm	3.0 mm	141.70 €/m
HB 550-185-35-30 AL	550 mm	185 mm	35 x 30 mm	3.0 mm	194.24 €/m
HB 700-235-35-30 AL	700 mm	235 mm	35 x 30 mm	4.0 mm	238.59 €/m
HB 900-285-35-30 AL	900 mm	285 mm	35 x 30 mm	4.0 mm	323.72 €/m
HB 1100-300-55-45 AL	1,100 mm	300 mm	55 x 45 mm	6.0 mm	474.06 €/m
HB S AL (custom product)	Custom dimensions		Proportional	Upon request	



The Hanging Gardens of Queen Semiramis in Babylon were one of the seven wonders of the world. Their tiered structure is said to have soared to a height of 30 metres.

Our raised beds may not sit quite so tall, however they, too, take your greenery to new heights and allow your plants to take centre stage.

Our **Semira** raised beds are available in aluminium, corten steel or stainless steel. Depending on height, their material thickness ranges from 3mm to 6mm. We can coat the aluminium version in any preferred RAL colour.

We custom make the raised beds to meet your specific size and shape preferences. Whether geometric or organic – your wish is our command!



Raised beds with integrated seating provide a wonderful place to relax and be at one with mother nature.

Semira raised beds | made of corten steel

Price per running metre, single-section lengths of up to 3,000mm possible

Item designation	Height	Support base	Upper back-ward bend	Material thickness	RRP excl. VAT.
HB 275-155-35-30 CS	275 mm	155 mm	35 x 30 mm	3.0 mm	105.33 €/m
HB 415-185-35-30 CS	415 mm	185 mm	35 x 30 mm	3.0 mm	144.93 €/m
HB 500-185-35-30 CS	500 mm	185 mm	35 x 30 mm	3.0 mm	173.69 €/m
HB 550-185-35-30 CS	550 mm	185 mm	35 x 30 mm	3.0 mm	200.34 €/m
HB 700-235-35-30 CS	700 mm	235 mm	35 x 30 mm	4.0 mm	301.56 €/m
HB 900-285-35-30 CS	900 mm	285 mm	35 x 30 mm	4.0 mm	340.05 €/m
HB 1100-300-55-45 CS	1,100 mm	300 mm	55 x 45 mm	5.0 mm	490.25 €/m
HB S CS (custom product)	Custom dimensions		Proportional	Upon request	

Semira raised beds | made of polished stainless steel (V2A)

Price per running metre, single-section lengths of up to 3,000mm possible

Item designation	Height	Support base	Upper back-ward bend	Material thickness	RRP excl. VAT.
HB 275-155-35-30 VA	275 mm	155 mm	35 x 30 mm	3.0 mm	164.66 €/m
HB 415-185-35-30 VA	415 mm	185 mm	35 x 30 mm	3.0 mm	248.55 €/m
HB 500-185-35-30 VA	500 mm	185 mm	35 x 30 mm	3.0 mm	289.94 €/m
HB 550-185-35-30 VA	550 mm	185 mm	35 x 30 mm	3.0 mm	322.45 €/m
HB 700-235-35-30 VA	700 mm	235 mm	35 x 30 mm	4.0 mm	437.50 €/m
HB 900-285-35-30 VA	900 mm	285 mm	35 x 30 mm	4.0 mm	582.60 €/m
HB 1100-300-55-45 VA	1,100 mm	300 mm	55 x 45 mm	5.0 mm	858.06 €/m
HB S VA (custom product)	Custom dimensions		Proportional	Upon request	

Corner surcharge for inner & outer corners

For aluminium, corten steel and stainless steel (V2A)

Item designation	Surcharge
HB * 275-155-35-30	47.76 €/unit
HB * 415-185-35-30	60.36 €/unit
HB * 500-185-35-30	63.44 €/unit
HB * 550-185-35-30	63.36 €/unit
HB * 700-235-35-30	70.78 €/unit
HB * 900-285-35-30	77.00 €/unit
HB * 1100-300-55-45	88.19 €/unit
HB * S (custom product)	Upon request



Tie rods are included in the delivery for beds measuring at least 415mm high. They prevent the walls from deforming as a result of the soil fill.



Tie rod anchor trays provide extra stability for all raised beds where the use of regular tie rods is not possible. The trays act as floor anchors inside the raised bed and are fixed in place by the soil fill.



Freestanding *Eva* living wall – a whole new gardening perspective

Eva living wall | made of Magnelis* steel, untreated/without or including RAL coating

Item designation	Height	Width	Depth at bottom	Depth at top	Colour	RRP excl. VAT
PWE 1176-1450-500 ST W	1,176 mm	1,450 mm	500 mm	324 mm	Pure white	993.20 €/unit
PWE 1176-1450-500 ST G	1,176 mm	1,450 mm	500 mm	324 mm	Iron mica	993.20 €/unit
PWE 1176-1450-500 ST S custom colour	1,176 mm	1,450 mm	500 mm	324 mm	Other colour	1,112.38 €/unit
PWE 1944-1450-500 ST W	1,944 mm	1,450 mm	500 mm	209 mm	Pure white	1,485.16 €/unit
PWE 1944-1450-500 ST G	1,944 mm	1,450 mm	500 mm	209 mm	Iron mica	1,485.16 €/unit
PWE 1944-1450-500 ST S custom colour	1,944 mm	1,450 mm	500 mm	209 mm	Other colour	1,665.16 €/unit

*Magnesium-zinc coating (10 x greater corrosion resistance than galvanised steel; self-healing protection for cut edges)



Here you can see the *Eva* living wall prior to being planted. On request, we can fit the panels with a Styrodur lining in order to insulate the wall. The openings would then need drilling through on site.

The freestanding *Eva* living wall is essentially a vertical flower bed. It consists of two load-bearing side walls, between which the actual plant panels are hooked in using integrated hooks. Potting compost and the plants themselves should then be added panel for panel. Each of the panels features 20 circular openings through which the plants are inserted. The 1,944mm-high *Eva* wall can hold up to 100 plants on either side, or **200 plants per living wall**. The shorter version measuring 1,176mm high can hold 60 plants per side, or **120 plants per wall**.

The wall can be made freestanding depending on the design and weight of the chosen model. We also offer additional floor anchors that can fix the structure into a concrete foundation.

With regard to the surface properties of the living walls, which are made from Magnelis steel, you can choose from an untreated finish with no coating or a powder coating. The latter is available in the colours pure white (RAL 9010) and iron mica (DB 703) as standard. Further RAL colours are, however, also possible for an additional charge.

Adam living wall – and our *Easy, Terra & Bio* roof planting



This spring brochure focuses primarily on planting systems for gardens, courtyards and ground-floor spaces in general as well as balconies and roof terraces.

We do, however, also offer solutions that add greenery to building structures.

The *Adam* living wall, for example, is a modular system for façade greenery that we are able to adapt in line with your specific building project. You can choose from stepped and vertical plant cassettes as well as three types of substructure that each satisfy different static conditions for various types of wall.

Find out more about the living wall system:
www.richard-brink.de/en/adam



You are of course welcome to contact us at any time for individual help and advice.

Easy, Terra and Bio roof planting

Our integrated roof planting systems are available in three different versions. Depending on the variant, they feature sedum mats, substrates or water storage mats, separation and protection fleeces, drainage mats and root barrier foils.

Take a look at our website to find out which system best suits your planned project.

Find out more about our green roof systems:
www.richard-brink.de/en/green-roof



Last but not least – our made-to-measure **Clarus** plant boxes

With their monolithic structure welded completely watertight without any visible joints, our **Clarus** plant boxes are an evolution of the standardised **Basio** plant boxes. With the **Clarus** model, however, you have the option to define your own dimensions.

The plant boxes can also be used indoors thanks to their watertight construction. A nozzle fitted inside the box ensures the controlled drainage of excess irrigation or precipitation water. The nozzle is 80mm long and has a diameter of 50mm. Alternatively, the base panel can be provided with a simple hole cut-out.

The plant box is available in corten steel, stainless steel and also coated aluminium in any RAL colour from a material thickness of 3mm.

The upper backward bend measures 40 x 35mm (*adapted accordingly for thicker materials*). We also offer optional accessories such as welded feet or wheels, which increase the height of the plant boxes by around 10cm. Adding feet allows the box to be lifted by a forklift truck, for instance, while wheels offer maximum flexibility in terms of manoeuvring and positioning the plant box.




Our inspiration: *to be simply better*

More than **45 years** of metalware production


Richard Brink is a medium-sized and growing family-run company from Schloss Holte-Stukenbrock. Founded in 1976, the company is now managed by the second generation. With over 150 employees and our own, also internationally oriented sales team based, for instance, in Austria, France and the Netherlands, we have established ourselves in the market as a specialist for premium metal goods.

We develop, produce and sell innovative drainage and dewatering solutions alongside versatile planting systems and products for roofs and walls, industry, bathrooms and kitchens.

In doing so, we place great importance on a level of workmanship and dimensional accuracy that satisfies our customers' own high standards. Not only are we known for our broad range of standard products, we have also made a name for ourselves as a manufacturer of individual, custom-made products and bespoke solutions.



Design using our
online configurator
www.richard-brink.de/en/clarus-configurator





Richard Brink GmbH & Co. KG
Metalware Production and Sales

Germany

Görlitzer Straße 1
33758 Schloß Holte-Stukenbrock
T +49 (0)5207 95 04-0
F +49 (0)5207 95 04-20

anfragen@richard-brink.de

Great Britain

Richard Brink LTD
483 Green Lanes
London, N13 485
T +44 (0)20 3096 7261

request@richard-brink.com

www.richard-brink.com
with supplier database



Status 2025

**DRAINAGE AND
DEWATERING SYSTEMS**

**HEAVY-DUTY
SYSTEMS**

**ROOF AND WALL
SYSTEMS**

**PLANTING
SYSTEMS**

**BATHROOM AND
KITCHEN SYSTEMS**